VITAL STATISTICS ANNUAL REPORT 1984



The Honorable Edward D. DiPrete, Governor

Division of Vital Statistics

RHODE ISLAND DEPARTMENT OF HEALTH

H. Denman Scott, M.D., Director

STATE
OF
RHODE ISLAND AND PROVIDENCE PLANTATIONS
DEPARTMENT OF HEALTH

VITAL STATISTICS
ANNUAL REPORT
1984

The Honorable Edward D. DiPrete, Governor

H. Denman Scott, M.D.
Director of Health

Edward J. Martin, State Registrar Roberta A. Chevoya, Assistant Registrar

Joseph Aldorisio, Senior Research Technician

PREFACE

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA 282-84-2022. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the Vital Statistics Cooperative Program. This report is intended primarily for reference, so there is a minimum of analysis and interpretation of the data. Where space permits, 1984 data are accompanied by figures for the previous year or years so comparisons may be made. Only information of general interest is published here; however, in most cases, more detailed data are available. Inquiries should be addressed to the Division of Vital Statistics, 101 Cannon Bldg., 75 Davis Street, Providence, Rhode Island 02908.

H. Denman Scott

H. Denman Scott, M.D.
DIRECTOR OF HEALTH

May 1986

ACKNOWLEDGEMENTS

This report is the product of the efforts of many individuals. Special thanks are extended to Karen Johnson, of the Division of Vital Statistics, who was responsible for word processing; to Janine Vary, of the Division of Data and Methods, for technical assistance; to the Office of Health Promotion, for the computer-generated graphs and charts; and to Wayne Aldrich and his staff, of the Division of Management Services, for printing the report.

TABLE OF CONTENTS

		Page
Introduction		1
Table A	Vital Statistics Summary: Rhode Island, 1980-1984 and 1970-1974	1
Figure 1	Population Densities of Rhode Island Cities and Towns According to 1980 Census	2
Figure 1A	Rhode Island Population by Age and Sex, 1980	4
Figure 1B	Rhode Island Population by Age and Sex, 1970	5
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1954-1984	6
Table B	Rhode Island Occurrence Births at Home, 1975-1984	7
Figure 2A	Natural Increase - Number of Persons Added to Rhode Island Population (Births Minus Deaths), 1970-1984	8
Figure 3	Rates for First Live Births, Rhode Island Residents, by Age of Mother, 1970, 1975, 1980, and 1984	10
Figure 3A	Birth Out-of-Wedlock Ratios Per 1,000 Live Births, by Age of Mother: Rhode Island Residents, 1974-1984	12
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1960-1984	16
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island Residents, 1984	19
Figure 5A	Rates from the Five Leading Causes of Death in 1984 with Comparable Rates for 1974-1983, Rhode Island Residents	20
Figure 5B	Rates from the Sixth to Tenth Leading Causes of Death in 1984, with Comparable Rates for 1974-1983, Rhode Island Residents	21
Figure 6	Leading Causes of Death by Sex: Rhode Island Residents, 1984	22
Table D	Five Leading Cancer Sites by Sex, Rhode Island Residents 1984	23
Figure 7	Five Leading Primary Sites, Malignant Neoplasms, by Sex, 1984	24

TABLE OF CONTENTS

		Page
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1984	25
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1984	26
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island Residents, 1984	27
Table E	Resident Accidental Deaths by Type by Sex: Rhode Island, 1984	28
Figure 11	Leading Causes of Death from Accidents: Rhode Island, 1984	29
Table F	Deaths from Motor Vehicle Accidents, Rhode Island Residents 1975-1984	30
Table G	Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1984, with Provisional U.S. Rates	32
Table H	Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1984	33
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1974-1984	34
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, Occurrence Data, 1974-1984	36
Table 1	United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980	39
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1970 and 1980, and 1984 Estimate	40
Table 3	Number of Live Births, Deaths, and Marriages, with Rates by City and Town: Rhode Island, 1984	41
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1955-1984	42
Table 5	Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates, Rhode Island Residents, 1955-1984	43
Table 6	Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1984	44
Table 7	Deaths and Death Rates for Leading Causes in 1984 and for Comparable Causes in 1974-1983	50

TABLE OF CONTENTS

		Page
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1980-1984	51
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island 1961-1984 (Rhode Island Residents)	54
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1975-1984	54
Table 11	Resident Live Births by Sex and Race of Child and Age of Mother and Live Birth Order, Rhode Island, 1984	55
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island 1984	59
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1984	63
Table 14	Resident Plural Live Births by Age of Mother, Race and Birth Weight, Rhode Island, 1984	66
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1984	69
Table 16	Births by City or Town of Residence by Selected Characteristics, Rhode Island, 1984	72
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1984	73
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1984	74
Table 18A	Births and Births Out of Wedlock, 1984: All Ages and Under Age 20, by City or Town of Residence	82
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and Mode of Delivery, 1984	83

TABLE OF CONTENTS

Page

Table 19B Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1984 83

Table 20 Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery, by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1984 84

Table 21 Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, Rhode Island Occurrences, 1984 93

Table 22A Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1984 97

Table 22B Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1984 98

Table 23 Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1984 99

Table 24 Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1984 100

Table 25 Resident Deaths from 72 Selected Causes by Race, Age, and Sex: Rhode Island, 1984 101

Table 26 Resident Deaths by City or Town by Month, Rhode Island, 1984 114

Table 27 Resident Infant Deaths from 61 Selected Causes by Age, Rhode Island, 1984 115

Table 28 Resident Accidental Deaths, with Non-Motor Vehicle Accidents Shown, by New England Standard Location by Sex and Age: Rhode Island, 1984 117

Table 29A Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1984 119

Table 29B Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1984 127

Table 30 Resident Accident Deaths by Type and Age: Rhode Island, 1984 135

TABLE OF CONTENTS

		Page
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1984	136
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1984	137
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island 1984 (Rhode Island Occurrences)	139
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1984	140
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1984	141
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1984 (Rhode Island Occurrences)	142
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1984	142
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1984	143
Table 39	Divorces Occurring in Rhode Island by Age of Wife, by Age of Husband, 1984	144
Table 40	Divorces by Number of Times Married before this Divorce, by Sex: Rhode Island, 1984 (Rhode Island Occurrences)	144
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1984 (Rhode Island Occurrences)	145
Table 42	Number of Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1984 (Rhode Island Occurrences)	145
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1984 (Rhode Island Occurrences)	146
Table 44	Divorces According to Last Grade of School Completed, by Sex: Rhode Island, 1984 (Rhode Island Occurrences)	147

INTRODUCTION

This report includes data from all 1984 vital records received by 15 April 1985. Because of the exchange of birth and death records between states, it is possible to publish the number of births and deaths occurring in Rhode Island regardless of the place of residence (occurrence data) and the number of births and deaths of Rhode Island residents regardless of the place of occurrence (resident data). Both resident and occurrence data are shown for births and deaths in Table 3, by city or town of occurrence and by city or town of residence. Resident rates for births and deaths are computed using the number of vital events occurring to residents of each city and town and the population estimates shown in Table 2.

As shown in Table 3, the Division of Vital Statistics recorded 13,290 births which occurred in Rhode Island in 1984, of which 1,106 were to non-residents; 463 births occurred outside the state to Rhode Island residents, yielding a total of 12,647 resident live births in 1984. The resident rate was 13.1 per 1,000 population. In 1984, the number of deaths recorded in the state was 9,605; non-residents aqcounted for 610, and 427 deaths to Rhode Island residents were recorded in other states. The total number of resident deaths, therefore, was 9,422, yielding a rate of 9.8 deaths per 1,000 population.

Vital Statistics Summary

Table A, shown below, compares vital statistics data and average rates for the five-year period 1980-1984 with average rates for the years 1970-1974. Rates averaged over five years reduce the effect of random fluctuations that may occur when comparing single years.

Table A - Vital Statistics Summary: Rhode Island, 1980-1984 and 1970-1974

(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	Five-Year Average				
	1980-1984		1970-1974		Per Cent
Item	Number	Rate	Number	Rate	Change In Rate
Live Births#	12,464	13.0	13,525	14.0	- 7.1
Deaths#	9,224	9.6	9,392	9.7	- 1.0
Infant Mortality*	135	10.8	248	18.3	- 41.0
Neonatal Mortality*	104	8.3	193	14.3	- 42.0
Perinatal Mortality**	148	11.8	275	20.2	- 41.6
Maternal Mortality***	1	0.8	2	1.2	- 33.3
Fetal Deaths (of 28 weeks or more Uterogestation)*	60	4.8	98	7.3	- 34.2
Marriages#	7,792	8.1	7,590	7.8	+ 3.8
Divorces#	3,558	3.7	2,088	2.2	+ 68.2
Population Est. (1982 and 1972)	958,000		968,000		- 1.0

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1980 CENSUS



The average birth rate over the past five years (13.0 per 1,000 population) was seven per cent lower than the five-year average rate of 14.0 observed a decade ago. The average death rate over the past five years (9.6) was one per cent below the five-year average rate of 9.7 a decade ago. The most recent five-year average infant mortality rate (death within the first year of life) was 10.8 per 1,000 live births -- 41 per cent lower than the five-year average of 18.3 a decade ago. The 1980-1984 neonatal mortality rate of 8.3, including infants who died before the 28th day of life, was 42 per cent lower than the rate of 14.3 observed for the period 1970-1974. Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths (products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 11.8 per 1,000 live births combined with late fetal deaths, 42 per cent lower than the five-year average a decade ago (20.2).

The average marriage rate for the five-year period 1980-1984 (8.1 per 1,000 population) was four per cent higher than the average rate of a decade ago (7.8).

The average divorce rate for the period 1980-1984 increased 68 per cent over the five-year period 1970-1974. Caution should be observed when analyzing marriage and divorce rates for two reasons. First, it is difficult to compare marriage and divorce rates because the divorce rate for a specified period refers to any persons divorced during that period of time, regardless of the length of the marriage. Since the great majority of persons obtaining a divorce have been married for more than one year, the divorce rate for that year has no direct relationship to the marriage rate in that same year. Second, because there is no complete exchange of marriage and divorce records among the states, marriages and divorces of Rhode Island residents occurring outside the state are not included in Rhode Island rates.

RHODE ISLAND POPULATION

Table 1 shows the 1970 and 1980 census population figures for the state by race and sex and also by age and sex, showing the per cent change for each category between 1970 and 1980. The population pyramids illustrated in Figures 1A and 1B show population shifts within each age group, by sex, reflected in the 1970 and 1980 censuses.

The male population declined three per cent between 1970 and 1980, (464,291 to 451,251); the female population increased by three per cent (482,434 to 495,903). The black population increased nine per cent (25,338 to 27,584); other non-white population was 2 1/2 times as great in 1980, and the white population decreased two per cent (914,757 to 896,692).

Figure 1 illustrates the population density by city or town according to the 1980 Census. Central Falls, with 14,162 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 8,663; Pawtucket, 8,091; Woonsocket, 5,812; and North Providence, 5,121 persons per square mile. The five least populous towns and their densities were: West Greenwich, 54; New Shoreham, 62; Foster, 66; Exeter, 77; and Richmond, 99 persons per square mile. The State average was 903 persons per square mile in 1980.

The statewide population estimates for 1984, as well as county and city/town estimates, shown in Table 2, were obtained from Current Population Reports, Series P-26.

FIGURE - 1A

Rhode Island Population by Age + Sex, 1980



FIGURE - 1B

Rhode Island Population by Age + Sex, 1970



Figure 2 - Crude Birth and Death Rates Per 1,000 Population: Rhode Island, 1954-1984



Natural Increase

Natural increase (the excess of resident births over resident deaths) resulted in the net addition of 3,225 persons to the Rhode Island population in 1984. This is the second consecutive year that the natural increase has been lower in comparison to the preceding year. (For the six-year period 1977-1982, the natural increase had been higher from year to year).

L I V E B I R T H S

There were 12,647 resident live births recorded for Rhode Island in 1984, yielding a resident rate of 13.1 per 1,000 population. In Rhode Island, the birth rate had decreased steadily from 1959 until 1975, reaching the all-time low rate of 11.6 in both 1975 and 1976. From 1976-1981, the birth rate showed a slow but steady increase for all years; during the last four years the rate has stabilized with rates of 13.1, 13.0, 13.2, and 13.1. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years).

Home Births

There continues to be a great deal of interest focused on midwifery and home births, both nationally and locally. Until 1978, when the Rhode Island Department of Health promulgated regulations for the licensing of midwives, there was only one licensed midwife practicing in Rhode Island. Since 1978, the number of licensed midwives has increased to twenty-one.

During the last ten years, the percentage of home births occurring in Rhode Island ranged from a low of 0.2 in 1975 and 1976 to a high of 0.6, first recorded in 1979 and maintained every succeeding year except 1980 and 1984, when the percentage was 0.5. (see Table B below).

Table B - Rhode Island Occurrence Births at Home, 1975-1984

	Occurrence Births	Home Births	
Year	Total Number	Number	Per Cent
1975	10,957	20	0.2
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6
1980	12,574	66	0.5
1981	12,866	74	0.6
1982	13,032	82	0.6
1983	13,092	81	0.6
1984	13,290	66	0.5

Fertility Rates

The fertility rate is calculated by dividing the total number of resident births by the female population aged 15-44, multiplied by 1,000. The fertility rate is a more precise measure of reproduction than the crude birth rate, but it can be determined accurately only in census years. The fertility rate for 1980 was 56.4 per 1,000 female Rhode Island residents aged 15-44. Assuming the ratio of females

Figure 2a - Natural Increase
Number of Persons Added to R.I. Population
(Births Minus Deaths) 1970-1984



in this age group to the total female population is the same as in 1980, the estimated fertility rate for 1984 was 57.7, a decrease of less than one per cent from 1983.

The table below shows age-specific fertility rates for Rhode Island during 1960, 1965, 1970, and 1980. The fertility rate decreased for all age groups between 1970 and 1980; the largest decrease occurred in the 40-44 age group, for which the fertility rate dropped by 68 per cent.

Fertility Rates by Age of Mother: 1960, 1965, 1970 and 1980
(Rates per 1,000 Female Population in Specified Age Groups)

Age of Mother in Years	1960	1965	1970	1980	Per Cent Change Between 1970 and 1980
TOTAL (15-44)	108.7	98.8	84.9	56.4	-33.6
15-19	56.9	47.7	45.2	32.9	-27.2
20-24	236.8	212.6	163.4	89.3	-45.3
25-29	206.9	192.9	155.3	104.2	-32.9
30-34	122.1	111.4	79.6	57.6	-27.6
35-39	61.5	54.3	35.6	15.9	-55.3
40-44	14.7	13.7	9.3	3.0	-67.7

Five-Year Average Rates by Residence

Average annual rates of birth for the past five years may be seen in Table 8 for the state as a whole and for each city or town and census tract of residence. Birth rates were computed using the 1980 census population. The average birth rate for the state for 1980 to 1984 was 13.2 per 1,000 population in 1980.

Daily Average

Rhode Island mothers delivered an average of 34.6 babies per day in 1984, compared with 34.5 in 1983, 34.2 in 1982, 34.1 in 1981, and 33.2 in 1980. The highest daily average for 1984 occurred in September, with 37.9 births per day. The lowest daily average, 31.5 per day, occurred in January.

Sex Ratio

In 1984, there were 6,520 male children and 6,127 female children born to Rhode Island residents. The ratio of males to females was 1,064 males per 1,000 females.

Births by Race

In 1984, there were 11,319 resident white births and 1,313 resident non-white births (90 and 10 per cent, respectively, of those births where race was reported). Prior to 1984, there had been a gradual but steady increase over the years in the percentage of non-white resident births: 1963, four per cent; 1973, seven per cent; and 1983, 11 per cent.

First Births

In 1984, first births accounted for 44 per cent of all deliveries where birth order was known, two per cent less than reported for 1983. Similar percentages have

Figure 3 - Rates for First Live Births Rhode Island Residents by Age of Mother 1970, 1975, 1980, and 1984



been experienced in the last several years; first births accounted for 44 per cent of all deliveries for 1974-1975, for 45 per cent for 1976-1979, and for 46 per cent for 1980-1982.

Recently, there has been increasing interest in the age at which Rhode Island women have their first child. The rate of first live births per the female population in specified five-year age groups for the years 1970, 1975, 1980, and 1984 is shown in Figure 3. Census population figures were used to compute rates for 1970 and 1980. The 1975 population figures were computed by interpolating between the 1970 and 1980 censuses. The 1984 population figures were computed using the statewide population estimate for 1984 obtained from Current Population Reports, and extrapolating from the proportions of females in the 1980 census in each specified age group being studied.

Figure 3 shows that the age at which Rhode Island women have chosen to start their families has increased over the past thirteen years. A steady decrease is observed in the rate of first births among women aged 15-19 over the years studied. A large drop in the rate of first births among women aged 20-24 occurred between 1970 and 1975, followed by a steady increase from 1975 through 1984 in the rate of first births among women aged 25-29 and 30-34. Although the numbers are small, the rate of first births to women aged 35-39 has increased since 1975, following a decrease from 1970 to 1975.

Second or Higher in Birth Order

The percentage of second births to Rhode Island residents has remained fairly constant during the last several years, ranging from 32 to 34 per cent. In 1984, 36 per cent of births were second births. A gradual downturn seemed evident in the last few years in the percentage of births third or higher in birth order: from 23 per cent in 1974 and 1975, to 22 per cent in 1976, dropping again to 21 per cent from 1977 to 1981 and to 20 per cent in 1982. In 1983, the rate increased to 23 per cent, but in 1984 it decreased again to 21 per cent.

Low Birth Weight Infants

The rate of low birth weight infants (those weighing five pounds, eight ounces or less) averaged 61.8 per 1,000 live births over the past five years. In 1984, there were 768 low birth weight infants delivered to Rhode Island residents (60.7 per 1,000 live births). The non-white ratio (100.5) was almost double the white ratio of 55.9. Low birth weight infants by race may be seen in Table 16 by city or town of mother's residence. Low birth weight infants by age of mother may be seen in Table 13; low birth weight infants by plural birth may be seen in Table 14.

Table 16 shows low birth weight infants, the number of infants born in hospitals and the number born out of wedlock, by race and by city or town of residence. Table 18 shows all births, births out of wedlock, low-weight births, births with malformations, and births by the month prenatal care began, all distributed by city or town and census tract of mother's residence.

Births Out of Wedlock

Births out of wedlock accounted for 18 per cent of all resident births in 1984 (a ratio of 177.2 per 1,000 live births). The non-white ratio (413.6) was nearly three times the white ratio (149.6). The average birth out of wedlock ratio for the past five years (165.9) was 25 per cent above the five-year average of 132.7 for

Figure 3a - Birth Out of Wedlock Ratios Per 1,000 Live Births by Age of Mother Rhode Island Residents 1974-1984



1975-1979. The ratio has increased steadily each year since 1964; the ratios for 1961-1984 may be seen in Table 9. Although the U.S. birth out of wedlock ratio for 1983 is not yet available, the U.S. ratio in the past years has been consistently above that observed in Rhode Island.

Birth out of wedlock ratios by age of mother are shown in Figure 3 and Table 10 for 1975-1984. In 1984, women under 20 years of age had considerably higher ratios than any other group, continuing a trend of rising birth out of wedlock ratios for this age group over the last ten years. The ratio of mothers aged 20-24 has also increased steadily since 1975, when a ratio of 103.6 was observed; the birth out of wedlock ratio for this age group reached a high of 234.6 in 1984. Although the birth out of wedlock ratios for women aged 25-29 and 30-34 have increased overall since 1975, some fluctuation has been observed from year to year. There was no clear trend in birth out of wedlock ratios for women aged 35 and over during the ten-year period; they ranged from a low of 61.5 in 1984 to a high of 83.2 in 1980.

Births out of wedlock to teenagers by city or town of residence are shown in Table 18A. Births out of wedlock to teenagers accounted for 64.8 per cent of all births to teenagers in 1984, an increase of nine per cent over 1983.

Teenage Pregnancy

In order to analyze pregnancy outcome for teenagers, it is necessary to include both births and fetal deaths occurring to teenagers. Table 18A shows births to these women by city or town of residence for 1984. There were 1,297 resident births to teenagers in 1984, along with 71 spontaneous fetal deaths and 1,911 induced terminations occurring to teenagers in Rhode Island, regardless of the teenager's residence, for a total of 3,279 teenage pregnancies; the rate of teenage pregnancies per 1,000 estimated female residents aged 15-19 for 1984 was 71.8, a decrease of three per cent from 1983.

FETAL DEATHS

Definition

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles".

Background Information

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Following that decision, the Rhode Island Department of Health adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the provisions of these Rules and Regulations made the reporting of all fetal deaths mandatory, regardless of the length of gestation; this requirement was also mandated by legislation passed in 1976 by the Rhode Island legislature. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more

uterogestation (from date of mother's last normal menstrual period to date of delivery). As a result, interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required.

1984 Data

The number of fetal deaths occurring in Rhode Island, rather than resident data, are shown in most tables since there is not a complete exchange of fetal death certificates among the states. Twenty-three per cent of the fetal deaths in Rhode Island in 1984 occurred to non-residents, while the number of fetal deaths to Rhode Island residents reported from other states was insignificant.

There were 8,098 occurrence fetal deaths recorded in Rhode Island in 1984, an increase of five per cent over the 7,703 recorded in 1983. The majority of the fetal deaths (92 per cent) were induced terminations (Table 19A). The number of induced terminations increased by six per cent in 1984, when compared with 1983. As in the past few years, the majority of fetal deaths (98 per cent) were under twenty weeks uterogestation. Only ten of the induced terminations were known to be over twenty weeks gestation; whereas, 94 of the spontaneous fetal deaths (14 per cent) were known to be over twenty weeks gestation. Table 19B displays the number of fetal deaths occurring in Rhode Island by month of delivery and weeks of gestation. The highest daily average (24.5) occurred in February; the lowest daily average (19.8) occurred in July. The daily average for 1984 was 22.1 fetal deaths per day.

Resident fetal deaths by mother's marital status and census tract of mother's residence may be seen in Table 20. In those cases where marital status was stated, seventy-four per cent of the resident fetal deaths occurred to unmarried women. Only 26 per cent of the spontaneous fetal deaths occurred to unmarried women, whereas 79 per cent of the induced terminations occurred to unmarried women. Caution should be exercised in utilizing data by census tract; wide variations, attributable to random fluctuations, can occur where the numbers are small.

All induced terminations occurring in Rhode Island in 1984 may be seen in Table 21 by age, marital status, and previous delivery history of mother. Of the 7,418 cases where age was known, teenagers accounted for 26 per cent of all induced terminations; almost all of these teenagers (96 per cent) were unmarried. Of the 2,860 induced terminations to women aged 20-24 (39 per cent of the total), the great majority of this group (84 per cent) were unmarried. Of the 2,194 women in the age group 25-34 (30 per cent of the total), nearly two-thirds of the women (62 per cent) were unmarried. Six per cent of all induced terminations were to women aged 35 and older; of this group, 44 per cent were unmarried.

In 1984, 45 per cent of all induced terminations (Table 21) were to women who had no previous deliveries. Twenty-four per cent of women having an induced termination in 1984 had had one previous delivery; in 58 per cent of these cases the previous delivery was an induced termination, in 37 per cent a live birth, and in five per cent a spontaneous fetal death. Twenty-three per cent of the women had had two or three previous deliveries, while only seven per cent had had four or more previous deliveries. In eleven cases, previous delivery history was unknown.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; Table 22B shows all spontaneous fetal deaths, regardless of gestation, by the same parameters. The majority of the mothers were under age 30, accounting for 77 per

cent of spontaneous fetal deaths of 20 weeks or more gestation and for 67 per cent of all spontaneous fetal deaths.

Table 23 illustrates the number of spontaneous fetal deaths of 20 weeks or more uterogestation for 1984 by age of the mother and fetal weight. In those cases where weight was reported, sixty-nine per cent of the fetuses were of low weight (less than 5 lbs. 8 oz.).

Cause of death and weeks of uterogestation for all fetal deaths are shown for 1984 in Table 24.

PERINATAL MORTALITY

Perinatal mortality, as used in this report, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1984 perinatal mortality rate, 10.3 per 1,000 live births combined with late fetal deaths, decreased 13 per cent from the rate of 11.8 observed in 1983 and was the lowest rate experienced in the past thirty years (Table 5). The five-year average perinatal mortality rate (1980-84) of 11.8, shown in Table A, was 42 per cent lower than the five-year average of 20.2 a decade ago (1970-74).

MATERNAL DEATHS

The International Classification of Diseases, 9th Revision, defines maternal death as "the death of any woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes". This definition is used in Rhode Island for classifying maternal deaths.

In 1984, only one maternal death occurred to a Rhode Island resident, resulting in a rate of less than one per 10,000 live births. (See Table 5 for annual variations in maternal deaths and maternal death rates for the past thirty years).

INFANT DEATHS

Definition

Infant death is defined as a death occurring within the first year of life.

1984 Data and Average Rates

There were 125 resident infant deaths in 1984, yielding a rate of 9.9 per 1,000 live births. The rate represents a decrease of 14 per cent from the rate of 11.5 observed in 1983. The average infant mortality rate for the last five years (10.8) was 41 per cent lower than the average rate (18.3) for 1970-74 (Table A). Average rates for the past five years are shown in Table 8 by city or town and neighborhood of residence. The provisional national infant death rate for 1984 was 10.7 per cent, eight per cent higher than the Rhode Island rate.

Figure 4 - Infant and Neonatal Mortality Rates Rhode Island and the United States 1960-1984



Infant Deaths By Race

Of the 125 infant deaths in 1984, 18 were non-white infants. The 1984 non-white infant death rate was 13.7 per 1,000 non-white births and was 44 per cent above the white rate of 9.5. Although there was a significant decrease in the non-white infant death rate from 32.1 in 1979 to 11.9 in 1980, the rate for non-whites had been increasing steadily since 1980. In 1981, the non-white rate rose to 14.4 per cent, an increase of 21 per cent over the rate observed in 1980; the 1982 rate increased again to 15.7, a nine per cent increase from 1981; and the 1983 rate represented a further increase of 10 per cent. The 1984 rate represents a 21 per cent decrease from 1983.

Infant Deaths by Cause and by Residence

Infant deaths are shown as a subset of all deaths by 72 selected causes of death in Table 25 and by 61 selected causes of infant deaths by the age at death in Table 27. Infant deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

NEONATAL DEATHS

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 71 per cent of infant deaths in 1984. Eighty-three per cent of all neonatal deaths occurred before the seventh day of life; sixty-six per cent of all neonatal deaths occurred before the end of the first day (Table 27).

The average neonatal death rate for the past five years, 8.3 per 1,000 live births, was 42 per cent lower than the five-year average rate of 14.3 observed a decade ago (Table A).

Neonatal deaths by city or town and census tract of residence are shown in Tables 29A and 29B.

DEATHS

There were 9,422 Rhode Island resident deaths recorded in 1984, yielding a crude rate of 9.8 deaths per 1,000 estimated population. The 1984 rate was one per cent higher than the rate for 1983 and four per cent higher than the 1982 rate. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during the past thirty years, with a slight decrease during the last ten years.

The 1984 state rate was 13 per cent higher than the provisional U.S. rate of 8.7. The Rhode Island death rate has been somewhat higher than the national rate for several years. A major factor in this difference is the percentage of elderly people in the population of Rhode Island: according to the 1980 census, the percentage of persons aged 65 and over in the state was 19 per cent higher than for the nation.

The number of deaths by city or town of occurrence and by city or town of residence, along with resident rates, is shown in Table 3.

Distributions of Rhode Island deaths by age, race, and sex are shown in Tables 6 and 25: 97 per cent white vs. three per cent non-white and 51 per cent male vs. 49 per cent female.

Resident deaths for each city or town by age, race, and sex are shown for the entire year in Table 6 and by month in Table 26. The daily average was 25.7 deaths per day in 1984. The highest daily average was in June, with 28.0 deaths per day; the lowest, in July, with 23.1 per day. All deaths and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

Average annual death rates for the past five years are given in Table 8 by city or town and neighborhood of residence. Death rates were computed per 1,000 population according to the 1980 census.

The median age for all deaths was 75.6 years. For all females, the median age at death was 79.2; for white females, 79.5; and for non-white females, 66.2. The male median was 72.3; for white males, 72.6; for non-white males, 63.0. (See Table C). The non-white medians may not be statistically significant, since they are based on small totals; however, the non-white median ages have been consistently below the median age, both on a national and state level.

Deaths By Cause

The Ninth Revision of the International Classification of Diseases (ICD) was first used in the classification of deaths for 1979. As has occurred in previous revisions of this mortality classification system, many changes were introduced, resulting in serious breaks in comparability between the Ninth and Eighth Revisions (in use from 1968-1978) for several cause-of-death categories. Ratios of comparability between the two Revisions have been computed to measure this discontinuity.

A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause of death category by both Revisions. In general, a ratio lower than 1.00 indicates either that fewer deaths were assigned to a particular category by the Ninth Revision than by the Eighth or that the cause of death category, as defined by the Ninth Revision, is only a part of the comparable Eighth Revision category. A ratio higher than 1.00 indicates the reverse situation. (For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report", Vol. 28, No. 11, Supplement, February 1980.)

Table 7 shows the 20 leading causes of death for 1984, with the numbers and rates for the same causes for 1979 to 1983, and for the comparable cause categories for 1975 to 1978, along with the corresponding comparability ratios. These 20 causes of death accounted for 90 per cent of all deaths in 1984. For many years, the four leading causes had been Diseases of the Heart, Malignant Neoplasms, Cerebrovascular Diseases, and Accidents. However, in 1983 the number of deaths from Chronic Obstructive Pulmonary Diseases were greater than those from Accidents. This phenomenon continued in 1984: the number of Chronic Obstructive Pulmonary Diseases (327, yielding a rate of 34.0) surpassed the number of Accidents (260, yielding a rate of 27.0). The ten leading causes accounted for 85 per cent of all deaths; rates for the ten leading causes may be seen in Figures 5A and 5B for the past ten years. The five leading causes of death for each sex are illustrated in Figure 6.

Table 31 shows the ten leading causes of death by sex, with rates for 1984 and 1983, and the per cent change in rates. The number of deaths for the five leading causes of death in each age group are shown in Table 32, along with age-specific death rates in 1984 and 1983 and the per cent change in rates. Median ages for all causes of death and for the ten leading causes of death, by sex, are shown in Table C below:

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1984

Causes		Male	Female	Total
ALL CAUSES		72.3	79.2	75.6
1.	Diseases of the Heart	73.8	82.4	78.3
2.	Malignant Neoplasms	70.4	71.2	70.7
3.	Cerebrovascular Diseases	79.0	84.0	81.9
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions	76.5	77.8	76.8
5.	Accidents and Adverse Effects	36.6	66.2	44.1
6.	Diabetes Mellitus	70.8	77.9	75.4
7.	Pneumonia and Influenza	80.2	85.8	83.3
8.	Chronic Liver Disease and Cirrhosis	61.8	67.9	63.2
9.	Atherosclerosis	79.5	86.9	83.9
10.	Suicide	39.3	51.7	45.0

Cardiovascular Diseases is not ranked as a cause of death, but includes five cause of death categories, four of which were among the 20 leading causes. The five categories are: Diseases of the Heart (rank 1); Cerebrovascular Diseases (rank 3); Atherosclerosis (rank 9); Hypertension with or without Renal Disease (rank 16); and Other Diseases of Arteries, Arterioles, and Capillaries, which is not ranked. There were 4,624 deaths from Cardiovascular Diseases in 1984 (Table 25), representing 49 per cent of all deaths (46 per cent for males and 52 per cent for females). The provisional national rate was 411.2 per 100,000 estimated population, 14 per cent lower than the state rate of 480.7.

Diseases of the Heart has been the leading cause of death historically, both nationally and in the state. The rate has remained fairly constant for many years and was 386.5 per 100,000 estimated population in 1984 (Figure 5A). Of all deaths in 1984, 38 per cent of males and 41 per cent of females died from heart disease. It appears as one of the five leading causes in all age groups over age four, as shown in Table 32 and in Figures 8, 9, and 10. It was the leading cause of death among persons 65 years of age and over (43 per cent of deaths in this age group). The provisional national rate was 323.2 in 1984, 16 per cent lower than the state rate.

Malignant Neoplasms, including Neoplasms of Lymphatic and Hematopoietic Tissues with 25 per cent of all deaths, was the second leading cause of death in Rhode Island, as well as in the United States, in 1984. The state rate was 241.6 per 100,000 estimated population; the provisional national rate was 192.1, 20 per cent below the state rate. Malignant Neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6), accounting for 25 per cent of male deaths and 24 per cent of female deaths. Malignant Neoplasms appears as one of the five leading causes of death in all age groups over age four, as shown in

Figure 5a - Rates From Five Leading Causes of Death in 1984, with Comparable Rates for 1974-1983, Rhode Island Residents



Figure 5b - Rates From the 6-10th Leading Causes of Death in 1984, with Comparable Rates for 1974-1983, Rhode Island Residents



Figure 6 - Leading Causes of Death by Sex
Rhode Island Residents, 1984



Each slice represents a percentage of the total number of deaths, by sex, for the year.

Table 32 and Figures 8, 9, and 10). It was the leading cause of death among persons 45-64 (38 per cent of deaths among this age group).

The five leading primary sites for each sex are shown in Table D, below, and in Figure 7. All major sites may be seen in Table 25 by race, age, and sex.

Table D - Five Leading Cancer Sites by Sex, Rhode Island Residents, 1984

MALE			FEMALE		
Site	Number	Per Cent	Site	Number	Per Cent
1. Respiratory and Intrathoracic Organs	387	32	1. Digestive Organs and Peritoneum	300	27
2. Digestive Organs and Peritoneum	344	28	2. Breast	227	20
3. Genital Organs	106	9	3. Respiratory and Intrathoracic Organs	196	18
4. Urinary Organs	79	7	4. Genital Organs	117	10
5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	64	5	5. Lymphatic and Hematopoietic Tissue (Other than Leukemia)	66	6

Cerebrovascular Diseases, with 629 resident deaths and a rate of 65.4 per 100,000 population, was the third leading cause of death in 1984. Eight per cent of the females and five per cent of the males died from this cause (Table 31 and Figure 6). The female rate, 77.4 was 48 per cent above the male rate of 52.2. The provisional national rate was 65.5, less than one per cent above the state rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 81.9, eight per cent higher than for all deaths in 1984 (Table C). Less than two per cent of these decedents were under 45 years of age, and just eight per cent were younger than 60 years old. In contrast, for all decedents, six per cent were less than 45 years old, and 16 per cent were less than 60 years old.

Chronic Obstructive Pulmonary Diseases and Allied Conditions was the fourth leading cause of death in 1984. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this group of diseases was not ranked as one of the ten leading causes before 1979. The comparability ratio between the Eighth and the Ninth Revision for this category is 1.8846, nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eight Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without mention of Asthma, Bronchitis, or Emphysema" (ICDA No. 519.3) to the new Ninth Revision title "Chronic Airways Obstruction Not Elsewhere Classified" (ICD No. 496). In Figure 5 and Table 7 for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No. 490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures are not available

Figure 7 - Five Leading Primary Sites
Malignant Neoplasms, by Sex, 1984



*Lymphatic and Hematopoietic Tissue
(other than Leukemia)

Figure 8 - Leading Causes of Death
by Specified Age Group: Rhode Island Residents
1984



*Certain conditions originating in the perinatal period.

Figure 9 - Leading Causes of Death
by Specified Age Group: Rhode Island Residents
1984



*Chronic Liver Disease and Cirrhosis
**Chronic Obstructive Pulmonary Disease

Figure 10 - Leading Causes of Death
by Specified Age Group: Rhode Island Residents
1984



Age 65 and Over

*Chronic Obstructive Pulmonary Disease

nationally, there is no comparability ratio for the Ninth Revision title and this special grouping.

There were 327 deaths to Rhode Island residents from this cause of death in 1984, accounting for a rate of 34.0 per 100,000 estimated population. The provisional national rate was 29.7, 13 per cent lower than the state rate.

Chronic obstructive pulmonary diseases was the fourth leading cause of death for males, with males accounting for two-thirds of the deaths from this cause. It was the fourth leading cause for decedents aged 65 years and older (Tables 31 and 32). The median age (76.8) was two per cent higher than the median age for all causes (75.6).

Accidents ranked fifth among the leading causes in 1984, accounting for 260 deaths and a rate of 27.0 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the national rate. The 1984 state rate was 32 per cent lower than the provisional U.S. rate of 39.6.

Table E - Resident Accidental Deaths by Type by Sex: Rhode Island, 1984

Type of Accident	Total	Males	Females
All Accidents*(E800-E949)	260	169	91
Motor Vehicles(E810-E825)	110	73	37
Water Transport (E830-E838)	4	3	1
Air and Space Transport(E840-E845)	6	3	3
Poisoning(E850-E869)	19	15	4
Falls(E880-E888)	48	28	20
Fires and Flames(E890-E899)	12	7	5
Drowning(E910)	14	11	3
Food/Object Inhalation(E911-E912)	14	9	5
All Other (Residual)	33	20	13

* For complete titles, see Table 30.

Accidents were a major factor in deaths among both males and young people. Males accounted for 65 per cent of all accidental deaths, and 51 per cent of the decedents were under 45 years of age. Thirty-two per cent of all accidental deaths occurred to males younger than 35 years old. Table 31 shows that the accidental death rate for males (36.9 per 100,000 estimated population) was more than double that for females (18.1).

Except for persons 45 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause in the age groups 5-19 and 20-44 years. This information is shown in Figures 8, 9, and 10. The median age at death for all accidents was 44.1 years, 36.6 years for males and 66.2 for females). (See Table C). Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

Motor Vehicle Accidents were responsible for the death of 110 Rhode Island residents, 42 per cent of all resident accidental deaths in 1984, accounting for a rate of 11.4 per 100,000 estimated population. Table F, below, gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1975-1984.

Figure 11 - Leading Causes of Death From Accidents: Rhode Island Residents, 1984



Table F - Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1975-1984
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1975	125	13.5	1980	140	14.8
1976	142	15.3	1981	116	12.2
1977	158	16.9	1982	121	12.6
1978	124	13.3	1983	99	10.4
1979	140	15.1	1984	110	11.4

Rhode Island's death rate from motor vehicle accidents has remained below the national rate for many years. The state's 1984 death rate was 41 per cent lower than the provisional national rate of 19.2.

Males accounted for 66 per cent of the deaths from motor vehicle accidents in 1984. The 73 male deaths in this category also represented 43 per cent of all accidental deaths to males. The median age at death was 30.8 for all motor vehicle accidents (29.8 for males and 37.5 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Of all deaths from motor vehicle accidents to Rhode Island residents during 1984, highway collisions accounted for 92 (84 per cent).

Non-motor Vehicle Accidents accounted for 150 of the 260 accidental deaths (58 per cent) to Rhode Island residents in 1984. These non-motor vehicle accidents were distributed as follows: falls, 32 per cent; poisoning, 13 per cent; drowning and submersion, and inhalation of food or other object, 9 per cent each; fires and flames, 8 per cent; air and space transport accidents, 4 per cent; and water transport accidents, 3 per cent. (See Table 30).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Half of these accidents occurred at home; 10 per cent, in resident institutions; 6 per cent, at places of recreation; and 4 per cent, in places of industry.

Diabetes Mellitus, with 217 deaths and a rate of 22.6 per 100,000 estimated population, was the sixth leading cause of death in 1984. The Rhode Island death rate from diabetes has been among the highest in the nation, and the state's 1984 rate was 49 per cent higher than the provisional national rate of 15.2. It was the fourth leading cause for females and the seventh leading cause for males (Table 31). The median ages for females (77.9) and for males (70.8) were close to the median ages for all female and male deaths (79.2 and 72.3, respectively). The median age for all diabetes deaths was 75.4.

Pneumonia and Influenza accounted for 187 deaths and ranked as the seventh leading cause in 1984, yielding a rate of 19.4 per 100,000 estimated population. Of the 187 deaths in this category, 186 were classified to pneumonia and one to influenza. The state rate for pneumonia and influenza was 22 per cent lower than the national provisional rate of 24.9 for 1984.

Pneumonia and influenza constituted the sixth leading cause of death for females and for males (Table 31). These deaths occurred predominantly among older persons: the median age was 83.3 years and only 22 decedents (12 per cent) were less than 65 years old (Tables C and 25).

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in national publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death, i.e., as the disease initiating the chain of events leading to death. Furthermore, in Rhode Island, when pneumonia is initially classified as the underlying cause of death, the Division of Vital Statistics routinely queries the physician to confirm whether the pneumonia initiated the chain of events leading to death or whether it was a terminal event secondary to another disease or condition. If the pneumonia was secondary to another disease or condition, the death is classified to the disease or condition which led to the pneumonia. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

Chronic Liver Disease and Cirrhosis was the eighth leading cause in 1984, with 128 deaths and a rate of 13.3 per 100,000 estimated population. It ranked as the eighth leading cause of death for males and the ninth for females. The provisional national rate of 11.3 for 1984 was 15 per cent lower than the state rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1984, decedents 45-64 years of age accounted for 49 per cent of all deaths from this category. In contrast, only 18 per cent of deaths from all causes in 1984 were in this age category. Chronic liver disease and cirrhosis was the third leading cause of death in this age group, and the median age at death was 63.2 years, substantially lower than for all deaths (75.6).

Atherosclerosis and Hypertension ranked ninth and sixteenth, respectively, in 1984. There were 126 deaths classified to Atherosclerosis (a rate of 13.1) and 35 to Hypertension (a rate of 3.6) (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules require deaths from atherosclerosis or hypertension to be assigned to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in national publications. The provisional national rates for 1984 were 10.4 for atherosclerosis and 2.9 for hypertension.

Suicide was the tenth leading cause of death in 1984, with 96 deaths and a rate of 10.0 per 100,000 population. Suicide was ranked as one of the ten leading causes of death to Rhode Island residents for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The state rate for 1984 was fifteen per cent lower than the provisional national rate of 11.8. There were more than three times the number of suicides for males than for females; suicide ranked ninth among males but only thirteenth among females. It was the fourth leading cause for decedents aged 20-44 years. The median age at death for all suicides was 45.0; the median age for females (51.7) was 32 per cent higher than for males (39.3).

Other Leading Causes, ranking 11th through 20th, accounted for 469 deaths, five per cent of all deaths to Rhode Island residents in 1984. The number of deaths in each category was relatively small, ranging from 87 for "Nephritis, Nephrotic Syndrome and Nephrosis" to 16 for "Anemias" and "Nutritional Deficiencies". For this reason, comparisons of the death rates for these categories should be made with caution. Table G below lists these causes with the state rate and the provisional national rate per 100,000 estimated population for 1984.

Table G - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1984 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

1984 Rank	Cause of Death (ICD) 1975	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
11.	Nephritis, Nephrotic Syndrome and Nephrosis(580-589)	87	9.0	8.7
12.	Septicemia(038)	74	7.7	6.3
13.	Certain Conditions Originating in the Perinatal Period(760-779)	57	5.9	8.0
14.	Congenital Anomalies(740-759)	54	5.6	5.5
15.	Homicide and Legal Intervention (E960-E978)	42	4.4	8.3
16.	Hypertension with or without Renal Disease(401,403)	35	3.6	2.9
17.	Ulcer of Stomach and Duodenum (531-533)	33	3.4	2.9
18.	Hernia and Intestinal Obstruction* (550-553,560)	30	3.1	2.3
19.	Benign Neoplasms*(210-239)	25	2.6	3.2
20.	Anemias(280-285)	16	1.7	1.4
20.	Nutritional Deficiencies (260-269)	16	1.7	1.1

* For complete category title, see Ninth Revision International Classification of Diseases, 1975.

Caution should be observed in comparing the state's crude rates with the provisional U.S. rates because of the differing age and sex composition of the two populations. As mentioned earlier, the state's proportion of persons 65 years of age and over, according to the 1980 census, was 18 per cent higher than the national proportion.

Years of Potential Life Lost (YPLL)

Recently, attention has focused on the potential years of life lost for persons under age 65 as a result of premature death. In general, the younger the person, the greater the number of potential years of life yet available to that person.

Potential years of life lost for persons under 65 years of age at the time of death are derived by multiplying the number of deaths in each age category, by the difference between 65 years of age and the age at the midpoint or median of each category, and totalling the results.

Table H below compares the five leading causes of death for 1984 to the five causes of death which contributed the greatest number of years of potential life lost (YPLL).

Table H - Five Leading Causes of Death, R.I. Residents, Compared to Five Leading Causes Ranked by Years of Potential Life Lost, 1984

Cause of Death	Number	Cause of Death	YPLL
1. Diseases of the Heart	3,718	1. Malignant Neoplasms	8,009.0
2. Malignant Neoplasms	2,324	2. Diseases of the Heart	5,824.5
3. Cerebrovascular Diseases	629	3. Accidents	5,591.5
4. COPD	327	4. Suicide	2,023.0
5. Accidents	260	5. Homicide	1,488.5

Although the categories of Accidents, Suicides, and Homicides are ranked separately, those three external causes combined were the leading contributors to premature death for Rhode Island residents in 1984.

MARRIAGE AND DIVORCE

Marriage and divorce statistics in this publication relate only to those events which occurred within the state. No data has been included for Rhode Island residents who were married or divorced in other states because exchange of certificates among the states is not complete. There were 7,971 marriages and 3,642 divorces filed in Rhode Island in 1984, yielding rates of 8.3 and 3.8, respectively, per 1,000 estimated population. The divorce rate has no relationship to the marriage rate because most of the divorces in a given year terminate marriages that have lasted a number of years (only 5 of the 1984 divorces were granted to persons who were married less than a year, and 351 divorces were of persons who had been married 25 years of more).

MARRIAGE

The 1984 rate of 8.3 marriages per 1,000 estimated population was one per cent lower than the 1983 rate of 8.4, which was the highest rate since 1953. The 1980-1984 average rate of 8.1 was four per cent higher than the 1970-1974 rate of 7.8 (Table A). The Rhode Island rate has been consistently below the national rate in each of the past 30 years; the last ten years are shown in Figure 12. The state rate for 1984 was 21 per cent below the provisional United States rate of 10.5 in 1984.

In 1984, September was the most popular month for marriages, with 1,140 marriages recorded, averaging 38.0 marriages per day. The second highest average occurred in June (37.1). Six months, May through October, had averages above the year's daily rate of 21.8. The lowest average occurred in January, when only 256 marriages were performed, for a daily average of 8.3. The months of January through March, and also December, each averaged fewer than 15 marriages per day.

The number of brides and grooms married in Rhode Island in 1984 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the municipality of the church that she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1984, 16 per cent of the

Figure 12 - Marriage Rates Per 1,000 Population
R.I. and the U.S., Occurrence Data, 1974-1984



grooms were non-residents, whereas only 10 per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Of the four municipalities where the Family Courts meet (Newport, Providence, Warwick and Westerly), all except Warwick, had rates above the state average, with Newport, Westerly, and Providence being 18.3, 12.2, and 9.2 respectively. Warwick equalled the state rate of 8.3.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (51.0) was recorded in New Shoreham. Among those municipalities with an estimated population greater than 5,000, five had rates one-third or more higher than the state rate (11.1 or more): Newport, 18.3; Scituate, 13.7; Westerly, 12.2; South Kingstown, 11.5; and East Greenwich, 11.3. Five towns with greater than 5,000 estimated population had rates one-third or more lower than the state rate (5.5 or less): Glocester, 3.6; North Smithfield, 4.7; Johnston, 5.1; North Providence, 5.2; and Middletown, 5.3.

Table 36 shows the number of times previously married for each party. Sixty-two per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 19 per cent; 13 per cent had both parties marrying for the second time; and in 6 per cent of the cases, at least one of the parties was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 20 per cent; marriages between two divorced individuals, 14 per cent; between two widowed parties, one per cent; and where only one of the two parties was widowed, three per cent.

The age distribution of brides and grooms who married in Rhode Island in 1984, including the number of brides and grooms under age 20, is shown in Table 34. The percentage of teenage brides and grooms has decreased over the last several years. In 1984, eleven per cent of all the brides and three per cent of all the grooms were under age 20, compared to 12 and 4 per cent respectively in 1983. In three per cent of the marriages, both the bride and groom were under age 20. Thirty-eight per cent of all brides and 31 per cent of all grooms were in the age group 20-24 years; another 26 per cent of all brides and 30 per cent of all grooms were between 25-29 years of age.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Fourteen per cent of all brides and five per cent of all grooms marrying for the first time in 1984 were under age 20.

The median age at first marriage was 23.7 years for brides and 25.5 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was divorced, it was 33.2 years; for previously divorced grooms, it was 36.8 years. The median age at remarriage for the widowed was 50.6 years for brides and 61.9 years for grooms. The median age in Rhode Island for all marriages was 25.4 years for brides and 27.7 years for grooms.

Figure 13 - Divorce Rates Per 1,000 Population R.I. and the U.S., Occurrence Data, 1974-1984



Educational achievement for brides and grooms is shown in Table 38. Twenty-four per cent of the brides and 27 per cent of the grooms were college graduates (the same as in 1983). Two per cent of all the brides and three per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (96 per cent) of the 1984 marital partners was white; 95 per cent of marriages were between two white persons; and three per cent were between two non-white persons. Marriages between white brides and non-white grooms were one per cent of the total; between non-white brides and white grooms, less than one per cent.

DIVORCE

Reports of 3,642 final divorces were received by the Division of Vital Statistics in 1984 from the state's Family Courts. The rate of 3.8 per 1,000 estimated population was three per cent higher than the 1983 rate of 3.7. The 1980-1984 average rate of 3.7 was 68 per cent higher than the 1970-1974 rate of 2.2 (Table A).

The 1984 provisional national rate of 4.9 was 29 per cent above the state rate. The provisional national rates for each of the three previous years ranged from 5.0 to 5.3. Rhode Island's rate has been consistently below the national rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1980 was 16.7 divorces per 1,000 married females aged 15 and over. The rates for the previous ten year intervals, 1970, 1960, 1950, 1940, and 1930 were: 8.1, 5.0, 4.7, 4.2, and 5.0, respectively.

The highest daily average for divorces (11.0 per day) occurred in both June and July. The lowest daily average (7.7 per day) occurred in April, when 231 decrees became final. The daily average for the year was 10.0.

Rhode Island law does not provide for annulment, but there were four divorces on grounds of "void marriage" in 1984. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 90 per cent of all divorces. Nine per cent were granted on the grounds of "living separate and apart three years". The remaining divorces were distributed among the following grounds: "extreme cruelty","wilful desertion", "impotency", "adultery", and "other gross misbehavior".

The 1984 data on duration of marriage show that 46 per cent of the marriages had endured ten years or more; 30 per cent, five to nine years; and 24 per cent, one to four years. Only five final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are tabulated for all 1984 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men was 35.4 years and for all women, 33.0. The median age at time of divorce after a first marriage was 33.9 for husbands and 31.6 for wives. The median age of persons for whom the 1984 divorce terminated a remarriage was 40.7 for men and 37.9 for women. Among those terminating a remarriage, 22 per cent of the husbands and 14 per cent of

the wives were 50 years of age or older. On those records where previous marital status was stated, 80 per cent of husbands and 81 per cent of wives were terminating a first marriage. Previous marital status was not stated for two per cent of the husbands and wives.

At least 3,686 children under 18 years of age were affected by a 1984 divorce decree. There were 39 records with the information regarding children not stated (one per cent). Forty-two per cent of the divorces in 1984 involved no children; 26 per cent involved one child; 22 per cent involved two children; seven per cent, three children; and two per cent, four or more children. (See Table 43).

Education is one of the most poorly reported items on the divorce record. Education was not stated for seven per cent of both husbands and wives divorced in 1984. In those cases where the item was reported, 17 per cent of the husbands and 13 per cent of the wives were college graduates; eight per cent of the husbands and five per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1984 was white. Ninety-two per cent of both husbands and wives were stated to be white; four per cent of both husbands and wives were stated to be non-white. In one per cent of the divorces, one of the partners was white and the other was non-white; in the remaining three per cent of the divorces, the race of one or both partners was unknown.

Table 1 - United States Census Population of Rhode Island by Race and Sex, and Age by Sex, 1970 and 1980

Characteristic	Total Population*			Male			Female		
	1980	1970	Per Cent Change	1980	1970	Per Cent Change	1980	1970	Per Cent Change
RACE									
Total	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
White	896,692	914,757	- 2.0	426,601	447,892	- 4.8	470,091	466,865	+ 0.7
Non-White	50,462	31,968	+ 57.9	24,650	16,399	+ 50.3	25,812	15,569	+ 65.8
Black	27,584	25,338	+ 8.9	13,351	12,825	+ 4.1	14,233	12,513	+ 13.7
Other Races	22,878	6,630	+245.1	11,299	3,574	+216.1	11,579	3,056	+278.9
AGE IN YEARS									
All Ages	947,154	949,723	- 0.3	451,251	464,291	- 2.8	495,903	482,434	+ 2.8
Under 5	56,692	76,035	- 25.4	28,887	38,878	- 25.7	27,805	37,157	- 25.2
Under 1	12,075	15,096	- 20.0	6,215	7,712	- 19.4	5,860	7,384	- 20.6
1 - 4	44,617	60,939	- 26.8	22,672	31,166	- 27.3	21,945	29,773	- 26.3
5 - 9	61,465	85,874	- 28.4	31,458	43,903	- 28.3	30,007	41,971	- 28.5
10 - 14	74,170	88,289	- 16.0	37,965	44,935	- 15.5	36,205	43,354	- 16.5
15 - 19	89,773	85,680	+ 4.8	44,771	44,181	+ 1.3	45,002	41,499	+ 8.4
20 - 24	90,231	87,963	+ 2.6	44,292	49,076	- 9.7	45,939	38,887	+ 18.1
25 - 29	76,215	59,319	+ 28.5	37,646	30,154	+ 24.8	38,569	29,165	+ 32.2
30 - 34	69,820	47,276	+ 47.7	34,583	23,586	+ 46.6	35,237	23,690	+ 48.7
35 - 39	54,393	47,465	+ 14.6	26,577	23,374	+ 13.7	27,816	24,091	+ 15.5
40 - 44	44,470	56,237	- 21.0	21,513	27,220	- 21.0	22,957	29,017	- 20.9
45 - 49	44,708	59,557	- 24.9	21,438	28,677	- 25.2	23,270	30,880	- 24.6
50 - 54	53,096	55,598	- 4.5	25,210	26,266	- 4.0	27,886	29,332	- 4.9
55 - 59	55,748	50,268	+ 10.9	26,182	23,523	+ 11.3	29,566	26,745	+ 10.5
60 - 64	49,451	43,232	+ 14.4	22,460	19,278	+ 16.5	26,991	23,954	+ 12.7
65 - 69	42,414	35,251	+ 20.3	16,346	14,947	+ 9.4	24,068	20,304	+ 18.5
70 - 74	33,148	28,665	+ 15.6	12,994	11,498	+ 13.0	20,154	17,167	+ 17.4
75 - 79	23,891	20,268	+ 17.9	8,619	7,892	+ 9.2	12,272	12,376	+ 23.4
80 - 84	15,491	12,030	+ 28.8	4,947	4,375	+ 13.1	10,544	7,655	+ 37.7
85 & Over	11,978	7,718	+ 55.2	3,363	2,528	+ 33.0	8,615	5,190	+ 66.0
Median Age	31.7	29.2	+ 8.6	30.1	26.9	+ 11.9	33.3	31.9	+ 4.4
65 Years & Over	126,922	103,932	+ 22.1	46,269	41,240	+ 12.2	78,653	62,692	+ 25.5

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1970, 1980, and 1984 Estimate

City or Town by County	1970	1980	1984 Estimate*
STATE TOTAL	949,723	947,154	961,881
BRISTOL COUNTY	45,937	46,942	46,580
Barrington	17,554	16,174	15,851
Bristol	17,860	20,128	19,756
Warren	10,523	10,640	10,973
KENT COUNTY	142,382	154,163	157,440
Coventry	22,947	27,065	28,915
East Greenwich	9,577	10,211	10,293
Warwick	83,694	87,123	87,198
West Greenwich	1,841	2,738	3,099
West Warwick	24,323	27,026	27,935
NEWPORT COUNTY	94,228	81,383	83,677
Jamestown	2,911	4,040	4,563
Little Compton	2,385	3,085	3,253
Middletown	29,290	17,216	17,503
Newport	34,562	29,259	29,571
Portsmouth	12,521	14,257	14,993
Tiverton	12,559	13,526	13,794
PROVIDENCE COUNTY	581,470	571,349	576,706
Burrillville	10,087	13,164	14,633
Central Falls	18,716	16,995	17,386
Cranston	74,287	71,992	72,720
Cumberland	26,605	27,069	26,585
East Providence	48,207	50,980	51,686
Foster	2,626	3,370	3,651
Glocester	5,160	7,550	8,578
Johnston	22,037	24,907	25,368
Lincoln	16,182	16,949	17,162
North Providence	24,337	29,188	30,406
North Smithfield	9,349	9,972	10,189
Pawtucket	76,984	71,204	72,803
Providence	179,116	156,804	154,148
Scituate	7,489	8,405	8,731
Smithfield	13,468	16,886	17,498
Woonsocket	46,820	45,914	45,162
WASHINGTON COUNTY	85,706	93,317	97,477
Charlestown	2,863	4,800	5,453
Exeter	3,245	4,453	4,500
Hopkinton	5,392	6,406	6,625
Narragansett	7,138	12,088	12,523
New Shoreham	489	620	706
North Kingstown	29,793	21,938	22,999
Richmond	2,625	4,018	4,701
South Kingstown	16,913	20,414	20,867
Westerly	17,248	18,580	19,104

* Estimates obtained using Current Population Reports, Series p-26.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1984
(Rates per 1,000 Estimated Population)

City or Town	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate	DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate	MARRIAGES Occurrences Number	MARRIAGES Occurrences Rate
STATE TOTAL	13,290	12,647	13.1	9,605	9,422	9.8	7,971	8.3
Barrington	0	172	10.9	28	119	7.5	131	8.3
Bristol	2	230	11.6	147	197	10.0	186	9.4
Burrillville	4	188	12.8	116	127	8.7	117	8.0
Central Falls	1	282	16.2	107	226	13.0	142	8.2
Charlestown	2	73	13.4*	7	35	6.4*	47	8.6*
Coventry	0	366	12.7	94	222	7.7	185	6.4
Cranston	6	744	10.2	497	734	10.1	447	6.1
Cumberland	1	247	9.3	88	239	9.0	245	9.2
East Greenwich	0	88	8.5	14	91	8.8	116	11.3
East Providence	4	634	12.3	298	580	11.2	366	7.1
Exeter	0	61	13.6*	14	27	6.0*	29	6.4*
Foster	0	41	11.2*	9	25	6.8*	37	10.1*
Glocester	2	100	11.7	6	61	7.1	31	3.6
Hopkinton	0	108	16.3	11	46	6.9	51	7.7
Jamestown	1	56	12.3*	11	39	8.5*	56	12.3*
Johnston	0	259	10.2	114	223	8.8	129	5.1
Lincoln	3	175	10.2	42	184	10.7	107	6.2
Little Compton	0	53	16.3*	14	32	9.8*	56	17.2*
Middletown	0	290	16.6	113	144	8.2	93	5.3
Narragansett	0	185	14.8	14	90	7.2	119	9.5
Newport	1,037	430	14.5	377	289	9.8	541	18.3
New Shoreham	0	13	18.4*	2	8	11.3*	36	51.0*
North Kingstown	2	316	13.7	89	163	7.1	168	7.3
North Providence	0	287	9.4	320	268	8.8	158	5.2
North Smithfield	0	86	8.4	243	76	7.5	48	4.7
Pawtucket	764	1065	14.6	805	807	11.1	573	7.9
Portsmouth	2	225	15.0	30	123	8.2	135	9.0
Providence	7842	2583	16.8	3635	1846	12.0	1421	9.2
Richmond	2	76	16.2*	9	26	5.5*	9	1.9*
Scituate	0	110	12.6	13	80	9.2	120	13.7
Smithfield	0	194	11.1	90	120	6.9	113	6.5
South Kingstown	449	284	13.6	247	153	7.3	241	11.5
Tiverton	1	132	9.6	22	92	6.7	123	8.9
Warren	0	142	12.9	87	138	12.6	76	6.9
Warwick	1767	966	11.1	1075	850	9.7	721	8.3
Westerly	699	278	14.6	264	180	9.4	234	12.2
West Greenwich	0	40	12.9*	7	18	5.8*	16	5.2*
West Warwick	0	412	14.7	63	235	8.4	216	7.7
Woonsocket	715	656	14.5	483	509	11.3	332	7.4

* Rate based on less than 5,000 population and may be statistically unreliable.

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1955-1984

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Total Number	Rate	Number	Rate	Number	Rate
1955	825,000	17,895	21.7	8,697	10.5	6,357	7.7	827	1.0
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9
1980	947,154	12,166	12.8	9,300	9.8	7,490	7.9	3,593	3.8
1981	952,000	12,430	13.1	9,138	9.6	7,559	7.9	3,413	3.6
1982	958,000	12,499	13.0	8,975	9.4	7,885	8.2	3,619	3.8
1983	955,000	12,576	13.2	9,286	9.7	8,053	8.4	3,525	3.7
1984	961,881	12,647	13.1	9,422	9.8	7,971	8.3	3,642	3.8

1955-1956 Data from Vital Statistics of the United States, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal, Perinatal and Maternal Deaths with Rates
Rhode Island Residents, 1955-1984

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1955	419	23.4	321	17.9	295	16.5	222	12.4	517	28.5	2	1.1
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	171	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-
1980	133	10.9	102	8.4	86	7.1	72	5.9	158	12.9	2	1.6
1981	145	11.7	114	9.2	96	7.7	63	5.1	159	12.7	-	-
1982	125	10.0	100	8.0	86	6.9	58	4.6	144	11.5	1	0.8
1983	145	11.5	113	9.0	98	7.8	51	4.1	149	11.8	1	0.8
1984	125	9.9	89	7.0	74	5.9	57	4.5	131	10.3	1	0.8

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	9422	125	16	9	11	47	74	132	195	441	489	812	1001	1193	1369	1319	2142	47
BARRINGTON	119	2	0	0	0	2	0	0	1	5	11	13	15	14	20	11	24	1
BRISTOL	197	0	0	0	0	2	1	1	2	12	7	11	29	17	32	26	55	2
BURRILLVILLE	127	3	0	1	0	2	1	0	2	6	8	7	12	14	20	20	31	0
CENTRAL FALLS	226	1	0	0	0	1	2	9	5	11	16	22	18	27	31	35	45	3
CHARLESTOWN	35	0	0	0	1	0	1	3	1	1	2	2	1	6	2	7	8	0
COVENTRY	222	4	0	0	0	1	4	4	6	19	7	13	33	23	34	27	47	0
CRANSTON	734	5	2	1	2	8	0	9	11	35	40	68	86	98	114	99	152	4
CUMBERLAND	239	4	0	0	0	3	2	3	4	13	11	26	31	33	33	28	48	0
EAST GREENWICH	91	0	0	0	0	1	0	1	2	2	4	13	8	11	10	10	29	0
EAST PROVIDENCE	580	3	0	1	1	1	2	7	8	28	29	35	72	84	96	75	136	2
EXETER	27	0	1	0	0	0	0	0	1	3	2	0	3	4	6	3	4	0
FOSTER	25	0	0	0	0	0	0	0	0	1	1	3	1	5	2	5	7	0
GLOCESTER	61	1	1	0	0	1	1	1	2	5	4	7	5	7	6	10	10	0
HOPKINTON	46	3	2	0	1	0	1	0	1	4	1	4	3	1	10	4	11	0
JAMESTOWN	39	0	0	0	0	0	0	2	1	2	1	4	2	3	9	6	9	0
JOHNSTON	223	2	0	0	0	1	1	3	2	9	10	25	21	29	43	20	55	2
LINCOLN	184	0	0	0	0	0	1	1	3	9	8	20	24	21	36	27	33	1
LITTLE COMPTON	32	0	0	0	0	0	1	1	0	2	1	4	4	2	5	7	5	0
MIDDLETOWN	144	5	0	0	0	1	2	0	5	6	7	10	17	18	18	22	33	0
NARRAGANSETT	90	1	0	0	0	0	3	0	1	5	7	10	10	13	10	13	17	0
NEWPORT	289	5	0	1	0	0	1	6	10	15	9	18	30	32	51	37	71	3
NEW SHOREHAM	8	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	4	0
NORTH KINGSTOWN	163	2	0	0	0	2	3	2	2	5	5	13	11	22	24	27	43	2
NORTH PROVIDENCE	268	1	0	0	0	1	4	3	8	15	8	25	30	31	34	43	65	0
NORTH SMITHFIELD	76	0	0	0	0	0	2	0	2	1	11	7	10	7	10	12	14	0
PAWTUCKET	807	7	3	2	0	3	6	11	9	35	42	60	96	112	117	116	197	1
PORTSMOUTH	123	3	0	0	0	0	1	0	3	9	11	6	14	13	23	13	26	1
PROVIDENCE	1846	30	3	1	4	6	20	35	44	81	86	141	166	239	238	259	481	12
RICHMOND	26	1	0	0	0	0	1	0	0	2	3	2	4	2	4	4	3	0
SCITUATE	80	2	0	0	0	0	0	1	1	5	5	10	5	10	7	18	15	1
SMITHFIELD	120	1	0	1	0	0	1	3	4	9	7	9	21	10	24	13	17	0
SOUTH KINGSTOWN	153	2	1	1	0	3	1	4	5	3	4	15	8	21	20	25	39	1
TIVERTON	92	1	0	0	0	0	0	1	1	7	4	14	12	20	13	10	9	0
WARREN	138	2	0	0	0	0	0	2	4	3	7	11	18	19	16	26	30	0
WARWICK	850	8	0	0	1	4	3	9	23	38	55	90	85	115	120	121	176	2
WESTERLY	180	5	0	0	0	3	4	3	2	3	7	14	22	23	15	30	45	4
WEST GREENWICH	18	1	0	0	0	0	1	0	0	0	2	4	2	2	6	0	0	0
WEST WARWICK	235	4	1	0	0	0	1	3	8	8	21	31	23	24	28	31	44	2
WOONSOCKET	509	16	2	0	1	1	2	4	11	24	25	44	53	61	81	77	104	3

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4642	61	6	4	5	32	54	89	104	252	301	483	579	686	710	586	682	8
BARRINGTON	55	2	0	0	0	1	0	0	1	2	8	7	8	7	10	4	5	0
BRISTOL	97	0	0	0	0	1	1	0	0	5	5	8	21	12	16	9	18	1
BURRILLVILLE	67	0	0	1	0	2	0	0	1	5	5	5	8	9	12	8	11	0
CENTRAL FALLS	112	0	0	0	0	1	1	6	3	5	10	17	13	15	14	13	14	0
CHARLESTOWN	19	0	0	0	1	0	0	2	0	1	1	2	0	4	0	4	4	0
COVENTRY	123	2	0	0	0	1	4	3	5	9	5	8	22	12	24	11	17	0
CRANSTON	397	3	0	0	0	5	0	7	6	21	26	45	59	60	62	48	54	1
CUMBERLAND	126	3	0	0	0	1	2	2	2	8	9	16	17	17	24	11	14	0
EAST GREENWICH	48	0	0	0	0	1	0	1	2	2	4	8	4	5	6	4	11	0
EAST PROVIDENCE	259	1	0	0	1	1	2	6	5	16	16	17	36	43	47	32	35	1
EXETER	14	0	0	0	0	0	0	0	1	3	1	0	0	2	4	2	1	0
FOSTER	13	0	0	0	0	0	0	0	0	1	1	1	1	3	0	2	4	0
GLOCESTER	35	1	1	0	0	1	0	1	1	5	2	3	3	4	2	8	3	0
HOPKINTON	24	1	1	0	0	0	1	0	0	1	0	3	3	1	7	1	5	0
JAMESTOWN	15	0	0	0	0	0	0	2	0	1	0	3	0	3	1	3	2	0
JOHNSTON	117	1	0	0	0	1	1	2	2	5	8	19	15	18	21	5	19	0
LINCOLN	85	0	0	0	0	0	1	0	2	4	6	9	12	11	16	16	8	0
LITTLE COMPTON	17	0	0	0	0	0	1	1	0	0	0	2	3	1	3	3	3	0
MIDDLETOWN	69	3	0	0	0	1	2	0	2	3	4	6	9	11	8	7	13	0
NARRAGANSETT	53	0	0	0	0	0	3	0	0	4	2	8	5	9	5	8	9	0
NEWPORT	120	3	0	1	0	0	1	1	8	6	6	7	16	17	22	17	15	0
NEW SHOREHAM	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0
NORTH KINGSTOWN	79	1	0	0	0	1	2	1	1	2	3	10	5	11	13	13	16	0
NORTH PROVIDENCE	137	1	0	0	0	1	3	3	3	13	7	13	16	21	14	19	23	0
NORTH SMITHFIELD	34	0	0	0	0	0	2	0	1	1	8	3	4	3	3	7	2	0
PAWTUCKET	379	3	1	0	0	2	3	7	7	21	23	42	50	55	57	51	56	1
PORTSMOUTH	72	2	0	0	0	0	1	0	1	6	8	5	9	9	15	8	8	0
PROVIDENCE	831	8	0	0	2	3	13	22	17	39	50	70	82	129	125	113	157	1
RICHMOND	18	1	0	0	0	0	1	0	0	1	3	1	2	2	3	2	2	0
SCITUATE	38	1	0	0	0	0	0	1	0	3	4	8	2	5	3	8	3	0
SMITHFIELD	65	0	0	1	0	0	0	3	2	8	4	7	15	6	11	4	4	0
SOUTH KINGSTOWN	71	1	0	1	0	2	0	2	2	1	2	7	5	16	10	12	10	0
TIVERTON	55	1	0	0	0	0	0	0	1	6	2	6	7	14	10	3	5	0
WARREN	65	0	0	0	0	0	0	1	2	0	4	5	3	13	9	11	11	0
WARWICK	441	4	0	0	0	3	2	6	15	22	36	54	52	74	64	56	52	1
WESTERLY	89	4	0	0	0	3	3	3	0	0	3	11	13	12	4	16	16	1
WEST GREENWICH	12	0	0	0	0	0	1	0	0	0	2	4	2	1	2	0	0	0
WEST WARWICK	119	2	1	0	0	0	1	3	3	5	11	19	17	15	18	11	13	0
WOONSOCKET	268	12	2	0	1	0	2	3	8	17	12	23	34	36	44	34	39	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4501	46	8	5	4	12	16	28	68	162	169	295	390	479	637	714	1431	37
BARRINGTON	63	0	0	0	0	1	0	0	0	3	3	6	6	7	10	7	19	1
BRISTOL	100	0	0	0	0	1	0	1	2	7	2	3	8	5	16	17	37	1
BURRILLVILLE	60	3	0	0	0	0	1	0	1	1	3	2	4	5	8	12	20	0
CENTRAL FALLS	112	1	0	0	0	0	1	3	0	6	6	5	5	12	17	22	31	3
CHARLESTOWN	16	0	0	0	0	0	1	1	1	0	1	0	1	2	2	3	4	0
COVENTRY	96	2	0	0	0	0	0	0	1	8	2	5	11	11	10	16	30	0
CRANSTON	335	2	2	1	2	2	0	2	5	14	14	23	27	38	51	51	98	3
CUMBERLAND	113	1	0	0	0	2	0	1	2	5	2	10	14	16	9	17	34	0
EAST GREENWICH	43	0	0	0	0	0	0	0	0	0	0	5	4	6	4	6	18	0
EAST PROVIDENCE	297	2	0	1	0	0	0	1	2	12	11	13	32	36	46	40	100	1
EXETER	13	0	1	0	0	0	0	0	0	0	1	0	3	2	2	1	3	0
FOSTER	12	0	0	0	0	0	0	0	0	0	0	2	0	2	2	3	3	0
GLOCESTER	25	0	0	0	0	0	1	0	1	0	2	4	2	3	3	2	7	0
HOPKINTON	20	2	1	0	1	0	0	0	1	2	1	1	0	0	3	2	6	0
JAMESTOWN	24	0	0	0	0	0	0	0	1		1	1	2	0	8	3	7	0
JOHNSTON	105	0	0	0	0	0	0	1	0	4	2	6	6	11	22	15	36	2
LINCOLN	99	0	0	0	0	0	0	1	1	5	2	11	12	10	20	11	25	1
LITTLE COMPTON	14	0	0	0	0	0	0	0	0	2	1	2	1	1	2	3	2	0
MIDDLETOWN	73	1	0	0	0	0	0	0	3	3	3	4	8	7	10	14	20	0
NARRAGANSETT	34	1	0	0	0	0	0	0	1	1	5	2	3	4	4	5	8	0
NEWPORT	150	1	0	0	0	0	0	2	1	7	3	9	11	14	26	18	55	3
NEW SHOREHAM	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0
NORTH KINGSTOWN	82	1	0	0	0	1	1	1	1	3	1	2	6	11	11	14	27	2
NORTH PROVIDENCE	129	0	0	0	0	0	1	0	5	2	1	11	14	9	20	24	42	0
NORTH SMITHFIELD	42	0	0	0	0	0	0	0	1	0	3	4	6	4	7	5	12	0
PAWTUCKET	421	4	2	2	0	1	3	3	2	13	19	17	33	56	60	65	141	0
PORTSMOUTH	50	0	0	0	0	0	0	0	2	3	3	1	5	4	8	5	18	1
PROVIDENCE	836	9	2	1	0	2	4	4	12	22	22	51	66	90	102	137	303	9
RICHMOND	7	0	0	0	0	0	0	0	0	1	0	1	2	0	0	2	1	0
SCITUATE	42	1	0	0	0	0	0	0	1	2	1	2	3	5	4	10	12	1
SMITHFIELD	54	1	0	0	0	0	1	0	2	1	3	1	6	4	13	9	13	0
SOUTH KINGSTOWN	72	0	0	0	0	0	1	2	2	2	1	7	3	5	9	12	27	1
TIVERTON	37	0	0	0	0	0	0	1	0	1	2	8	5	6	3	7	4	0
WARREN	73	2	0	0	0	0	0	1	2	3	3	6	9	6	7	15	19	0
WARWICK	405	4	0	0	1	1	0	2	8	16	19	36	33	41	56	64	123	1
WESTERLY	87	1	0	0	0	0	1	0	2	3	4	3	8	11	11	14	26	3
WEST GREENWICH	6	1	0	0	0	0	0	0	0	0	0	0	0	1	4	0	0	0
WEST WARWICK	114	2	0	0	0	0	0	0	4	3	10	11	12	9	10	20	31	2
WOONSOCKET	236	4	0	0	0	1	0	1	1	6	12	20	19	25	37	43	65	2

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	136	10	0	0	0	3	0	6	13	14	10	20	16	16	5	9	10	1
BARRINGTON	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	15	0	0	0	0	0	0	0	1	0	1	3	2	3	1	3	1	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	8	1	0	0	0	0	0	1	0	1	0	2	0	1	0	2	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	89	7	0	0	0	1	0	5	7	12	9	12	10	11	5	3	6	1
RICHMOND	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
SOUTH KINGSTOWN	3	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WESTERLY	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
WOONSOCKET	3	0	0	0	0	0	0	0	2	0	0	1	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	132	8	2	0	1	0	4	6	10	11	9	12	13	12	14	10	19	1
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	9	0	0	0	0	0	0	0	0	0	1	2	2	2	2	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HOPKINTON	2	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MIDDLETOWN	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
NEWPORT	10	0	0	0	0	0	0	1	1	1	0	0	3	0	3	0	1	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	4	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	0	0
PORTSMOUTH	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	86	6	1	0	1	0	3	4	8	7	5	8	6	9	6	6	15	1
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	7	0	1	0	0	0	0	0	1	0	1	1	0	0	1	1	1	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
RACE AND/OR SEX UNKNOWN RHODE ISLAND, 1984

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	11	0	0	0	1	0	0	3	0	2	0	2	3	0	0	0	0	0
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COVENTRY	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NEWPORT	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
PAWTUCKET	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
PROVIDENCE	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
RICHMOND	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARWICK	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1984, with Comparability Ratios* and for Comparable Causes in 1975-1983
(Rhode Island Residents, Rate per 100,000 Population)

1984* Rank	Cause of Death (ICDA)	1984 Number	1984 Rate	1983 Number	1983 Rate	1982 Number	1982 Rate	1981 Number	1981 Rate	1980 Number	1980 Rate	1979 Number	1979 Rate	1978 Number	1978 Rate	1977 Number	1977 Rate	1976 Number	1976 Rate	1975 Number	1975 Rate	Comparability Ratio
1.	Diseases of Heart (390-398,402, 404-429)	3718	386.5	3720	389.5	3712	387.5	3813	400.5	3831	404.5	3798	408.7	3754	401.5	3757	401.8	3833	413.5	3778	407.6	1.0655
2.	Neoplasms#(140-208)	2324	241.6	2303	241.0	2214	231.1	2152	226.1	2127	224.6	2124	228.6	2159	230.9	2237	239.3	2117	228.4	2025	218.4	1.0026
3.	Cerebrovascular Diseases (430-438)	629	65.4	640	67.0	595	62.1	622	65.3	723	76.3	708	76.2	698	74.7	769	82.2	761	82.1	770	83.1	1.0049
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	327	34.0	309	32.4	270	28.2	275	28.9	279	29.5	239	25.7	211	22.6	169	18.1	222	23.9	177	19.1	NA
5.	Accidents and Adverse Effects (E800-E949)	260	27.0	234	24.5	271	28.1	293	30.8	328	34.6	309	33.3	262	28.0	335	35.8	287	31.0	290	31.3	0.9970
6.	Diabetes Mellitus (250)	217	22.6	208	21.8	252	26.3	181	19.0	199	21.0	198	21.3	205	21.9	185	19.8	209	22.5	223	24.1	0.9991
7.	Pneumonia and Influenza (480-487)	187	19.4	228	23.9	151	15.8	235	24.7	206	21.7	149	16.0	171	18.3	130	13.9	212	22.9	149	16.1	0.9264
8.	Chronic Liver Disease and Cirrhosis(571)	128	13.3	121	12.7	126	13.2	135	14.2	148	16.6	139	15.0	136	14.5	163	17.4	161	17.4	185	20.0	1.0110
9.	Atherosclerosis (440)	126	13.1	138	14.5	107	11.2	124	13.0	135	14.3	166	17.9	132	14.1	129	13.8	137	14.8	129	13.9	1.0649
10.	Suicide(E950-E959)	96	10.0	101	10.6	110	11.5	105	11.0	108	11.4	115	12.4	110	11.8	142	15.2	112	12.1	102	11.0	1.0032
11.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	87	9.0	72	7.5	74	7.7	85	8.9	81	8.6	80	8.6	32	3.4	43	4.6	43	4.6	49	5.3	1.7397
12.	Septicemia(038)	74	7.7	54	5.7	44	4.6	63	6.5	37	3.9	37	4.0	26	2.8	19	2.0	29	3.1	12	1.2	0.8500
13.	Certain Conditions Originating in the Perinatal Period (760-779)	57	5.9	73	7.6	65	6.8	77	8.1	69	7.3	93	10.0	81	8.7	62	6.6	82	8.8	75	8.1	1.0765
14.	Congenital Anomalies (740-759)	54	5.6	51	5.3	55	5.7	63	6.6	58	6.1	60	6.5	65	7.0	59	6.3	61	6.6	45	4.9	0.9984
15.	Homicide and Legal Intervention (E960-E978)	42	4.4	38	4.0	37	3.9	48	5.0	55	5.8	37	4.0	41	4.4	41	4.4	27	2.9	36	3.9	1.0057
16.	Hypertension with or without Renal Disease(401,403)	35	3.6	52	5.4	38	3.9	35	3.7	32	3.4	37	4.0	33	3.5	21	2.2	36	3.9	23	2.5	1.2703
17.	Ulcer of Stomach and Duodenum(531-533)	33	3.4	28	2.9	48	5.0	25	2.6	38	4.0	27	2.9	26	2.8	30	3.2	34	3.7	32	3.5	1.1192
18.	Hernia and Intestinal Obstruction (550-553,560)	30	3.1	24	2.5	33	3.4	27	2.8	33	3.5	21	2.3	16	1.7	31	3.3	27	2.9	25	2.7	0.9432
19.	Benign Neoplasms# (210-239)	25	2.6	34	3.6	31	2.1	25	2.6	31	3.3	24	2.6	22	2.4	29	3.1	24	2.6	15	1.6	1.2085
20.	Anemias (280-285)	16	1.7	15	1.6	25	2.6	13	1.4	5	0.5	16	1.7	13	1.4	6	0.6	10	1.1	16	1.7	0.9296
20.	Nutritional Deficiencies (260-269)	16	1.7	7	0.7	8	0.8	13	1.4	8	0.8	5	0.5	5	0.5	5	0.5	6	0.6	7	0.8	0.7167

* Caution should be observed in comparing 1979-1984 causes with previous years because of major changes resulting from the adoption of the Ninth Revision of the International Classification of Diseases in 1979. See the Introduction for a discussion of comparability ratios for all causes.
\# For complete category title, see Ninth Revision, International Classification of Diseases, 1975.
N.A. Comparability ratio not available for categories 490-496. See discussion of this category group in the Introduction.

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1980-1984

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
RHODE ISLAND	ALL	947154	46121	9.7	673	10.8	62318	13.2	10340	165.9	3849	61.8
BARRINGTON	301-304	16174	549	6.8	6	7.6	787	9.7	28	35.6	25	31.8
BRISTOL	307-309	20128	934	9.3	15	12.6	1194	11.9	97	81.2	76	63.7
BURRILLVILLE	129,130	13164	589	8.9	8	8.5	942	14.3	98	104.0	46	48.8
CENTRAL FALLS	108-111	16995	1069	12.6	15	9.8	1527	18.0	376	246.2	128	83.8
CHARLESTOWN	511	4800	198	8.3 (C)	2	5.1 (C)	389	16.2 (C)	50	128.5 (C)	28	72.0 (C)
COVENTRY	206,207	27065	964	7.1	20	10.8	1854	13.7	196	105.7	91	49.1
CRANSTON	134-148	71992	3753	10.4	32	9.0	3550	9.9	332	93.5	189	53.2
EDGEWOOD-PAWTUXET	134-136	13382	677	10.1	12	15.3	784	11.7	123	156.9	47	59.9
AUBURN	137,138,140	18402	1135	12.3	8	7.7	1033	11.2	63	61.0	65	62.9
GARDEN CITY-DEAN ESTATES	139,143,144	12077	602	10.0	2	5.7 (C)	349	5.8	13	37.2 (C)	8	22.9 (C)
ARLINGTON-KNIGHTSVILLE	141,147	11017	734	13.3	6	9.2	650	11.8	87	133.8	38	58.5
WEST CRANSTON	145,146,148	13165	457	6.9	4	6.2	641	9.7	33	51.5	28	43.7
STATE INSTITUTIONS-PETTACONSETT	142	3949	137	6.9 (C)	0	0.0 (C)	89	4.5 (C)	13	146.1 (C)	3	33.7 (C)
CUMBERLAND	112-114	27069	1142	8.4	18	13.9	1295	9.6	113	87.3	70	54.1
NORTH	114	14290	572	8.0	7	11.7	599	8.4	43	71.8	34	56.8
SOUTH	112,113	12779	572	9.0	11	15.9	692	10.8	69	99.7	36	52.0
EAST GREENWICH	209	10211	423	8.3	4	7.9	504	9.9	67	132.9	30	59.5
EAST PROVIDENCE	101-107	50980	2724	10.7	33	10.8	3052	12.0	344	112.7	193	63.2
NORTH	101	7463	451	12.1	3	7.7 (C)	392	10.5	32	81.6 (C)	24	61.2 (C)
NORTH CENTER	102,103	11694	649	11.1	7	8.6	816	14.0	83	101.7	49	60.0
SOUTH CENTER	104,105	17076	910	10.7	9	8.9	1008	11.8	107	106.2	63	62.5
SOUTH	106,107	14747	710	9.6	14	16.6	835	11.3	122	146.1	57	68.3
EXETER	505	4453	142	6.4 (C)	3	9.2 (C)	327	14.7 (C)	39	119.3 (C)	17	52.0 (C)
FOSTER	133	3370	145	8.6 (C)	0	0.0 (C)	215	12.8 (C)	15	69.8 (C)	11	51.2 (C)
GLOCESTER	131	7550	254	6.7	2	3.8	523	13.9	40	76.5	33	63.1
HOPKINTON	507	6406	230	7.2	10	19.8	504	15.7	72	142.9	25	49.6
JAMESTOWN	413	4040	201	10.0 (C)	8	27.8 (C)	288	14.3 (C)	22	76.4 (C)	21	72.9 (C)
JOHNSTON	122-125	24907	1015	8.2	13	9.6	1348	10.8	112	83.1	68	50.4
LINCOLN	115-117	16949	885	10.4	8	9.2	869	10.3	64	73.6	37	42.6
NORTH	115	4717	267	11.3 (C)	1	3.7 (C)	273	11.6 (C)	25	91.6 (C)	7	25.6 (C)
SOUTH	116,117	12232	616	10.1	7	11.8	595	9.7	39	65.5	30	50.4
LITTLE COMPTON	414	3085	143	9.3 (C)	2	9.7 (C)	206	13.4 (C)	23	111.7 (C)	12	58.3 (C)
MIDDLETOWN	402-404	17186	537	6.2	9	7.1	1272	14.8	116	91.2	66	51.9
NARRAGANSETT	515	12088	432	7.1	6	7.9	757	12.5	79	104.4	27	35.7

TABLE 6 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1980-1984

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS NO.	INFANT DEATHS AVG. RATE(B)	LIVE BIRTHS NO.	LIVE BIRTHS AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
NEWPORT	405-412	29259	1487	10.2	23	11.1	2072	14.2	470	226.8	129	62.3
NORTH	405,406 410-412	16421	837	10.2	19	13.5	1404	17.1	364	259.3	104	74.1
SOUTH	407-409	12838	640	10.0	2	3.0	663	10.3	106	159.9	25	37.7
NEW SHOREHAM	415	620	40	12.9 (C)	0	0.0 (C)	73	23.5 (C)	5	68.5 (C)	1	13.7 (C)
NORTH KINGSTON	501-504	21938	783	7.1	10	6.1	1652	15.1	151	91.4	76	46.0
NORTH PROVIDENCE	118-121	29188	1346	9.2	6	4.3	1397	9.6	91	65.1	58	41.5
NORTH SMITHFIELD	128	9972	443	8.9	4	8.6 (C)	467	9.4	33	70.7 (C)	29	62.1 (C)
PAWTUCKET	149-171	71204	4204	11.8	50	9.8	5103	14.3	958	187.7	330	64.7
FAIRLAWN	150-163	7139	362	10.1	6	14.4 (C)	418	11.7	41	98.1 (C)	27	64.6 (C)
WOODLAWN-DOWNTOWN	149,151,152 161,162,164	16254	1188	14.6	19	12.9	1468	18.1	409	278.6	106	72.2
OAKHILL	165,166	5658	314	11.1	2	5.5 (C)	364	12.9	39	107.1 (C)	17	46.7 (C)
PLEASANT VIEW-	153,154,160											
EAST SIDE	167,171	14874	789	10.6	17	12.6	1344	18.1	305	226.9	97	72.2
NORTH DARLINGTON	155-159	17538	974	11.0	6	5.5	1089	12.3	132	121.2	64	58.8
SOUTH DARLINGTON	168-170	9641	575	11.9	0	0.0 (C)	414	8.6	30	72.5 (C)	19	45.9 (C)
PORTSMOUTH	401	14257	513	7.2	9	8.4	1068	15.0	68	63.7	34	31.8
PROVIDENCE	001-037	156804	9098	11.6	166	13.1	12663	16.2	4037	318.8	1061	83.8
WASHINGTON PARK	001	7763	337	8.7	12	15.7	765	19.7	216	282.4	55	71.9
ELMWOOD	002,003	14219	757	10.6	27	13.5	2000	28.1	801	400.5	190	95.0
SO. PROVIDENCE(D)	004-007	9271	491	10.6	21	17.4	1209	26.1	640	529.4	133	110.0
FEDERAL HILL- OLNEYVILLE	008-011,019	14041	1265	18.0	13	14.0	926	13.2	353	381.2	83	89.6
WEST END	012-015	13968	844	12.1	30	16.8	1787	25.6	670	374.9	167	93.5
ANNEX-MANTON	016-018,020	17630	1044	11.8	18	11.6	1547	17.5	480	310.3	103	66.6
ELMHURST- UPPER MT. PLEASANT	021,023,024	20755	1161	11.2	11	11.6	952	9.2	101	106.1	61	64.1
SMITH HILL- LOWER MT. PLEASANT	022,025,026	9404	620	13.2	12	14.0	859	18.3	257	299.2	63	73.3
EAGLE PARK- WANSKUCK	027-029	14791	815	11.0	8	9.1	879	11.9	217	246.9	78	88.7
HOPE	030-033	12299	904	14.7	10	11.3	883	14.4	219	248.0	70	79.3
EAST SIDE	034,035	10185	536	10.5	0	0.0 (C)	439	8.6	23	52.4 (C)	25	56.9 (C)
COLLEGE HILL- FOX POINT	036,037	12278	314	5.1	4	10.1 (C)	396	6.5	53	133.8 (C)	30	75.8 (C)
INNER CITY (E)	003-007,009 014,019,025 026,031,037	51637	3259	12.6	91	16.3	5583	21.6	2302	412.3	548	98.2
RICHMOND	506	4018	132	6.6 (C)	9	25.6 (C)	351	17.5 (C)	51	145.3 (C)	15	42.7 (C)
SCITUATE	132	8405	348	8.3	5	9.8	510	12.1	40	78.4	22	43.1

TABLE 8 SELECTED HEALTH CHARACTERISTICS FOR RHODE ISLAND RESIDENTS BY NEIGHBORHOOD AND CITY OR TOWN
FIVE-YEAR TOTALS* WITH AVERAGE RATES, 1980-1984

NEIGHBORHOOD BY CITY OR TOWN	CENSUS TRACTS	1980 POPULATION	DEATHS NO.	DEATHS AVG. RATE(A)	INFANT DEATHS LIVE BI NO.	INFANT DEATHS LIVE BI AVG. RATE(B)	NO.	AVG. RATE(A)	OUT OF WEDLOCK NO.	OUT OF WEDLOCK RATIO(B)	LOW BIRTH WGHT. NO.	LOW BIRTH WGHT. RATIO(B)
SMITHFIELD	126,127	16886	602	7.1	7	7.7	906	10.7	56	61.8	56	61.8
SOUTH KINGSTOWN	512-514	20414	685	6.7	11	8.4	1317	12.9	159	120.7	60	45.6
TIVERTON	416,417	13526	535	7.9	4	5.4	742	11.0	79	106.5	45	60.6
WARREN	305,306	10640	579	10.9	10	14.5	692	13.0	56	80.9	34	49.1
WARWICK												
LAKEWOOD-	210-224	87123	4198	9.6	51	10.5	4651	11.1	511	105.3	266	54.8
SPRING GREEN												
NORWOOD-HILLSGROVE	210,212,213	17633	1059	12.0	11	12.2	898	10.2	76	84.6	39	43.4
GREENWOOD-PONTIAC	211,214	14830	669	9.0	5	6.2	813	11.0	70	86.1	52	64.0
BUTTONWOODS	221,223	9155	508	11.1	4	9.0 (C)	442	9.7	37	83.7 (C)	18	40.7 (C)
OAK AND BEACH-	219	12407	510	8.2	8	11.4	700	11.3	57	81.4	41	58.6
WARWICK NECK	215-218	18433	833	9.0	13	10.4	1252	13.6	214	170.9	81	64.7
COWESETT-POTOWAMUT	220,222,224	14395	618	8.6	10	13.5	743	10.3	56	75.4	35	47.1
WESTERLY	508,510	18580	886	9.5	18	13.3	1356	14.6	160	118.0	77	56.9
WEST GREENWICH	208	2738	87	6.4 (C)	3	14.3 (C)	210	15.3 (C)	17	81.0 (C)	9	42.9 (C)
WEST WARWICK	201-205	27026	1212	9.0	24	11.5	2090	15.5	299	143.1	114	54.5
WOONSOCKET	172-185	45914	2614	11.4	[illegible]	14.4	3395	14.8	816	240.4	240	70.7
FAIRMOUNT-CENTRAL	172,174,176	8844	438	9.9	5	10.9	825	18.7	288	349.1	68	82.4
GLOBE-NORTH END	173,175	7305	404	11.1	5	9.9	504	13.8	54	107.1	27	53.6
BERNON	177-179	10177	569	11.2	13	16.6	785	15.4	159	202.5	49	62.4
SOCIAL	180-183	8983	727	16.2	13	17.3	750	16.7	217	289.3	63	84.0
EAST WOONSOCKET	184,185	10605	473	8.9	9	17.1	525	9.9	96	182.9	33	62.9

* THE SUM OF NEIGHBORHOOD FIGURES WILL NOT ALWAYS EQUAL THE CITY OR TOWN TOTAL BECAUSE TOTALS INCLUDE ITEMS WITH CENSUS TRACTS UNKNOWN

(A) AVERAGE RATE PER 1,000 POPULATION ACCORDING TO THE 1980 CENSUS

(B) AVERAGE RATIO PER 1,000 LIVE BIRTHS 1980-1984

(C) RATE BASED ON EITHER A DENOMINATOR OF LESS THAN 500 LIVE BIRTHS OR LESS THAN 5,000 POPULATION AND MAY BE STATISTICALLY UNRELIABLE

(D) SOUTH PROVIDENCE IS ALSO REFERRED TO AS 'MODEL CITY AREA'

(E) PROVIDENCE 'INNER CITY' GROUPING INCLUDES CENSUS TRACTS THAT ALSO APPEAR IN OTHER NEIGHBORHOOD GROUPINGS

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1961-1984 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1961	611	33.3	1973	1,140	92.9
1962	528	28.8	1974	1,133	99.9
1963	580	21.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7
1968	911	59.9	1980	1,904	156.5
1969	1,022	66.1	1981	1,966	158.2
1970	1,148	72.6	1982	2,009	160.7
1971	1,116	74.9	1983	2,220	176.5
1972	1,064	80.1	1984	2,241	177.2

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1975-1984

		AGE OF MOTHER IN YEARS					
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1975	Number	1,244	618	379	163	53	31
	Ratio	116.0	385.5	103.6	44.5	40.0	66.1
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	67.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8
1980	Number	1,904	764	726	269	102	43
	Ratio	156.5	510.0	176.9	66.9	50.3	83.2
1981	Number	1,966*	768	743	286	127	40
	Ratio	158.2	526.7	183.7	67.6	59.3	72.3
1982	Number	2,009	767	775	312	111	43
	Ratio	160.7	544 0	191.7	73.4	51.1	68.8
1983	Number	2,220	855	796	376	148	45
	Ratio	176.5	596.2	210.6	86.5	63.1	67.1
1984	Number	2,241	841	883	315	152	50
	Ratio	177.2	648.4	234.6	73.6	60.9	61.5

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	12647	5479	4490	1724	548	182	85	44	42	53
WHITE MALE	5809	2555	2114	793	226	52	26	11	11	21
WHITE FEMALE	5510	2487	1972	712	202	59	31	12	10	25
NON-WHITE MALE	704	218	220	120	71	37	18	10	7	3
NON-WHITE FEMALE	609	212	182	97	47	33	10	11	14	3
UNKNOWN MALE	7	4	2	0	1	0	0	0	0	0
UNKNOWN FEMALE	8	3	0	2	1	1	0	0	0	1
UNDER 15 YEARS										
TOTAL	13	13	0	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	37	37	0	0	0	0	0	0	0	0
WHITE MALE	12	12	0	0	0	0	0	0	0	0
WHITE FEMALE	13	13	0	0	0	0	0	0	0	0
NON-WHITE MALE	4	4	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	8	8	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	134	119	15	0	0	0	0	0	0	0
WHITE MALE	48	43	5	0	0	0	0	0	0	0
WHITE FEMALE	50	48	2	0	0	0	0	0	0	0
NON-WHITE MALE	17	14	3	0	0	0	0	0	0	0
NON-WHITE FEMALE	19	14	5	0	0	0	0	0	0	0
17 YEARS										
TOTAL	226	194	28	2	1	0	0	0	0	1
WHITE MALE	89	75	13	0	1	0	0	0	0	0
WHITE FEMALE	101	92	8	0	0	0	0	0	0	1
NON-WHITE MALE	19	16	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	17	11	5	1	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS TOTAL	375	293	72	8	1	0	0	1	0	0
WHITE MALE	172	144	27	1	0	0	0	0	0	0
WHITE FEMALE	144	117	24	3	0	0	0	0	0	0
NON-WHITE MALE	34	19	12	3	0	0	0	0	0	0
NON-WHITE FEMALE	25	13	9	1	1	0	0	1	0	0
19 YEARS TOTAL	512	370	115	23	3	0	0	0	0	1
WHITE MALE	205	155	44	6	0	0	0	0	0	0
WHITE FEMALE	234	177	49	6	2	0	0	0	0	0
NON-WHITE MALE	33	19	10	3	1	0	0	0	0	0
NON-WHITE FEMALE	40	19	12	8	0	0	0	0	0	1
20 YEARS TOTAL	612	389	168	48	4	1	0	0	0	2
WHITE MALE	283	179	82	20	2	0	0	0	0	0
WHITE FEMALE	235	167	55	11	0	0	0	0	0	2
NON-WHITE MALE	50	19	19	10	2	0	0	0	0	0
NON-WHITE FEMALE	43	23	12	7	0	1	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
21 YEARS TOTAL	687	393	223	51	14	2	0	0	1	3
WHITE MALE	292	177	92	17	5	0	0	0	0	1
WHITE FEMALE	307	184	101	14	5	0	0	0	1	2
NON-WHITE MALE	47	13	18	12	2	2	0	0	0	0
NON-WHITE FEMALE	38	17	12	7	2	0	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	1	0	1	0	0	0	0	0	0
22 YEARS TOTAL	757	383	273	63	25	7	1	0	0	5
WHITE MALE	331	166	130	22	8	1	0	0	0	4
WHITE FEMALE	339	187	110	29	10	1	1	0	0	1
NON-WHITE MALE	50	12	21	8	6	3	0	0	0	0
NON-WHITE FEMALE	35	18	12	4	0	1	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	1	1	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	857	409	322	85	26	7	3	0	0	5
WHITE MALE	368	177	138	40	9	1	1	0	0	2
WHITE FEMALE	389	205	146	29	5	1	0	0	0	3
NON-WHITE MALE	55	15	20	8	8	3	1	0	0	0
NON-WHITE FEMALE	45	12	18	8	4	2	1	0	0	0
24 YEARS										
TOTAL	851	379	332	102	23	8	3	0	0	4
WHITE MALE	393	188	146	50	5	2	0	0	0	2
WHITE FEMALE	362	160	148	38	13	1	1	0	0	1
NON-WHITE MALE	58	17	23	10	4	1	2	0	0	1
NON-WHITE FEMALE	38	14	15	4	1	4	0	0	0	0
25-29 YEARS										
TOTAL	4277	1660	1701	664	165	40	21	6	1	19
WHITE MALE	2020	807	820	300	67	12	5	2	0	7
WHITE FEMALE	1925	763	774	295	62	13	7	2	0	9
NON-WHITE MALE	166	46	51	32	18	9	6	2	0	2
NON-WHITE FEMALE	163	42	55	37	18	6	3	0	1	1
UNKNOWN MALE	2	1	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
30-34 YEARS										
TOTAL	2495	691	994	502	179	66	27	19	7	10
WHITE MALE	1189	351	474	248	74	22	8	4	3	5
WHITE FEMALE	1100	312	462	217	68	16	13	6	1	5
NON-WHITE MALE	120	18	36	23	20	13	4	5	1	0
NON-WHITE FEMALE	83	10	21	13	16	15	2	4	2	0
UNKNOWN MALE	2	0	1	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	1	0	0	0	0	0	0
35-39 YEARS										
TOTAL	718	139	229	167	93	36	26	10	16	2
WHITE MALE	365	70	135	84	46	12	11	3	4	0
WHITE FEMALE	265	56	83	67	32	14	7	2	3	1
NON-WHITE MALE	44	5	5	9	10	6	4	2	3	0
NON-WHITE FEMALE	42	6	6	7	5	4	4	3	6	1
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY SEX AND RACE OF CHILD AND AGE OF MOTHER AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	91	10	18	9	14	14	3	6	17	0
WHITE MALE	36	6	8	5	9	2	1	1	4	0
WHITE FEMALE	42	3	10	3	5	12	2	2	5	0
NON-WHITE MALE	4	0	0	1	0	0	0	0	3	0
NON-WHITE FEMALE	9	1	0	0	0	0	0	3	5	0
45-49 YEARS										
TOTAL	3	0	0	0	0	1	0	2	0	0
WHITE MALE	1	0	0	0	0	0	0	1	0	0
WHITE FEMALE	1	0	0	0	0	1	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0
50-64 YEARS										
TOTAL	1	0	0	0	0	0	1	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	1	0	0	0
AGE UNKNOWN										
TOTAL	1	0	0	0	0	0	0	0	0	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	2241	1254	569	240	101	43	16	8	5	5
WHITE MALE	830	503	206	74	30	7	6	1	2	1
WHITE FEMALE	863	520	210	78	34	12	5	1	1	2
NON-WHITE MALE	281	111	80	47	19	13	5	4	1	1
NON-WHITE FEMALE	262	119	73	39	17	10	0	2	1	1
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	4	0	0	2	1	1	0	0	0	0
UNDER 15 YEARS										
TOTAL	13	13	0	0	0	0	0	0	0	0
WHITE MALE	5	5	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	35	35	0	0	0	0	0	0	0	0
WHITE MALE	12	12	0	0	0	0	0	0	0	0
WHITE FEMALE	12	12	0	0	0	0	0	0	0	0
NON-WHITE MALE	4	4	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	7	7	0	0	0	0	0	0	0	0
16 YEARS										
TOTAL	113	100	13	0	0	0	0	0	0	0
WHITE MALE	39	34	5	0	0	0	0	0	0	0
WHITE FEMALE	45	44	1	0	0	0	0	0	0	0
NON-WHITE MALE	11	9	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	18	13	5	0	0	0	0	0	0	0
17 YEARS										
TOTAL	169	146	21	1	0	0	0	0	0	1
WHITE MALE	64	57	7	0	0	0	0	0	0	0
WHITE FEMALE	72	63	8	0	0	0	0	0	0	1
NON-WHITE MALE	19	16	2	1	0	0	0	0	0	0
NON-WHITE FEMALE	14	10	4	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS TOTAL	246	194	45	6	0	0	0	1	0	0
WHITE MALE	104	89	14	1	0	0	0	0	0	0
WHITE FEMALE	94	79	13	2	0	0	0	0	0	0
NON-WHITE MALE	30	17	11	2	0	0	0	0	0	0
NON-WHITE FEMALE	18	9	7	1	0	0	0	1	0	0
19 YEARS TOTAL	265	185	60	16	3	0	0	0	0	1
WHITE MALE	97	69	24	4	0	0	0	0	0	0
WHITE FEMALE	111	84	21	4	2	0	0	0	0	0
NON-WHITE MALE	26	17	6	2	1	0	0	0	0	0
NON-WHITE FEMALE	31	15	9	6	0	0	0	0	0	1
20 YEARS TOTAL	232	144	66	17	4	1	0	0	0	0
WHITE MALE	93	56	31	4	2	0	0	0	0	0
WHITE FEMALE	76	57	16	3	0	0	0	0	0	0
NON-WHITE MALE	34	13	13	6	2	0	0	0	0	0
NON-WHITE FEMALE	28	17	6	4	0	1	0	0	0	0
UNKNOWN MALE	1	1	0	0	0	0	0	0	0	0
21 YEARS TOTAL	190	100	55	25	7	1	0	0	0	2
WHITE MALE	65	46	14	2	2	0	0	0	0	1
WHITE FEMALE	70	37	23	6	3	0	0	0	0	1
NON-WHITE MALE	28	8	9	9	1	1	0	0	0	0
NON-WHITE FEMALE	26	9	9	7	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	1	0	0	0	0	0	0
22 YEARS TOTAL	175	87	57	16	11	4	0	0	0	0
WHITE MALE	57	27	23	4	2	1	0	0	0	0
WHITE FEMALE	76	46	19	7	4	0	0	0	0	0
NON-WHITE MALE	24	4	9	5	4	2	0	0	0	0
NON-WHITE FEMALE	16	10	6	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	1	1	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS TOTAL	164	70	56	22	11	3	2	0	0	0
WHITE MALE	64	32	21	6	3	1	1	0	0	0
WHITE FEMALE	58	25	20	10	2	1	0	0	0	0
NON-WHITE MALE	18	5	5	3	4	0	1	0	0	0
NON-WHITE FEMALE	24	8	10	3	2	1	0	0	0	0
24 YEARS TOTAL	122	43	46	20	9	2	2	0	0	0
WHITE MALE	32	13	11	7	0	1	0	0	0	0
WHITE FEMALE	55	21	20	6	8	0	0	0	0	0
NON-WHITE MALE	22	4	11	5	0	0	2	0	0	0
NON-WHITE FEMALE	13	5	4	2	1	1	0	0	0	0
25-29 YEARS TOTAL	315	88	110	68	28	13	5	2	0	1
WHITE MALE	117	37	37	28	9	3	3	0	0	0
WHITE FEMALE	120	34	52	22	8	3	1	0	0	0
NON-WHITE MALE	35	7	9	6	3	6	1	2	0	1
NON-WHITE FEMALE	43	10	12	12	8	1	0	0	0	0
30-34 YEARS TOTAL	152	37	30	42	23	11	5	4	0	0
WHITE MALE	54	17	12	14	9	0	2	0	0	0
WHITE FEMALE	57	13	14	16	6	4	3	1	0	0
NON-WHITE MALE	25	6	3	7	4	3	0	2	0	0
NON-WHITE FEMALE	15	1	1	4	4	4	0	1	0	0
UNKNOWN FEMALE	1	0	0	1	0	0	0	0	0	0
35-39 YEARS TOTAL	42	12	9	6	4	5	2	1	3	0
WHITE MALE	25	9	7	4	2	1	0	1	1	0
WHITE FEMALE	10	2	2	2	1	1	1	0	1	0
NON-WHITE MALE	3	0	0	0	0	1	1	0	1	0
NON-WHITE FEMALE	4	1	0	0	1	2	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1984

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	8	0	1	1	1	3	0	0	2	0
WHITE MALE	2	0	0	0	1	0	0	0	1	0
WHITE FEMALE	4	0	1	0	0	3	0	0	0	0
NON-WHITE MALE	1	0	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	12647**	768	71	71	139	487	1881	4707	3847	1193	213	21
WHITE	11319	633	53	57	117	406	1605	4171	3550	1124	201	20
NON-WHITE	1313	132	17	14	22	79	273	532	294	69	11	1
RACE UNKNOWN	15	3	1	0	0	2	3	4	3	0	1	0
UNDER 15 YEARS TOTAL	13	2	1	1	0	0	3	4	4	0	0	0
WHITE	8	1	0	1	0	0	2	2	3	0	0	0
NON-WHITE	5	1	1	0	0	0	1	2	1	0	0	0
15 YEARS TOTAL	37	6	0	1	1	4	7	15	8	1	0	0
WHITE	25	4	0	1	1	2	4	10	6	1	0	0
NON-WHITE	12	2	0	0	0	2	3	5	2	0	0	0
16 YEARS TOTAL	134	17	2	2	3	10	38	47	23	9	0	0
WHITE	98	8	2	1	1	4	30	32	21	7	0	0
NON-WHITE	36	9	0	1	2	6	8	15	2	2	0	0
17 YEARS TOTAL	226	21	0	3	2	16	49	82	58	11	5	0
WHITE	190	18	0	3	2	13	40	67	52	9	4	0
NON-WHITE	36	3	0	0	0	3	9	15	6	2	1	0
18 YEARS TOTAL	375	36	4	4	5	23	87	122	106	20	3	0
WHITE	316	26	3	4	3	16	70	107	92	17	3	0
NON-WHITE	59	10	1	0	2	7	17	15	14	3	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	512	38	2	4	8	24	80	204	154	29	5	2
WHITE	439	28	2	1	7	18	66	180	132	26	5	2
NON-WHITE	73	10	0	3	1	6	14	24	22	3	0	0
20 YEARS TOTAL	612	45	4	4	5	32	98	230	178	54	4	1
WHITE	518	33	1	3	4	25	76	189	161	52	4	1
NON-WHITE	93	11	2	1	1	7	22	41	17	2	0	0
RACE UNKNOWN	1	1	1	0	0	0	0	0	0	0	0	0
21 YEARS TOTAL	687	50	2	2	6	40	115	255	199	57	8	2
WHITE	599	43	2	2	5	34	95	216	185	50	7	2
NON-WHITE	85	7	0	0	1	6	19	38	13	7	1	0
RACE UNKNOWN	3	0	0	0	0	0	1	1	1	0	0	0
22 YEARS TOTAL	757	44	2	4	8	30	142	273	221	66	6	3
WHITE	670	37	2	2	8	25	120	244	198	60	6	3
NON-WHITE	85	7	0	2	0	5	21	28	23	6	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0
23 YEARS TOTAL	857	50	5	3	9	33	154	327	234	79	12	1
WHITE	757	41	3	2	8	28	129	292	211	72	11	1
NON-WHITE	100	9	2	1	1	5	25	35	23	7	1	0
24 YEARS TOTAL	851	47	5	2	10	30	104	360	257	71	11	0
WHITE	755	39	4	2	9	24	92	315	231	68	10	0
NON-WHITE	96	8	1	0	1	6	12	45	26	3	1	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4277	227	25	20	45	137	556	1618	1354	431	82	5
WHITE	3945	197	21	17	38	121	496	1470	1277	416	80	5
NON-WHITE	329	30	4	3	7	16	60	148	75	15	1	0
RACE UNKNOWN	3	0	0	0	0	0	0	0	2	0	1	0
30-34 YEARS												
TOTAL	2495	130	14	13	22	81	341	897	806	253	57	7
WHITE	2289	117	10	12	20	75	297	816	758	238	53	6
NON-WHITE	203	11	4	1	2	4	43	81	48	15	4	1
RACE UNKNOWN	3	2	0	0	0	2	1	0	0	0	0	0
35-39 YEARS												
TOTAL	718	51	5	8	15	23	88	237	221	104	16	0
WHITE	630	38	3	6	11	18	72	202	201	101	15	0
NON-WHITE	86	13	2	2	4	5	16	33	20	3	1	0
RACE UNKNOWN	2	0	0	0	0	0	0	2	0	0	0	0
40-44 YEARS												
TOTAL	91	4	0	0	0	4	18	34	23	8	4	0
WHITE	78	3	0	0	0	3	15	28	22	7	3	0
NON-WHITE	13	1	0	0	0	1	3	6	1	1	1	0
45-49 YEARS												
TOTAL	3	0	0	0	0	0	1	2	0	0	0	0
WHITE	2	0	0	0	0	0	1	1	0	0	0	0
NON-WHITE	1	0	0	0	0	0	0	1	0	0	0	0
AGE UNKNOWN												
TOTAL	2	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE	1	0	0	0	0	0	0	0	1	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	223**	112	7	15	30	60	67	34	6	1	0	0
WHITE	195	92	7	12	25	48	63	30	6	1	0	0
NON-WHITE	28	20	0	3	5	12	4	4	0	0	0	0
UNDER 15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS TOTAL	2	2	0	1	1	0	0	0	0	0	0	0
NON-WHITE	2	2	0	1	1	0	0	0	0	0	0	0
17 YEARS TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
18 YEARS TOTAL	6	5	1	1	0	3	1	0	0	0	0	0
WHITE	6	5	1	1	0	3	1	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	11	11	0	2	4	5	0	0	0	0	0	0
WHITE	6	6	0	0	3	3	0	0	0	0	0	0
NON-WHITE	5	5	0	2	1	2	0	0	0	0	0	0
20 YEARS TOTAL	5	4	0	0	1	3	1	0	0	0	0	0
WHITE	5	4	0	0	1	3	1	0	0	0	0	0
21 YEARS TOTAL	4	0	0	0	0	0	3	1	0	0	0	0
WHITE	4	0	0	0	0	0	3	1	0	0	0	0
22 YEARS TOTAL	2	0	0	0	0	0	0	0	0	0	0	0
WHITE	2	0	0	0	0	0	0	0	0	0	0	0
23 YEARS TOTAL	12	5	0	0	2	3	7	0	0	0	0	0
WHITE	12	5	0	0	2	3	7	0	0	0	0	0
24 YEARS TOTAL	11	3	0	0	3	0	4	2	2	0	0	0
WHITE	9	3	0	0	3	0	3	1	2	0	0	0
NON-WHITE	2	0	0	0	0	0	1	1	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	83	50	5	8	11	26	20	11	0	1	0	0
WHITE	77	44	5	8	9	22	20	11	0	1	0	0
NON-WHITE	6	6	0	0	2	4	0	0	0	0	0	0
30-34 YEARS												
TOTAL	58	18	1	2	3	12	23	14	3	0	0	0
WHITE	50	16	1	2	3	10	20	11	3	0	0	0
NON-WHITE	8	2	0	0	0	2	3	3	0	0	0	0
35-39 YEARS												
TOTAL	29	14	0	1	5	8	8	6	1	0	0	0
WHITE	24	9	0	1	4	4	8	6	1	0	0	0
NON-WHITE	5	5	0	0	1	4	0	0	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES TOTAL	2241**	222	21	24	35	142	494	819	524	150	26	4
WHITE	1693	147	13	14	22	98	365	612	421	120	22	4
NON-WHITE	543	73	7	10	13	43	128	205	103	30	4	0
RACE UNKNOWN	5	2	1	0	0	1	1	2	0	0	0	0
UNDER 15 YEARS TOTAL	13	2	1	1	0	0	3	4	4	0	0	0
WHITE	8	1	0	1	0	0	2	2	3	0	0	0
NON-WHITE	5	1	1	0	0	0	1	2	1	0	0	0
15 YEARS TOTAL	35	6	0	1	1	4	7	13	8	1	0	0
WHITE	24	4	0	1	1	2	4	9	6	1	0	0
NON-WHITE	11	2	0	0	0	2	3	4	2	0	0	0
16 YEARS TOTAL	113	14	2	2	2	8	27	45	19	8	0	0
WHITE	84	8	2	1	1	4	22	31	17	6	0	0
NON-WHITE	29	6	0	1	1	4	5	14	2	2	0	0
17 YEARS TOTAL	169	15	0	3	2	10	38	63	36	11	4	0
WHITE	136	12	0	3	2	7	29	49	34	9	3	0
NON-WHITE	33	3	0	0	0	3	9	14	4	2	1	0
18 YEARS TOTAL	246	23	1	2	3	17	66	75	62	16	3	0
WHITE	198	16	0	2	1	13	51	63	50	14	3	0
NON-WHITE	48	7	1	0	2	4	15	12	12	2	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS TOTAL	265	21	1	4	3	13	54	101	71	15	2	1
WHITE	208	14	1	1	2	10	42	81	55	13	2	1
NON-WHITE	57	7	0	3	1	3	12	20	16	2	0	0
20 YEARS TOTAL	232	27	3	3	4	17	50	88	49	15	2	0
WHITE	169	17	0	3	3	11	34	65	37	13	2	0
NON-WHITE	62	9	2	0	1	6	16	23	12	2	0	0
RACE UNKNOWN	1	1	1	0	0	0	0	0	0	0	0	0
21 YEARS TOTAL	190	12	0	0	2	10	42	76	42	15	3	0
WHITE	135	9	0	0	2	7	27	52	35	10	2	0
NON-WHITE	54	3	0	0	0	3	15	23	7	5	1	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
22 YEARS TOTAL	175	12	0	1	0	11	46	58	38	19	1	1
WHITE	133	8	0	0	0	8	34	45	28	16	1	1
NON-WHITE	40	4	0	1	0	3	11	12	10	3	0	0
RACE UNKNOWN	2	0	0	0	0	0	1	1	0	0	0	0
23 YEARS TOTAL	164	14	4	1	2	7	44	53	37	12	3	1
WHITE	122	10	2	0	2	6	30	40	29	9	3	1
NON-WHITE	42	4	2	1	0	1	14	13	8	3	0	0
24 YEARS TOTAL	122	14	2	0	3	9	17	58	32	1	0	0
WHITE	87	7	2	0	2	3	13	42	24	1	0	0
NON-WHITE	35	7	0	0	1	6	4	16	8	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1984

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS TOTAL	315	39	2	4	9	24	53	124	78	18	2	1
WHITE	237	25	2	1	4	18	41	89	64	15	2	1
NON-WHITE	78	14	0	3	5	6	12	35	14	3	0	0
30-34 YEARS TOTAL	152	15	3	1	2	9	36	49	33	13	6	0
WHITE	111	10	2	1	1	6	26	36	27	8	4	0
NON-WHITE	40	4	1	0	1	2	10	13	6	5	2	0
RACE UNKNOWN	1	1	0	0	0	1	0	0	0	0	0	0
35-39 YEARS TOTAL	42	8	2	1	2	3	9	11	10	4	0	0
WHITE	35	6	2	0	1	3	9	7	9	4	0	0
NON-WHITE	7	2	0	1	1	0	0	4	1	0	0	0
40-44 YEARS TOTAL	8	0	0	0	0	0	2	1	3	2	0	0
WHITE	6	0	0	0	0	0	1	1	3	1	0	0
NON-WHITE	2	0	0	0	0	0	1	0	0	1	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1984

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	12647	12573	2241	768	11319	11271	1693	633	1313	1289	543	132	15
BARRINGTON	172	172	11	4	168	168	11	3	4	4	0	1	0
BRISTOL	230	229	16	12	230	229	16	12	0	0	0	0	0
BURRILLVILLE	188	184	22	6	187	183	21	6	1	1	1	0	0
CENTRAL FALLS	282	280	92	24	255	253	83	23	27	27	9	1	0
CHARLESTOWN	73	73	4	3	70	70	4	3	3	3	0	0	0
COVENTRY	366	366	42	16	361	361	42	15	5	5	0	1	0
CRANSTON	744	740	75	51	722	718	71	50	22	22	4	1	0
CUMBERLAND	247	245	18	17	246	244	18	17	1	1	0	0	0
EAST GREENWICH	88	88	6	2	88	88	6	2	0	0	0	0	0
EAST PROVIDENCE	634	631	68	41	574	573	56	34	58	57	12	7	2
EXETER	61	61	10	3	61	61	10	3	0	0	0	0	0
FOSTER	41	41	4	5	40	40	4	5	1	1	0	0	0
GLOCESTER	100	100	5	4	99	99	5	4	1	1	0	0	0
HOPKINTON	108	108	12	3	106	106	11	3	2	2	1	0	0
JAMESTOWN	56	55	4	4	55	55	4	4	1	0	0	0	0
JOHNSTON	259	259	18	12	254	254	18	11	5	5	0	1	0
LINCOLN	175	174	11	12	170	169	11	11	5	5	0	1	0
LITTLE COMPTON	53	53	6	3	52	52	6	2	0	0	0	0	1
MIDDLETOWN	290	290	24	17	263	263	18	15	26	26	6	2	1
NARRAGANSETT	185	185	26	6	176	176	22	4	9	9	4	2	0
NEWPORT	430	426	103	31	371	367	66	18	59	59	37	13	0
NEW SHOREHAM	13	13	1	0	13	13	1	0	0	0	0	0	0
NORTH KINGSTOWN	316	314	37	14	304	302	37	14	12	12	0	0	0
NORTH PROVIDENCE	287	287	22	15	282	282	22	14	5	5	0	1	0
NORTH SMITHFIELD	86	86	8	7	83	83	7	7	3	3	1	0	0
PAWTUCKET	1065	1060	251	65	954	950	202	56	109	108	49	9	2
PORTSMOUTH	225	224	20	6	222	222	20	4	3	2	0	2	0
PROVIDENCE	2583	2553	859	215	1740	1730	470	128	834	815	384	85	9
RICHMOND	76	74	9	3	74	72	8	2	2	2	1	1	0
SCITUATE	110	110	11	5	109	109	11	5	1	1	0	0	0
SMITHFIELD	194	194	13	10	188	188	12	10	6	6	1	0	0
SOUTH KINGSTOWN	284	279	21	9	253	249	15	9	31	30	6	0	0
TIVERTON	132	131	14	6	131	130	13	6	1	1	1	0	0
WARREN	142	142	13	7	139	139	12	7	3	3	1	0	0
WARWICK	966	963	105	45	946	943	102	44	20	20	3	1	0
WESTERLY	278	278	35	14	274	274	32	13	4	4	3	1	0
WEST GREENWICH	40	40	3	3	40	40	3	3	0	0	0	0	0
WEST WARWICK	412	411	68	17	400	399	65	17	12	12	3	0	0
WOONSOCKET	656	654	174	51	619	617	158	49	37	37	16	2	0

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1984

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	12647	975	943	1009	1069	1035	1081	1098	1159	1136	1076	1043	1023
BARRINGTON	172	16	9	15	18	14	18	13	16	14	16	9	14
BRISTOL	230	16	12	16	22	17	20	15	22	31	19	14	26
BURRILLVILLE	188	13	20	8	16	15	19	16	23	17	17	8	16
CENTRAL FALLS	282	17	13	25	19	26	36	25	24	26	18	27	26
CHARLESTOWN	73	5	11	6	8	4	1	7	4	9	8	6	4
COVENTRY	366	27	30	32	34	38	22	26	38	30	30	25	34
CRANSTON	744	50	59	49	65	60	70	64	67	65	67	69	59
CUMBERLAND	247	23	13	17	18	24	27	20	13	26	20	23	23
EAST GREENWICH	88	4	11	3	8	7	4	6	12	7	8	11	7
EAST PROVIDENCE	634	56	48	52	63	47	48	59	56	38	64	54	49
EXETER	61	2	4	3	5	10	7	11	6	0	3	4	6
FOSTER	41	4	1	5	7	2	2	3	8	1	4	3	1
GLOCESTER	100	6	7	6	8	7	10	11	6	9	11	10	9
HOPKINTON	108	14	9	9	12	8	5	11	9	8	9	6	8
JAMESTOWN	56	6	4	4	3	5	4	5	5	8	7	1	4
JOHNSTON	259	16	20	26	25	25	19	23	18	33	20	19	15
LINCOLN	175	11	14	12	17	15	11	18	22	14	10	20	11
LITTLE COMPTON	53	3	5	5	2	3	6	5	7	4	5	4	4
MIDDLETOWN	290	23	26	27	27	19	18	32	28	32	17	17	24
NARRAGANSETT	185	12	14	13	9	7	18	17	20	15	18	26	16
NEWPORT	430	25	35	38	39	32	35	35	36	43	38	38	36
NEW SHOREHAM	13	1	1	0	1	0	2	2	3	0	1	1	1
NORTH KINGSTOWN	316	23	30	26	19	34	31	27	24	25	22	35	20
NORTH PROVIDENCE	287	21	29	33	19	24	23	30	21	19	27	21	20
NORTH SMITHFIELD	86	4	2	7	4	7	8	7	9	13	10	7	8
PAWTUCKET	1065	76	72	88	91	81	94	103	96	102	83	83	96
PORTSMOUTH	225	22	12	18	25	18	16	20	18	27	21	11	17
PROVIDENCE	2583	210	190	224	209	185	207	209	228	246	226	226	223
RICHMOND	76	3	7	8	6	5	8	5	11	5	4	6	8
SCITUATE	110	6	7	13	9	9	10	8	14	5	12	6	11
SMITHFIELD	194	16	14	15	18	25	14	15	12	12	13	24	16
SOUTH KINGSTOWN	284	26	19	21	20	25	29	29	30	27	27	19	12
TIVERTON	132	10	7	8	10	10	10	12	22	15	11	7	10
WARREN	142	17	8	10	17	11	15	13	13	11	10	10	7
WARWICK	966	83	79	71	73	100	94	71	69	87	83	78	78
WESTERLY	278	27	18	21	25	22	22	30	29	26	25	13	20
WEST GREENWICH	40	4	2	2	2	1	2	4	4	2	5	8	4
WEST WARWICK	412	26	39	33	41	40	25	35	43	32	33	38	27
WOONSOCKET	656	51	42	40	55	53	71	56	73	52	54	56	53

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN — 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	12647	2241	768	62	10652	1676	78	63	178
BARRINGTON	172	11	4	0	161	10	1	0	0
301	69	4	2	0	66	3	0	0	0
302	24	2	0	0	21	3	0	0	0
303	48	4	1	0	44	3	1	0	0
304	31	1	1	0	30	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
BRISTOL	230	16	12	0	195	29	3	1	2
307	81	4	5	0	68	11	0	1	1
308	48	5	3	0	37	10	1	0	0
309	99	7	4	0	88	8	2	0	1
UNKNOWN	2	0	0	0	2	0	0	0	0
BURRILLVILLE	188	22	6	0	166	16	0	2	4
129	92	13	5	0	83	7	0	1	1
130	96	9	1	0	83	9	0	1	3
CENTRAL FALLS	282	92	24	3	201	64	5	4	8
108	64	16	4	0	46	16	0	1	1
109	78	25	9	1	54	20	3	0	1
110	71	24	4	0	53	12	1	3	2
111	68	27	7	2	47	16	1	0	4
UNKNOWN	1	0	0	0	1	0	0	0	0
CHARLESTOWN-511	73	4	3	1	68	4	0	1	0
COVENTRY	366	42	16	2	323	39	1	3	0
206	262	31	14	2	229	29	1	3	0
207	104	11	2	0	94	10	0	0	0
CRANSTON	744	75	51	1	667	67	3	5	2
134	60	8	5	0	55	5	0	0	0
135	59	10	5	0	43	15	0	0	1
136	40	5	3	0	35	5	0	0	0
137	111	6	4	0	98	12	0	1	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)									
138	59	3	5	0	55	4	0	0	0
139	17	1	1	0	14	2	1	0	0
140	64	4	8	0	61	2	0	1	0
141	49	11	2	0	44	4	0	1	0
142	11	2	0	1	10	0	0	0	1
143	33	4	1	0	31	2	0	0	0
144	24	2	1	0	22	1	0	1	0
145	67	4	7	0	61	5	1	0	0
146	29	3	1	0	27	2	0	0	0
147	82	9	6	0	77	3	1	1	0
148	38	3	2	0	33	5	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
CUMBERLAND	247	18	17	0	222	19	3	1	2
112	65	3	4	0	60	4	0	1	0
113	75	9	6	0	62	9	2	0	2
114	105	5	7	0	99	5	1	0	0
UNKNOWN	2	1	0	0	1	1	0	0	0
EAST GREENWICH-209	88	6	2	0	83	5	0	0	0
EAST PROVIDENCE	634	68	41	2	550	72	4	0	8
101	81	2	2	0	75	6	0	0	0
102	110	13	6	0	86	23	1	0	0
103	57	4	6	1	50	7	0	0	0
104	98	8	4	0	83	11	1	0	3
105	116	9	10	1	103	10	1	0	2
106	93	21	8	0	82	9	0	0	2
107	77	11	5	0	70	6	1	0	0
UNKNOWN	2	0	0	0	1	0	0	0	1
EXETER-505	61	10	3	0	53	7	0	0	1
FOSTER-133	41	4	5	0	35	4	0	0	2
GLOCESTER-131	100	5	4	0	86	13	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-507	108	12	3	0	82	20	1	0	5
JAMESTOWN-413	56	4	4	0	50	5	0	0	1
JOHNSTON	259	18	12	0	230	23	2	1	3
122	57	1	3	0	51	5	0	0	1
123	82	7	4	0	71	8	2	1	0
124	91	8	1	0	82	9	0	0	0
125	28	2	4	0	25	1	0	0	2
UNKNOWN	1	0	0	0	1	0	0	0	0
LINCOLN	175	11	12	0	157	17	0	1	0
115	50	4	4	0	45	5	0	0	0
116	32	2	3	0	28	4	0	0	0
117	92	5	5	0	83	8	0	1	0
UNKNOWN	1	0	0	0	1	0	0	0	0
LITTLE COMPTON-414	53	6	3	0	47	5	0	0	1
MIDDLETOWN	290	24	17	8	263	25	1	1	0
402	29	3	2	1	27	1	0	1	0
403	184	16	14	6	161	22	1	0	0
404	75	5	1	1	73	2	0	0	0
UNKNOWN	2	0	0	0	2	0	0	0	0
NARRAGANSETT-515	185	26	6	0	165	20	0	0	0
NEWPORT	430	103	31	3	371	51	5	2	1
405	98	45	14	1	79	16	1	1	1
406	88	19	8	0	79	7	1	1	0
407	49	5	3	0	46	3	0	0	0
408	45	11	1	0	38	7	0	0	0
409	53	8	0	0	47	5	1	0	0
410	25	0	4	0	23	2	0	0	0
411	32	6	0	1	28	3	1	0	0
412	35	9	1	1	27	8	0	0	0
UNKNOWN	5	0	0	0	4	0	1	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHORE-AM-415	13	1	0	0	10	3	0	0	0
NORTH KINGSTOWN	316	37	14	1	287	27	0	1	1
501	157	22	7	1	142	13	0	1	1
502	11	2	0	0	11	0	0	0	0
503	74	6	1	0	67	7	0	0	0
504	73	7	6	0	67	6	0	0	0
UNKNOWN	1	0	0	0	0	1	0	0	0
NORTH PROVIDENCE	287	22	15	0	259	23	2	1	2
118	65	9	5	0	52	11	1	1	0
119	64	3	2	0	60	4	0	0	0
120	54	3	3	0	52	0	1	0	1
121	104	7	5	0	95	8	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	86	8	7	0	80	5	0	0	1
PAWTUCKET	1065	251	65	9	843	185	15	5	17
149	6	2	0	0	5	0	1	0	0
150	58	7	3	2	49	7	1	0	1
151	109	40	10	2	82	18	4	0	5
152	25	8	4	1	17	8	0	0	0
153	47	16	4	0	34	12	0	1	0
154	43	9	5	1	35	8	0	0	0
155	65	12	4	0	54	10	1	0	0
156	35	3	3	1	30	4	0	0	1
157	46	4	2	0	38	7	0	1	0
158	37	5	2	0	30	7	0	0	0
159	37	8	1	0	33	4	0	0	0
160	59	12	4	0	46	12	0	0	1
161 **	80	29	7	0	53	23	1	1	2
163	33	4	1	0	30	2	0	0	1
164 **	95	31	6	0	72	20	1	1	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)									
165	47	4	1	0	42	5	0	0	0
166	15	5	1	0	13	1	0	0	1
167	53	14	1	0	41	11	1	0	0
168	35	4	1	0	32	3	0	0	0
169	17	0	0	0	16	1	0	0	0
170	45	4	1	0	42	2	1	0	0
171	75	29	4	2	48	19	4	1	3
UNKNOWN	3	1	0	0	1	1	0	0	1
PORTSMOUTH-401	225	20	6	1	199	23	2	0	1
PROVIDENCE	2583	859	215	7	1873	579	22	24	85
1	153	52	14	0	108	38	0	1	6
2	259	113	21	1	167	72	5	4	11
3	154	64	12	1	92	52	1	2	7
4	82	47	8	0	48	25	1	2	6
5	68	37	9	0	40	23	1	0	4
6	40	25	9	0	19	16	1	2	2
7	26	15	4	0	15	8	0	0	3
8	5	1	0	0	4	1	0	0	0
9	19	8	4	0	14	5	0	0	0
10	24	6	1	0	19	5	0	0	0
11	38	17	4	0	29	6	0	1	2
12	58	33	3	0	36	19	0	0	3
13	106	36	11	0	58	36	3	0	9
14	151	53	12	1	97	43	2	5	4
15	48	11	5	0	39	9	0	0	0
16	111	29	8	0	93	14	0	1	3
17	39	10	3	0	35	4	0	0	0
18	107	50	10	0	82	20	2	0	3
19	90	41	3	1	63	22	2	0	3
20	69	28	6	1	48	17	1	2	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)									
21	87	15	5	0	75	11	0	0	1
22	58	14	0	0	47	8	0	0	3
23	41	3	1	0	36	4	1	0	0
24	59	4	8	0	57	2	0	0	0
25	41	10	2	1	31	10	0	0	0
26	78	34	10	0	49	24	1	1	3
27	51	20	2	0	36	13	0	1	1
28	64	13	8	1	53	9	0	0	2
29	76	13	5	0	60	14	0	0	2
30	0	0	0	0	0	0	0	0	0
31	53	24	7	0	40	11	0	1	1
32	72	17	7	0	61	9	0	1	1
33	73	5	1	0	67	4	0	0	2
34	45	3	3	0	39	5	0	0	1
35	52	2	5	0	42	8	1	0	1
36	28	1	2	0	28	0	0	0	0
37	50	5	2	0	41	9	0	0	0
UNKNOWN	8	0	0	0	5	3	0	0	0
INNER CITY	1078	455	101	4	691	314	12	14	47
RICHMOND-506	76	9	3	1	66	9	0	0	1
SCITUATE-132	110	11	5	1	96	11	0	0	1
SMITHFIELD	194	13	10	0	177	13	3	0	1
126	87	9	5	0	79	6	2	0	0
127	107	4	5	0	98	7	1	0	1
SOUTH KINGSTOWN	284	21	9	2	254	25	1	3	1
512	131	16	2	0	113	14	1	3	0
513	144	5	7	1	132	11	0	0	1
514	8	0	0	1	8	0	0	0	0
UNKNOWN	1	0	0	0	1	0	0	0	0
TIVERTON	132	14	6	1	115	15	1	1	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)									
416	75	8	4	0	66	8	0	1	0
417	57	6	2	1	49	7	1	0	0
WARREN	142	13	7	0	129	13	0	0	0
305	62	12	2	0	57	5	0	0	0
306	80	1	5	0	72	8	0	0	0
WARWICK	966	105	45	6	884	78	1	2	1
210	95	9	2	0	89	6	0	0	0
211	55	5	4	0	52	3	0	0	0
212	39	4	0	0	35	4	0	0	0
213	58	6	3	0	52	6	0	0	0
214	102	6	6	1	97	4	0	1	0
215	120	20	8	1	105	15	0	0	0
216	5	0	0	0	4	1	0	0	0
217	72	16	3	1	68	4	0	0	0
218	52	7	5	0	42	9	0	0	1
219	125	12	5	1	116	9	0	0	0
220	40	6	2	1	35	5	0	0	0
221	39	3	0	1	36	3	0	0	0
222	79	3	5	0	73	4	1	1	0
223	49	5	1	0	45	4	0	0	0
224	34	2	1	0	33	1	0	0	0
UNKNOWN	2	1	0	0	2	0	0	0	0
WESTERLY	278	35	14	3	223	32	1	2	20
508	152	19	10	1	119	19	0	2	12
509	96	12	3	1	84	8	1	0	3
510	24	4	1	1	16	5	0	0	3
UNKNOWN	7	0	0	0	5	0	0	0	2
WEST GREENWICH-208	40	3	3	0	36	3	0	0	1
WEST WARWICK	412	68	17	5	362	47	1	0	2
201	149	12	5	0	139	9	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)									
202	66	13	2	0	56	9	0	0	1
203	102	27	1	2	81	21	0	0	0
204	59	11	5	2	50	8	1	0	0
205	36	5	4	1	36	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0
WOONSOCKET	656	174	51	5	582	70	0	2	2
172	14	5	2	0	9	4	0	1	0
173	55	9	2	0	51	4	0	0	0
174	69	27	5	0	55	13	0	1	0
175	28	2	4	0	28	0	0	0	0
176	69	24	7	0	55	14	0	0	0
177	47	2	4	1	46	1	0	0	0
178	43	18	1	1	38	4	0	0	1
179	70	13	6	2	64	6	0	0	0
180	21	7	1	0	18	3	0	0	0
181	51	21	4	0	44	6	0	0	1
182	53	17	3	1	49	4	0	0	0
183	28	8	5	0	24	4	0	0	0
184	65	15	6	0	62	3	0	0	0
185	43	6	1	0	39	4	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

Table 18A - Births and Births Out of Wedlock, 1984
All Ages and Under Age 20 by City or Town of Residence

CITY OR TOWN	ALL BIRTHS	UNDER AGE 20 BIRTHS	ALL BIRTHS OUT OF WEDLOCK	BIRTHS UNDER AGE 20 OUT OF WEDLOCK
RHODE ISLAND	12,647	1,297	2,241	841
Barrington	172	(a)	11	(a)
Bristol	230	17	16	9
Burrillville	188	17	22	10
Central Falls	282	53	92	32
Charlestown	73	(a)	(a)	(a)
Coventry	366	28	42	15
Cranston	744	33	75	20
Cumberland	247	17	18	8
East Greenwich	88	(a)	6	(a)
East Providence	634	58	68	31
Exeter	61	6	10	(a)
Foster	41	(a)	(a)	(a)
Glocester	100	(a)	(a)	(a)
Hopkinton	108	12	12	8
Jamestown	56	(a)	(a)	(a)
Johnston	259	9	18	6
Lincoln	175	11	11	(a)
Little Compton	53	(a)	6	(a)
Middletown	290	28	24	14
Narragansett	185	12	26	8
Newport	430	54	103	40
New Shoreham	13	(a)	(a)	(a)
North Kingstown	316	20	37	14
North Providence	287	9	22	(a)
North Smithfield	86	6	8	(a)
Pawtucket	1,065	124	251	86
Portsmouth	225	18	20	10
Providence	2,583	398	859	301
Richmond	76	6	9	(a)
Scituate	110	6	11	(a)
Smithfield	194	6	13	(a)
South Kingstown	284	15	21	7
Tiverton	132	10	14	7
Warren	142	11	13	(a)
Warwick	966	84	105	46
Westerly	278	24	35	14
West Greenwich	40	(a)	(a)	(a)
West Warwick	412	44	68	19
Woonsocket	656	131	174	92

(a) Number is greater than zero but less than six.

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1984

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8098	6784	692	622	7970	47	57	24
SPONTANEOUS	676	119	3	554	580	37	57	2
INDUCED	7422	6665	689	68	7390	10	0	22

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1984

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	8098	7970	47	57	24
JANUARY	684	678	2	3	1
FEBRUARY	711	703	4	4	0
MARCH	734	727	2	5	0
APRIL	655	647	4	4	0
MAY	708	697	3	6	2
JUNE	647	635	3	8	1
JULY	614	600	6	6	2
AUGUST	712	703	2	6	1
SEPTEMBER	637	626	4	5	2
OCTOBER	701	684	5	1	11
NOVEMBER	671	660	4	6	1
DECEMBER	624	610	8	3	3

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY
MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	6225	1584	4500	613	436	152	5612	1148	4348
BARRINGTON	73	20	51	11	10	1	62	10	50
301	26	7	18	3	3	0	23	4	18
302	7	0	7	0	0	0	7	0	7
303	21	8	13	7	6	1	14	2	12
304	18	5	12	1	1	0	17	4	12
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
BRISTOL	109	28	80	12	11	1	97	17	79
307	25	8	17	4	3	1	21	5	16
308	42	12	29	5	5	0	37	7	29
309	40	8	32	3	3	0	37	5	32
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
BURRILLVILLE	60	16	43	9	5	4	51	11	39
129	33	8	24	6	3	3	27	5	21
130	27	8	19	3	2	1	24	6	18
CENTRAL FALLS	124	42	78	10	5	5	114	37	73
108	35	15	20	4	2	2	31	13	18
109	23	12	11	2	1	1	21	11	10
110	41	9	30	3	1	2	38	8	28
111	25	6	17	1	1	0	24	5	17
CHARLESTOWN	29	7	20	7	4	1	22	3	19
511	29	7	20	7	4	1	22	3	19
COVENTRY	140	27	110	7	3	1	133	24	109
206	103	17	83	6	2	1	97	15	82
207	37	10	27	1	1	0	36	9	27
CRANSTON	398	122	268	48	40	7	350	82	261
134	30	11	19	5	4	1	25	7	18
135	46	8	38	4	3	1	42	5	37
136	27	3	23	3	2	1	24	1	22
137	38	14	23	9	9	0	29	5	23
138	25	8	16	2	2	0	23	6	16

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
139	16	4	10	3	2	0	13	2	10
140	33	11	22	1	1	0	32	10	22
141	42	20	22	7	4	3	35	16	19
142	5	1	3	0	0	0	5	1	3
143	23	11	12	6	6	0	17	5	12
144	14	2	12	0	0	0	14	2	12
145	26	6	19	2	2	0	24	4	19
146	13	3	10	0	0	0	13	3	10
147	36	12	23	4	3	1	32	9	22
148	20	5	15	2	2	0	18	3	15
UNKNOWN TRACT	4	3	1	0	0	0	4	3	1
CUMBERLAND	125	27	93	11	9	2	114	18	91
112	28	7	17	3	2	1	25	5	16
113	37	9	28	2	2	0	35	7	28
114	59	11	47	6	5	1	53	6	46
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
EAST GREENWICH	60	14	46	7	7	0	53	7	46
209	60	14	46	7	7	0	53	7	46
EAST PROVIDENCE	284	87	191	47	39	6	237	48	185
101	27	11	16	4	4	0	23	7	16
102	54	17	36	8	6	2	46	11	34
103	21	11	10	5	4	1	16	7	9
104	54	14	37	8	6	1	46	8	36
105	55	11	43	9	7	2	46	4	41
106	39	14	24	8	7	0	31	7	24
107	29	8	21	5	5	0	24	3	21
UNKNOWN TRACT	5	1	4	0	0	0	5	1	4
EXETER	14	4	10	1	1	0	13	3	10
505	14	4	10	1	1	0	13	3	10
FOSTER	19	6	13	0	0	0	19	6	13

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
133	19	6	13	0	0	0	19	6	13
GLOCESTER	30	6	24	5	3	2	25	3	22
131	30	6	24	5	3	2	25	3	22
HOPKINTON	26	7	17	4	3	0	22	4	17
507	26	7	17	4	3	0	22	4	17
JAMESTOWN	30	10	17	3	1	0	27	9	17
413	30	10	17	3	1	0	27	9	17
JOHNSTON	138	38	99	17	13	4	121	25	95
122	27	10	17	5	4	1	22	6	16
123	36	10	26	6	5	1	30	5	25
124	50	13	36	4	3	1	46	10	35
125	23	3	20	1	0	1	22	3	19
UNKNOWN TRACT	2	2	0	1	1	0	1	1	0
LINCOLN	85	23	61	10	9	1	75	14	60
115	29	9	20	2	2	0	27	7	20
116	17	4	12	4	3	1	13	1	11
117	38	10	28	4	4	0	34	6	28
UNKNOWN TRACT	1	0	1	0	0	0	1	0	1
LITTLE COMPTON	9	7	2	4	4	0	5	3	2
414	9	7	2	4	4	0	5	3	2
MIDDLETOWN	85	29	52	2	1	0	83	28	52
402	5	2	2	1	0	0	4	2	2
403	45	15	28	0	0	0	45	15	28
404	35	12	22	1	1	0	34	11	22
NARRAGANSETT	132	21	109	12	10	1	120	11	108
515	132	21	109	12	10	1	120	11	108
NEWPORT	272	27	241	3	2	0	269	25	241
405	35	4	29	0	0	0	35	4	29
406	56	7	48	1	1	0	55	6	48
407	42	3	39	0	0	0	42	3	39

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
408	38	4	34	0	0	0	38	4	34
409	32	2	30	0	0	0	32	2	30
410	25	1	24	0	0	0	25	1	24
411	24	4	19	1	0	0	23	4	19
412	7	0	7	0	0	0	7	0	7
UNKNOWN TRACT	13	2	11	1	1	0	12	1	11
NEW SHOREHAM	5	0	5	0	0	0	5	0	5
415	5	0	5	0	0	0	5	0	5
NORTH KINGSTOWN	127	34	91	13	9	3	114	25	88
501	53	13	39	5	3	1	48	10	38
502	4	1	3	0	0	0	4	1	3
503	39	10	29	5	4	1	34	6	28
504	24	8	15	3	2	1	21	6	14
UNKNOWN TRACT	7	2	5	0	0	0	7	2	5
NORTH PROVIDENCE	184	41	138	20	14	6	164	27	132
118	46	6	39	2	0	2	44	6	37
119	35	8	26	4	4	0	31	4	26
120	41	14	25	7	6	1	34	8	24
121	59	12	46	6	3	3	53	9	43
UNKNOWN TRACT	3	1	2	1	1	0	2	0	2
NORTH SMITHFIELD	29	8	21	7	6	1	22	2	20
128	29	8	21	7	6	1	22	2	20
PAWTUCKET	554	161	380	44	31	12	510	130	368
149	3	0	3	0	0	0	3	0	3
150	31	11	20	4	3	1	27	8	19
151	58	20	37	4	1	2	54	19	35
152	21	8	13	3	2	1	18	6	12
153	22	9	12	1	1	0	21	8	12
154	13	4	6	3	1	2	10	3	6
155	38	8	29	1	1	0	37	7	29

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER S RESIDENCE BY MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
156	13	2	11	0	0	0	13	2	11
157	9	2	7	1	1	0	8	1	7
158	18	8	10	1	1	0	17	7	10
159	19	1	18	0	0	0	19	1	18
160	31	10	20	5	4	1	26	6	19
161	42	13	29	1	0	1	41	13	28
163	12	3	9	0	0	0	12	3	9
164	42	5	31	2	1	1	40	4	36
165	29	10	19	6	5	1	23	5	18
166	21	3	17	0	0	0	21	3	17
167	32	12	20	3	2	1	29	10	19
168	14	4	9	2	2	0	12	2	9
169	12	2	10	0	0	0	12	2	10
170	22	5	17	2	2	0	20	3	17
171	45	18	27	4	4	0	41	14	27
UNKNOWN TRACT	7	3	4	1	0	1	6	3	3
PORTSMOUTH	53	16	36	1	1	0	52	15	36
401	53	16	36	1	1	0	52	15	36
PROVIDENCE	1608	391	1180	153	88	63	1455	303	1117
1	82	20	62	6	4	2	76	16	60
2	134	48	84	9	3	6	125	45	78
3	59	21	37	2	2	0	57	19	37
4	34	10	22	0	0	0	34	10	22
5	38	4	30	2	0	2	36	4	28
6	13	2	11	1	1	0	12	1	11
7	33	6	27	3	1	2	30	5	25
8	24	2	22	1	1	0	23	1	22
9	26	5	20	1	1	0	25	4	20
10	19	3	16	1	1	0	18	2	16
11	27	2	25	4	1	3	23	1	22

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
12	26	7	19	3	0	3	23	7	16
13	43	11	32	1	0	1	42	11	31
14	86	42	39	8	4	4	78	38	35
15	29	11	18	4	1	3	25	10	15
16	49	13	36	3	3	0	46	10	36
17	28	5	23	6	4	2	22	1	21
18	55	15	40	9	4	5	46	11	35
19	48	15	33	3	1	2	45	14	31
20	37	6	31	6	0	6	31	6	25
21	50	14	35	8	6	2	42	8	33
22	35	7	28	4	3	1	31	4	27
23	42	12	27	7	7	0	35	5	27
24	42	6	35	4	4	0	38	2	35
25	30	13	17	5	2	3	25	11	14
26	35	4	29	4	1	2	31	3	27
27	26	3	21	5	1	4	21	2	17
28	37	11	25	7	4	3	30	7	22
29	41	10	29	6	6	0	35	4	29
31	58	8	47	3	0	2	55	8	45
32	37	7	29	5	3	2	32	4	27
33	43	11	32	5	5	0	38	6	32
34	29	11	18	4	4	0	25	7	18
35	69	9	58	6	4	2	63	5	56
36	76	5	71	4	4	0	72	1	71
37	34	4	29	1	1	0	33	3	29
UNKNOWN TRACT	34	8	23	2	1	1	32	7	22
RICHMOND	15	6	9	4	4	0	11	2	9
506	15	6	9	4	4	0	11	2	9
SCITUATE	46	17	28	6	6	0	40	11	28
132	46	17	28	6	6	0	40	11	28

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
SMITHFIELD	113	39	74	16	14	2	97	25	72
126	64	18	46	6	5	1	58	13	45
127	49	21	28	10	9	1	39	12	27
SOUTH KINGSTOWN	202	37	157	25	17	5	177	20	152
512	58	12	44	9	6	3	49	6	41
513	71	21	45	13	9	1	58	12	44
514	66	4	61	3	2	1	63	2	60
UNKNOWN TRACT	7	0	7	0	0	0	7	0	7
TIVERTON	40	8	29	0	0	0	40	8	29
416	25	6	17	0	0	0	25	6	17
417	15	2	12	0	0	0	15	2	12
WARREN	73	29	44	14	12	2	59	17	42
305	27	12	15	5	5	0	22	7	15
306	46	17	29	9	7	2	37	10	27
WARWICK	447	94	346	30	20	7	417	74	339
210	57	12	44	2	2	0	55	10	44
211	34	6	27	3	2	0	31	4	27
212	19	4	15	0	0	0	19	4	15
213	22	4	17	1	1	0	21	3	17
214	38	10	28	1	1	0	37	9	28
215	43	8	35	2	0	2	41	8	33
216	5	1	4	0	0	0	5	1	4
217	32	5	25	2	1	0	30	4	25
218	24	5	18	2	1	1	22	4	17
219	55	11	44	1	1	0	54	10	44
220	22	3	19	1	0	1	21	3	18
221	26	10	16	6	5	1	20	5	15
222	35	7	28	3	2	1	32	5	27
223	19	3	15	4	2	1	15	1	14
224	14	5	9	2	2	0	12	3	9

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
UNKNOWN TRACT	2	0	2	0	0	0	2	0	2
WESTERLY	76	26	49	7	6	1	69	20	48
508	39	13	25	1	1	0	38	12	25
509	26	11	15	6	5	1	20	6	14
510	7	1	6	0	0	0	7	1	6
UNKNOWN TRACT	4	1	3	0	0	0	4	1	3
WEST GREENWICH	13	2	10	0	0	0	13	2	10
208	13	2	10	0	0	0	13	2	10
WEST WARWICK	151	32	115	7	4	2	144	28	113
201	47	12	35	2	1	1	45	11	34
202	30	2	26	0	0	0	30	2	26
203	35	7	27	1	0	0	34	7	27
204	21	7	13	2	2	0	19	5	13
205	16	3	13	2	1	1	14	2	12
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
WOONSOCKET	247	75	163	36	24	12	211	51	151
172	12	8	4	3	2	1	9	6	3
173	19	2	16	5	2	3	14	0	13
174	25	7	16	4	2	2	21	5	14
175	15	9	6	2	2	0	13	7	6
176	22	7	14	1	0	1	21	7	13
177	13	4	8	2	2	0	11	2	8
178	22	3	17	4	2	2	18	1	15
179	23	6	17	2	1	1	21	5	16
180	9	2	7	4	2	2	5	0	5
181	9	4	4	2	2	0	7	2	4
182	19	8	10	2	2	0	17	6	10
183	15	4	11	0	0	0	15	4	11
184	27	5	22	2	2	0	25	3	22
185	14	5	9	3	3	0	11	2	9

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY

MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY

MARITAL STATUS OF MOTHER 1984

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
UNKNOWN TRACT	3	1	2	0	0	0	3	1	2

* TOTALS MAY INCLUDE ITEMS WITH UNKNOWN MARITAL STATUS

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1984

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
TOTAL			7422	43	85	188	265	622	708	722	666	536	508	429	1430	764	368	80	5	4
MARITAL STATUS OF MOTHER																				
MARRIED			1560	0	2	0	11	19	36	68	86	88	84	108	480	334	201	39	4	0
UNMARRIED			5687	42	76	183	249	584	658	644	561	434	418	308	919	412	155	39	1	4
UNKNOWN			175	1	7	5	5	19	14	10	19	14	6	12	31	18	12	2	0	0
PREVIOUS DELIVERIES TO MOTHER																				
NONE			3355	40	81	163	210	482	477	437	345	236	216	149	347	122	39	9	1	1
ONE			1815	3	2	18	47	102	167	183	201	163	148	121	414	165	73	7	0	1
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	1	1051	1	2	9	23	71	109	120	126	106	99	66	217	80	19	2	0	1
0	1	0	84	1	0	1	1	4	4	7	14	6	5	4	24	10	3	0	0	0
1	0	0	680	1	0	8	23	27	54	56	61	51	44	51	173	75	51	5	0	0
TWO			1144	0	2	5	8	29	44	69	78	85	85	77	335	203	107	16	1	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	2	191	0	0	0	2	6	6	21	20	22	22	18	55	13	6	0	0	0
0	1	1	38	0	0	1	1	1	3	3	4	4	4	4	9	3	1	0	0	0
0	2	0	5	0	0	0	0	0	1	2	0	0	0	1	1	0	0	0	0	0
1	0	1	378	0	2	4	5	12	25	22	24	37	33	25	112	55	19	2	1	0
1	1	0	70	0	0	0	0	4	1	3	7	4	5	4	23	10	7	2	0	0
2	0	0	462	0	0	0	0	6	8	18	23	18	21	25	135	122	74	12	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1984

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
THREE			575	0	0	2	0	8	12	27	32	29	32	53	169	126	61	22	0	2
PREVIOUS DELIVERIES WERE																				
•L.B.	S.F.D.	I.F.D.																		
0	0	3	44	0	0	0	0	0	1	8	3	5	4	5	12	5	1	0	0	0
0	1	2	6	0	0	0	0	0	0	0	0	0	1	1	4	0	0	0	0	0
0	2	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
1	0	2	74	0	0	0	0	3	2	6	4	6	3	13	24	10	3	0	0	0
1	1	1	50	0	0	0	0	1	4	1	4	2	1	6	17	14	0	0	0	0
1	2	0	8	0	0	0	0	0	0	2	0	1	1	1	2	1	0	0	0	0
2	0	1	207	0	0	2	0	4	5	5	13	11	10	19	74	36	22	6	0	0
2	1	0	71	0	0	0	0	0	0	2	4	0	5	3	19	24	11	3	0	0
3	0	0	114	0	0	0	0	0	0	3	4	4	7	4	17	36	24	13	0	2
FOUR			275	0	0	0	0	1	5	3	7	18	16	17	79	69	44	16	0	0
PREVIOUS DELIVERIES WERE																				
•L.B.	S.F.D.	I.F.D.																		
0	0	4	8	0	0	0	0	0	0	0	0	4	0	0	4	2	1	0	0	0
0	1	3	5	0	0	0	0	0	0	0	0	1	0	1	0	3	0	0	0	0
1	0	3	20	0	0	0	0	0	1	0	0	4	4	0	5	4	1	1	0	0
1	1	2	11	0	0	0	0	0	0	0	0	2	0	1	6	1	1	0	0	0
1	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
1	3	0	3	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0
2	0	2	62	0	0	0	0	1	3	1	1	4	5	7	22	10	6	2	0	0
2	1	1	35	0	0	0	0	0	0	0	2	0	0	4	14	10	5	0	0	0
2	2	0	14	0	0	0	0	0	0	0	1	0	2	1	3	4	3	0	0	0
3	0	1	46	0	0	0	0	0	1	0	2	5	3	2	13	13	6	1	0	0
3	1	0	32	0	0	0	0	0	0	1	0	1	2	0	7	6	12	3	0	0
4	0	0	37	0	0	0	0	0	0	0	1	0	0	1	4	13	9	9	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1984

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
FIVE			121	0	0	0	0	0	0	1	0	2	5	0	43	40	22	6	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	5	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	0	4	5	0	0	0	0	0	0	0	0	1	1	0	1	2	0	0	0	0
1	1	3	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
1	2	2	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
1	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
1	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
2	0	3	18	0	0	0	0	0	0	0	0	0	2	0	11	5	0	0	0	0
2	1	2	9	0	0	0	0	0	0	0	0	1	0	0	3	2	3	0	0	0
2	2	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
2	3	0	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
3	0	2	20	0	0	0	0	0	0	0	0	0	2	0	6	5	3	2	0	0
3	1	1	17	0	0	0	0	0	0	0	0	0	0	0	7	6	4	0	0	0
3	2	0	3	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0
4	0	1	23	0	0	0	0	0	0	1	0	0	0	0	3	11	4	2	2	0
4	1	0	5	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	0	0
5	0	0	9	0	0	0	0	0	0	0	0	0	0	0	1	3	5	0	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1984

				AGE OF MOTHER IN YEARS														
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
SIX			64	0	0	0	0	0	0	0	0	2	3	6	24	18	9	1	1	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
1	0	5	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
1	1	4	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
2	0	4	11	0	0	0	0	0	0	0	0	0	0	1	5	5	0	0	0	0
2	1	3	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
2	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
3	0	3	15	0	0	0	0	0	0	0	0	0	0	2	8	4	1	0	0	0
3	1	2	7	0	0	0	0	0	0	0	0	2	0	1	2	1	1	0	0	0
3	2	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
3	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
4	0	2	10	0	0	0	0	0	0	0	0	0	0	2	4	1	2	0	1	0
4	1	1	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0
5	0	1	4	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0
5	1	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
6	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
SEVEN +			62	0	0	0	0	0	0	0	2	0	3	5	18	19	12	3	0	0
UNKNOWN			11	0	0	0	0	0	3	2	1	1	0	0	1	2	1	0	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1984

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	94	100.0	15	28	26	16	4	1	0	4
FIRST DELIVERY	18	19.1	6	4	5	2	1	0	0	0
SECOND DELIVERY	15	16.0	1	6	6	2	0	0	0	0
NO PREVIOUS FETAL DEATHS	10		1	4	3	2	0	0	0	0
ONE PREVIOUS FETAL DEATH	5		0	2	3	0	0	0	0	0
THIRD DELIVERY	10	10.6	0	4	3	2	1	0	0	0
NO PREVIOUS FETAL DEATHS	5		0	2	0	2	1	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	2	1	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	2	0	0	0	0	0
FOURTH DELIVERY	1	1.1	0	0	0	0	1	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SIXTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	50	53.2	8	14	12	10	1	1	0	4

TABLE 228 - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY

NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1984

BIRTH ORDER OF THIS FETUS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PERCENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	676	100.0	71	174	205	150	53	16	1	6
FIRST DELIVERY	54	8.0	16	14	12	11	1	0	0	0
SECOND DELIVERY	44	6.5	2	16	15	9	2	1	0	0
NO PREVIOUS FETAL DEATHS	35		2	12	12	7	2	0	0	0
ONE PREVIOUS FETAL DEATH	9		0	4	3	1	0	1	0	0
THIRD DELIVERY	29	4.3	1	11	5	9	3	0	0	0
NO PREVIOUS FETAL DEATHS	13		1	3	1	6	2	0	0	0
ONE PREVIOUS FETAL DEATH	13		0	8	2	2	1	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	2	1	0	0	0	0
FOURTH DELIVERY	8	1.2	0	2	3	1	2	0	0	0
NO PREVIOUS FETAL DEATHS	4		0	1	1	0	2	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	2	1	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
FIFTH DELIVERY	5	0.7	0	2	1	1	1	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	2	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	1	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
SIXTH DELIVERY	1	0.1	0	0	0	0	0	1	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	0	0	0	1	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
SEVENTH DELIVERY	0	0.0	0	0	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
EIGHTH OR MORE DELIVERY	1	0.1	0	1	0	0	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
UNKNOWN BIRTH ORDER	534	79.0	52	128	169	120	44	14	1	6

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE UTEROGESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1984

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PER CENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	94	100.0	15	28	26	16	4	1	0	4
1,000 OR LESS	23	24.5	1	9	8	4	1	0	0	0
1,001 - 1,500	5	5.3	1	3	1	0	0	0	0	0
1,501 - 2,000	3	3.2	1	0	2	0	0	0	0	0
2,001 - 2,500	3	3.2	1	0	0	2	0	0	0	0
LOW WEIGHT TOTAL	34	36.2	4	12	11	6	1	0	0	0
2,501 - 3,000	8	8.5	3	2	1	1	1	0	0	0
3,001 - 3,500	4	4.3	1	0	3	0	0	0	0	0
3,501 - 4,000	2	2.1	0	1	0	0	0	0	0	1
4,001 - 4,500	0	0.0	0	0	0	0	0	0	0	0
4,501 - 5,000	1	1.1	0	1	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	45	47.9	7	12	11	9	2	1	0	3

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1984

CAUSE OF FETAL DEATH (ICD, 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	8098	100.0	7970	98.4	47	0.6	57	0.7	24	0.3
CONGENITAL ANOMALIES (740-759)	8	0.1	0	0.0	4	8.5	4	7.0	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760 -779)	8089	99.9	7969	100.0	43	91.5	53	93.0	24	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (760)	8	0.1	1	0.0	2	4.3	5	8.9	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	530	6.5	513	6.5	9	19.1	1	1.8	1	4.2
COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (762)	53	0.7	26	0.3	8	17.0	19	33.3	0	0.0
COMPLICATIONS OF LABOR AND DELIVERY (763)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (764)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (765)	6	0.1	1	0.0	5	10.6	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	9	0.1	2	0.0	1	2.1	6	10.5	0	0.0
HAEMOLYTIC DISEASE DUE TO ISOIMMUNIZATION (773)	2	0.0	1	0.0	1	2.1	0	0.0	0	0.0
ENDOCRINE AND METABOLIC DISTURBANCES (775)	3	0.0	2	0.0	0	0.0	1	1.8	0	0.0
CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION (778)	1	0.0	0	0.0	0	0.0	1	1.8	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (779)	7475	92.3	7417	93.1	17	36.2	18	31.6	23	95.8
ALL OTHER CAUSES (RESIDUAL)	1	0.0	1	0.0	0	0.0	0	0.0	0	0.0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9422*	125	16	9	11	47	74	132	195	441	489	812	1001	1193	1369	1319	2189
WHITE MALE	4642	61	6	4	5	32	54	89	104	252	301	483	579	686	710	586	690
WHITE FEMALE	4501	46	8	5	4	12	16	28	68	162	169	295	390	479	637	714	1468
NON-WHITE MALE	136	10	0	0	0	3	0	6	13	14	10	20	16	16	8	9	11
NON-WHITE FEMALE	132	8	2	0	1	0	4	6	10	11	9	12	13	12	14	10	20
UNKNOWN MALE	8	0	0	0	1	0	0	2	0	1	0	2	2	0	0	0	0
UNKNOWN FEMALE	3	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0	0
TUBERCULOSIS(010-018)																	
TOTAL	5	0	0	0	0	0	0	0	0	0	0	0	0	0	3	2	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
OTHER TUBERCULOSIS(013-018)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
SEPTICEMIA(038)																	
TOTAL	74	0	0	0	0	1	0	0	0	3	2	6	8	12	10	12	20
WHITE MALE	36	0	0	0	0	1	0	0	0	2	0	4	6	8	5	5	5
WHITE FEMALE	37	0	0	0	0	0	0	0	0	1	2	2	2	4	5	7	14
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
VIRAL HEPATITIS(070)																	
TOTAL	5	0	0	0	0	1	2	0	0	0	0	0	1	0	0	0	1
WHITE MALE	2	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0
WHITE FEMALE	3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039 -041,046-054,056-066,071-088,098-139																	
TOTAL	20	0	2	0	0	0	0	0	2	0	3	1	0	3	2	3	4
WHITE MALE	12	0	0	0	0	0	0	0	1	0	3	1	0	1	1	2	3
WHITE FEMALE	7	0	2	0	0	0	0	0	1	0	0	0	0	1	1	1	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2324	1	2	3	1	6	4	18	54	175	185	308	353	358	349	262	245
WHITE MALE	1182	0	1	2	1	4	3	10	16	79	97	169	186	194	190	128	102
WHITE FEMALE	1081	1	1	1	0	2	1	6	31	91	81	131	151	160	153	129	142
NON-WHITE MALE	27	0	0	0	0	0	0	0	4	2	3	6	7	2	1	2	0
NON-WHITE FEMALE	33	0	0	0	0	0	0	1	3	3	4	2	9	2	5	3	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	65	0	0	0	0	0	0	0	3	3	10	12	10	13	6	3	5
WHITE MALE	42	0	0	0	0	0	0	0	1	1	8	7	7	8	4	2	4
WHITE FEMALE	18	0	0	0	0	0	0	0	1	2	1	3	2	5	2	1	1
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	644	0	0	0	0	1	0	2	10	28	41	80	90	107	112	85	88
WHITE MALE	337	0	0	0	0	1	0	0	3	17	27	48	55	67	56	33	30
WHITE FEMALE	294	0	0	0	0	0	0	2	5	11	13	31	31	40	54	50	57
NON-WHITE MALE	7	0	0	0	0	0	0	0	2	0	1	1	2	0	0	1	0
NON-WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	1
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	583	0	0	0	0	0	0	1	8	47	61	84	112	97	93	53	27
WHITE MALE	378	0	0	0	0	0	0	0	4	27	38	56	72	65	61	38	17
WHITE FEMALE	186	0	0	0	0	0	0	1	2	17	21	26	36	30	30	13	10
NON-WHITE MALE	9	0	0	0	0	0	0	0	0	2	0	1	3	1	1	1	0
NON-WHITE FEMALE	10	0	0	0	0	0	0	0	2	1	2	1	1	1	1	1	0
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	227	0	0	0	0	0	0	2	9	35	19	35	29	38	16	19	25
WHITE FEMALE	221	0	0	0	0	0	0	0	9	33	19	35	28	38	15	19	25
NON-WHITE FEMALE	5	0	0	0	0	0	0	1	0	2	0	0	1	0	1	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	223	0	0	0	0	0	1	1	5	13	10	21	27	38	38	31	38
WHITE MALE	105	0	0	0	0	0	1	1	0	1	1	7	8	18	25	17	26
WHITE FEMALE	116	0	0	0	0	0	0	0	5	12	9	14	18	19	13	14	12
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	108	0	1	0	0	0	0	0	2	6	6	14	12	13	28	13	13
WHITE MALE	78	0	0	0	0	0	0	0	1	5	3	13	9	11	18	11	7
WHITE FEMALE	28	0	1	0	0	0	0	0	1	1	2	1	3	2	9	2	6
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	259	1	1	2	1	1	2	8	10	19	26	38	34	28	34	26	28
WHITE MALE	137	0	1	1	1	1	2	7	3	15	15	27	16	13	16	12	7
WHITE FEMALE	116	1	0	1	0	0	0	1	6	4	10	10	17	14	18	13	21
NON-WHITE MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0
LEUKEMIA(204-208)																	
TOTAL	85	0	0	1	0	4	0	3	4	10	3	6	14	10	8	17	5
WHITE MALE	42	0	0	1	0	2	0	2	1	4	3	3	6	6	3	9	2
WHITE FEMALE	39	0	0	0	0	2	0	1	2	6	0	2	6	4	5	8	3
NON-WHITE MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	130	0	0	0	0	0	1	1	3	14	9	18	25	14	14	15	16
WHITE MALE	63	0	0	0	0	0	0	0	3	9	2	8	13	6	7	6	9
WHITE FEMALE	63	0	0	0	0	0	1	1	0	5	6	9	10	8	7	9	7
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	25	0	0	0	0	0	0	0	1	0	0	2	0	7	7	4	4
WHITE MALE	14	0	0	0	0	0	0	0	1	0	0	1	0	4	5	3	0
WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	4
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
DIABETES MELLITUS(250)																	
TOTAL	217	0	0	0	0	1	1	2	2	10	11	15	33	31	34	21	56
WHITE MALE	79	0	0	0	0	1	0	1	2	4	7	5	17	12	11	6	13
WHITE FEMALE	128	0	0	0	0	0	1	1	0	5	4	10	13	18	21	15	40
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	1
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	16	0	0	0	0	0	0	0	0	0	0	0	2	1	3	2	8
WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	2
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	6
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ANEMIAS(280-285)																	
TOTAL	18	0	0	0	0	0	0	0	0	0	0	1	1	0	2	5	7
WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2
WHITE FEMALE	10	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	5
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
MENINGITIS(320-322)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4624	2	1	1	3	2	1	6	52	153	189	335	435	547	726	752	1419
WHITE MALE	2159	0	1	0	1	2	1	5	36	104	133	210	273	323	356	309	405
WHITE FEMALE	2367	2	0	1	2	0	0	0	10	35	51	110	154	212	362	433	995
NON-WHITE MALE	51	0	0	0	0	0	0	0	4	7	4	8	4	7	4	6	7
NON-WHITE FEMALE	41	0	0	0	0	0	0	0	2	6	1	5	2	5	4	4	12
UNKNOWN MALE	4	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	0
UNKNOWN FEMALE	2	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3718	2	1	1	2	1	1	5	40	127	164	300	363	462	588	575	1086
WHITE MALE	1777	0	1	0	1	1	1	4	31	90	120	189	230	274	293	225	317
WHITE FEMALE	1864	2	0	1	1	0	0	0	5	25	39	99	125	179	289	344	755
NON-WHITE MALE	42	0	0	0	0	0	0	0	3	7	4	8	4	5	3	3	5
NON-WHITE FEMALE	30	0	0	0	0	0	0	0	1	5	1	2	2	4	3	3	9
UNKNOWN MALE	4	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE 390-398)																	
TOTAL	24	0	0	0	0	0	0	0	0	0	1	2	4	7	4	1	5
WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	2	2	1	0	0
WHITE FEMALE	19	0	0	0	0	0	0	0	0	0	1	2	2	5	3	1	5
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	60	0	0	0	0	0	0	0	0	3	6	5	8	9	10	8	11
WHITE MALE	23	0	0	0	0	0	0	0	0	1	3	3	4	6	3	3	0
WHITE FEMALE	34	0	0	0	0	0	0	0	0	0	3	1	4	3	7	5	11
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	1	1	2	2	0	1
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3087	0	0	0	0	1	0	1	29	105	130	256	310	384	491	478	902
WHITE MALE	1502	0	0	0	0	1	0	0	25	78	97	165	199	230	252	192	263
WHITE FEMALE	1528	0	0	0	0	0	0	0	2	20	29	81	105	146	233	283	629
NON-WHITE MALE	30	0	0	0	0	0	0	0	1	3	3	6	4	5	3	1	4
NON-WHITE FEMALE	22	0	0	0	0	0	0	0	1	4	1	2	0	3	3	2	6
UNKNOWN MALE	4	0	0	0	0	0	0	1	0	0	0	2	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1695	0	0	0	0	1	0	1	18	74	89	185	209	245	282	234	357
WHITE MALE	908	0	0	0	0	1	0	0	16	59	70	116	136	152	149	101	108
WHITE FEMALE	757	0	0	0	0	0	0	0	0	12	17	63	69	90	128	131	247
NON-WHITE MALE	18	0	0	0	0	0	0	0	1	1	2	5	3	1	3	1	1
NON-WHITE FEMALE	9	0	0	0	0	0	0	0	1	2	0	0	0	2	2	1	1
UNKNOWN MALE	3	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	9	0	0	0	0	0	0	0	0	1	1	0	0	0	2	1	4
WHITE MALE	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	3
WHITE FEMALE	4	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ANGINA PECTORIS(413)																	
TOTAL	11	0	0	0	0	0	0	0	0	0	0	1	0	4	0	2	4
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0
WHITE FEMALE	8	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	4
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ICHEMIC HEART DISEASE(412,414)																	
TOTAL	1372	0	0	0	0	0	0	0	11	30	40	70	101	135	207	241	537
WHITE MALE	586	0	0	0	0	0	0	0	9	19	26	48	63	76	102	91	152
WHITE FEMALE	759	0	0	0	0	0	0	0	2	7	12	18	36	54	104	149	377
NON-WHITE MALE	12	0	0	0	0	0	0	0	0	2	1	1	1	4	0	0	3
NON-WHITE FEMALE	13	0	0	0	0	0	0	0	0	2	1	2	0	1	1	1	5
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	48	0	0	0	0	0	0	0	0	1	1	4	4	4	10	12	12
WHITE MALE	14	0	0	0	0	0	0	0	0	0	1	1	3	1	2	3	3
WHITE FEMALE	34	0	0	0	0	0	0	0	0	1	0	3	1	3	8	9	9
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	492	2	1	1	2	0	1	4	11	18	26	32	36	56	71	76	155
WHITE MALE	229	0	1	0	1	0	1	4	6	11	19	20	21	34	34	27	50
WHITE FEMALE	246	2	0	1	1	0	0	0	3	4	6	11	13	21	37	46	101
NON-WHITE MALE	10	0	0	0	0	0	0	0	2	3	1	1	0	0	0	2	1
NON-WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	3
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	35	0	0	0	0	0	0	0	0	2	3	1	2	3	8	5	11
WHITE MALE	19	0	0	0	0	0	0	0	0	2	2	1	1	2	3	3	5
WHITE FEMALE	16	0	0	0	0	0	0	0	0	0	1	0	1	1	5	2	6
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	629	0	0	0	1	1	0	1	8	20	17	21	45	55	96	127	237
WHITE MALE	233	0	0	0	0	1	0	1	2	9	8	12	27	28	36	53	56
WHITE FEMALE	381	0	0	0	1	0	0	0	5	9	9	7	18	24	58	71	179
NON-WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1
NON-WHITE FEMALE	8	0	0	0	0	0	0	0	1	1	0	2	0	1	1	1	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	92	0	0	0	0	1	0	0	5	7	6	4	16	14	13	9	17
WHITE MALE	46	0	0	0	0	1	0	0	1	2	2	2	10	9	6	6	7
WHITE FEMALE	44	0	0	0	0	0	0	0	4	4	4	2	6	4	7	3	10
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	107	0	0	0	0	0	0	0	0	3	2	4	8	9	20	31	31
WHITE MALE	39	0	0	0	0	0	0	0	0	3	2	4	5	1	7	10	7
WHITE FEMALE	66	0	0	0	0	0	0	0	0	0	0	0	3	7	12	20	24
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
CEREBRAL EMBOLISM(434.1)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	426	0	0	0	1	0	0	1	3	10	9	13	21	31	61	87	189
WHITE MALE	145	0	0	0	0	0	0	1	1	4	4	6	12	16	22	37	42
WHITE FEMALE	270	0	0	0	1	0	0	0	1	5	5	5	9	13	38	48	145
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	1
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	1	0	0	2	0	1	0	0	1
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ATHEROSCLEROSIS(440)																	
TOTAL	126	0	0	0	0	0	0	0	1	1	3	8	8	9	16	22	58
WHITE MALE	56	0	0	0	0	0	0	0	1	1	1	4	6	5	11	12	15
WHITE FEMALE	68	0	0	0	0	0	0	0	0	0	2	3	2	4	5	10	42
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	116	0	0	0	0	0	0	0	3	3	2	5	17	18	18	23	27
WHITE MALE	74	0	0	0	0	0	0	0	2	2	2	4	9	14	13	16	12
WHITE FEMALE	38	0	0	0	0	0	0	0	0	1	0	1	8	4	5	6	13
NON-WHITE MALE	3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	187	5	0	1	0	0	2	2	2	3	5	2	12	19	20	33	82
WHITE MALE	93	2	0	1	0	0	1	1	2	3	4	2	7	11	12	16	31
WHITE FEMALE	90	2	0	0	0	0	0	1	0	0	1	0	5	6	8	17	50
NON-WHITE FEMALE	4	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1
PNEUMONIA(480-486)																	
TOTAL	186	5	0	1	0	0	2	2	2	3	5	2	12	19	20	33	81
WHITE MALE	92	2	0	1	0	0	1	1	2	3	4	2	7	11	12	16	30
WHITE FEMALE	90	2	0	0	0	0	0	1	0	0	1	0	5	6	8	17	50
NON-WHITE FEMALE	4	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1
INFLUENZA(487)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	327	1	0	0	0	1	0	1	2	7	13	19	39	58	61	55	70
WHITE MALE	215	1	0	0	0	1	0	0	2	5	8	14	21	43	45	34	41
WHITE FEMALE	107	0	0	0	0	0	0	1	0	2	5	5	17	14	16	20	27
NON-WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	16	1	0	0	0	0	0	0	0	1	1	0	3	0	4	2	4
WHITE MALE	10	1	0	0	0	0	0	0	0	0	1	0	2	0	2	1	3
WHITE FEMALE	6	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	1
EMPHYSEMA(492)																	
TOTAL	51	0	0	0	0	0	0	0	1	0	3	2	6	11	9	7	12
WHITE MALE	38	0	0	0	0	0	0	0	1	0	3	2	3	9	7	5	8
WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	0	0	3	2	2	2	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ASTHMA(493)																	
TOTAL	8	0	0	0	0	1	0	1	1	1	0	0	0	1	1	1	1
WHITE MALE	3	0	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0
WHITE FEMALE	5	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	1
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	252	0	0	0	0	0	0	0	0	5	9	17	30	46	47	45	53
WHITE MALE	164	0	0	0	0	0	0	0	0	4	4	12	16	34	36	28	30
WHITE FEMALE	84	0	0	0	0	0	0	0	0	1	5	5	13	11	11	16	22
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	33	0	0	0	0	0	0	1	1	1	1	4	5	2	6	4	8
WHITE MALE	19	0	0	0	0	0	0	1	1	1	1	2	3	1	3	3	3
WHITE FEMALE	14	0	0	0	0	0	0	0	0	0	0	2	2	1	3	1	5
APPENDICITIS(540-543)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	30	0	0	0	0	0	0	1	0	0	0	0	2	4	2	12	9
WHITE MALE	12	0	0	0	0	0	0	0	0	0	0	0	2	2	0	6	2
WHITE FEMALE	16	0	0	0	0	0	0	0	0	0	0	0	0	2	2	6	6
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	128	0	0	0	0	0	1	3	7	13	22	28	15	13	14	7	5
WHITE MALE	82	0	0	0	0	0	1	2	5	10	15	21	9	7	8	2	2
WHITE FEMALE	42	0	0	0	0	0	0	0	2	2	7	6	6	6	5	5	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	0	1	0	0	0	1	0	0	1	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	13	0	0	0	0	0	0	0	0	0	0	1	2	3	1	1	5
WHITE MALE	7	0	0	0	0	0	0	0	0	0	0	0	2	2	1	1	1
WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	4

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	87	0	0	0	0	0	1	1	0	5	3	4	7	7	10	16	33
WHITE MALE	45	0	0	0	0	0	1	0	0	1	0	3	5	7	4	9	15
WHITE FEMALE	33	0	0	0	0	0	0	1	0	3	0	0	1	0	5	6	17
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	4	0	0	0	0	0	0	1	0	0	0	1	0	0	0	1	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
WHITE FEMALE	3	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	1
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	81	0	0	0	0	0	1	0	0	5	3	3	7	7	9	14	32
WHITE MALE	42	0	0	0	0	0	1	0	0	1	0	2	5	7	3	8	15
WHITE FEMALE	30	0	0	0	0	0	0	0	0	3	0	0	1	0	5	5	16
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
NON-WHITE FEMALE	5	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	1
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
INFECTIONS OF KIDNEY(590)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	4
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	3
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4
WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM(630-676)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
PREGNANCY WITH ABORTIVE OUTCOME (630-638)																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES(740-759)																	
TOTAL	54	31	5	0	0	2	0	0	2	3	1	1	0	4	0	1	4
WHITE MALE	29	16	2	0	0	1	0	0	1	3	0	1	0	3	0	0	2
WHITE FEMALE	20	11	3	0	0	1	0	0	1	0	0	0	0	1	0	1	2
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	57	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	27	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	10	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	7	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	20	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	17	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	42	14	0	1	0	1	3	5	3	3	0	2	4	0	0	0	6
WHITE MALE	18	5	0	0	0	0	2	3	2	2	0	1	3	0	0	0	0
WHITE FEMALE	21	7	0	1	0	1	1	1	1	1	0	1	1	0	0	0	6
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	710	5	0	1	1	6	5	13	26	31	38	65	67	96	92	98	166
WHITE MALE	331	4	0	0	1	5	4	8	9	20	25	36	32	53	49	40	46
WHITE FEMALE	345	1	0	1	0	1	0	4	11	8	11	23	33	37	40	56	119
NON-WHITE MALE	17	0	0	0	0	0	0	0	2	2	1	3	2	5	2	0	0
NON-WHITE FEMALE	17	0	0	0	0	0	1	1	5	1	1	3	0	1	1	2	1
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	260	6	3	1	3	16	37	43	23	16	7	8	10	22	20	23	22
WHITE MALE	162	4	2	0	1	11	28	33	15	8	4	7	8	11	12	13	5
WHITE FEMALE	87	1	1	1	1	5	9	7	7	7	2	1	2	9	8	10	16
NON-WHITE MALE	6	0	0	0	0	0	0	2	1	0	1	0	0	1	0	0	1
NON-WHITE FEMALE	4	1	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	110	1	0	1	3	9	27	24	14	5	2	1	3	6	6	6	2
WHITE MALE	71	0	0	0	1	6	19	19	12	2	1	1	2	2	3	3	0
WHITE FEMALE	36	0	0	1	1	3	8	4	2	3	1	0	1	4	3	3	2
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	150	5	3	0	0	7	10	19	9	11	5	7	7	16	14	17	20
WHITE MALE	91	4	2	0	0	5	9	14	3	6	3	6	6	9	9	10	5
WHITE FEMALE	51	1	1	0	0	2	1	3	5	4	1	1	1	5	5	7	14
NON-WHITE MALE	5	0	0	0	0	0	0	1	1	0	1	0	0	1	0	0	1
NON-WHITE FEMALE	3	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1984

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
SUICIDE(E950-E959)																	
TOTAL	96	0	0	0	0	7	8	22	11	13	7	8	4	3	6	2	5
WHITE MALE	71	0	0	0	0	5	8	19	7	7	4	5	2	2	5	2	5
WHITE FEMALE	22	0	0	0	0	0	0	3	4	6	3	3	2	1	0	0	0
NON-WHITE MALE	3	0	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	42	2	3	1	1	3	9	10	4	4	1	1	0	1	1	1	0
WHITE MALE	20	1	0	1	0	1	4	6	2	3	0	1	0	0	0	1	0
WHITE FEMALE	11	1	1	0	1	1	3	1	0	0	1	0	0	1	1	0	0
NON-WHITE MALE	7	0	0	0	0	1	0	3	2	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	4	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	10	1	0	0	2	0	0	3	3	1	0	0	0	0	0	0	0
WHITE MALE	5	1	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0
WHITE FEMALE	2	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1984

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9422	821	763	850	836	783	839	716	751	699	768	741	855
BARRINGTON	119	10	13	10	7	9	11	11	8	10	7	10	13
BRISTOL	197	18	14	21	13	19	15	17	19	20	16	14	11
BURRILLVILLE	127	7	9	14	10	9	11	7	9	8	16	11	16
CENTRAL FALLS	226	23	17	21	21	27	23	16	10	17	14	16	21
CHARLESTOWN	35	5	2	3	1	3	4	4	0	2	6	3	2
COVENTRY	222	14	13	23	30	20	16	25	18	13	15	19	16
CRANSTON	734	64	51	67	72	63	58	39	62	53	66	59	80
CUMBERLAND	239	27	13	13	17	19	30	17	17	22	22	16	26
EAST GREENWICH	91	5	13	7	4	7	9	8	7	7	11	6	7
EAST PROVIDENCE	580	56	33	53	59	49	50	41	50	36	42	58	53
EXETER	27	0	4	2	1	4	4	3	1	2	3	2	1
FOSTER	25	4	3	2	4	0	2	0	0	1	2	1	6
GLOCESTER	61	7	7	4	7	7	7	3	5	1	3	4	6
HOPKINTON	46	3	3	3	5	5	4	3	5	2	4	5	4
JAMESTOWN	39	2	2	2	5	3	5	0	8	1	2	3	6
JOHNSTON	223	9	21	28	25	23	18	11	19	17	20	9	23
LINCOLN	184	16	15	13	20	13	25	14	11	15	13	14	15
LITTLE COMPTON	32	6	0	2	0	3	2	3	3	5	2	3	3
MIDDLETOWN	144	8	11	15	14	11	11	12	10	16	7	8	21
NARRAGANSETT	90	6	6	7	5	9	10	9	4	6	9	10	9
NEWPORT	289	29	17	24	28	21	21	23	20	17	28	29	32
NEW SHOREHAM	8	1	2	0	0	0	0	1	0	0	0	1	3
NORTH KINGSTOWN	163	16	11	25	14	7	14	14	15	6	11	11	19
NORTH PROVIDENCE	268	23	22	25	19	21	25	23	25	24	16	23	22
NORTH SMITHFIELD	76	8	5	6	9	7	5	5	6	5	4	11	5
PAWTUCKET	807	69	70	76	73	70	64	71	64	63	64	55	68
PORTSMOUTH	123	12	6	15	11	4	10	13	12	9	14	8	9
PROVIDENCE	1846	148	181	152	156	146	164	136	152	154	147	141	169
RICHMOND	26	1	2	2	3	3	3	2	0	0	5	2	3
SCITUATE	80	8	4	9	7	5	12	6	6	5	5	6	7
SMITHFIELD	120	14	8	14	13	7	11	4	12	11	10	10	6
SOUTH KINGSTOWN	153	13	11	10	13	11	10	12	14	12	16	17	14
TIVERTON	92	8	7	16	3	10	6	8	9	5	6	10	4
WARREN	138	13	20	9	15	12	12	7	5	12	11	9	13
WARWICK	850	76	78	63	83	71	72	79	75	56	64	60	73
WESTERLY	180	14	14	20	21	15	16	12	12	16	16	12	10
WEST GREENWICH	18	2	2	1	2	1	1	2	2	0	2	3	0
WEST WARWICK	235	19	18	24	12	26	20	23	23	19	20	15	16
WOONSOCKET	509	57	35	49	34	43	56	32	33	31	49	47	43

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1984

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	125	89	59	15	15	36
MALIGNANT NEOPLASMS(140-208)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	1	0	0	0	0	1
BRONCHITIS AND BRONCHIOLITIS(466,490-491)	1	1	0	0	1	0
PNEUMONIA AND INFLUENZA(480-487)	5	1	0	0	1	4
PNEUMONIA(480-486)	5	1	0	0	1	4
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM(520-534, 536-543,562-579)	1	0	0	0	0	1
CONGENITAL ANOMALIES(740-759)	31	21	13	5	3	10
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	1	1	1	0	0	0
OTHER CONGEN ANOMALIES OF CNTRL SYSTM & EYE(742.0-742.2,742.4-742.9,743)	1	1	1	0	0	0
CONGENITAL ANOMALIES OF HEART(745-746)	10	4	0	1	3	6
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747)	2	2	0	2	0	0
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	3	2	2	0	0	1
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	4	3	2	1	0	1
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	3	3	2	1	0	0
OTHER CHROMOSOMAL ANOMALIES(758.1-758.9)	2	1	1	0	0	1
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	5	4	4	0	0	1

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1984

CAUSE OF DEATH(ICDA CODE)	ALL INFANTS	NEONATAL (-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	57	57	44	7	6	0
NEWBORN AFFECTED BY MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY(760)	5	5	4	0	1	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	8	8	8	0	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	16	16	14	2	0	0
BIRTH TRAUMA(767)	1	1	0	0	1	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	1	1	1	0	0	0
BIRTH ASPHYXIA(768.5-768.9)	1	1	1	0	0	0
RESPIRATORY DISTRESS SYNDROME(769)	8	8	5	3	0	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	5	5	2	1	2	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	5	5	3	1	1	0
SYNDROME OF "INFANT OF A DIAB. MOTHER" & NEONATAL DIAB. MELLITUS(775.0-775.1)	1	1	1	0	0	0
ALL OTHER & ILL-DEF'D CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	7	7	6	0	1	0
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	14	5	2	0	3	9
SUDDEN INFANT DEATH SYNDROME(798.0)	11	4	1	0	3	7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797,798.1-799)	3	1	1	0	0	2
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	6	2	0	2	0	4
INHALATION & INGESTION OF FOOD OR OBJECT CAUSING SUFFOCATION(E911,E912)	1	0	0	0	0	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E910,E914-E949)	5	2	0	2	0	3
HOMICIDE(E960-E969)	2	0	0	0	0	2
OTHER HOMICIDE(E960-E966,E968-E969)	2	0	0	0	0	2
ALL OTHER CAUSES(RESIDUAL)	6	2	0	1	1	4

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN,
BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE:
RHODE ISLAND, 1984

TYPE OR PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL ACCIDENTS (E8000-9499)*																	
TOTAL	260**	6	3	1	3	16	37	43	23	16	7	8	10	22	20	23	22
MALE	169	4	2	0	2	11	28	35	16	8	5	7	8	12	12	13	6
FEMALE	91	2	1	1	1	5	9	8	7	8	2	1	2	10	8	10	16
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	110	1	0	1	3	9	27	24	14	5	2	1	3	6	6	6	2
MALE	73	0	0	0	2	6	19	20	12	2	1	1	2	2	3	3	0
FEMALE	37	1	0	1	1	3	8	4	2	3		0	1	4	3	3	2
NON-MOTOR VEHICLE ACCIDENTS (E800-807,826-949)																	
TOTAL	150	5	3	0	0	7	10	19	9	11	5	7	7	16	14	17	20
MALE	96	4	2	0	0	5	9	15	4	6	4	6	6	10	9	10	6
FEMALE	54	1	1	0	0	2	1	4	5	5	1	1	1	6	5	7	14
00 HOME																	
TOTAL	73	3	2	0	0	2	3	8	2	7	2	4	2	7	9	8	14
MALE	44	2	1	0	0	1	2	7	1	3	2	3	1	6	6	5	4
FEMALE	29	1	1	0	0	1	1	1	1	4	0	1	1	1	3	3	10
20 MINE AND QUARRY																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
30-39 INDUSTRIAL																	
TOTAL	6	0	0	0	0	0	0	4	0	0	0	1	1	0	0	0	0
MALE	6	0	0	0	0	0	0	4	0	0	0	1	1	0	0	0	0
30 MANUFACTURING																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
31 CONSTRUCTION																	
TOTAL	4	0	0	0	0	0	0	3	0	0	0	0	1	0	0	0	0
MALE	4	0	0	0	0	0	0	3	0	0	0	0	1	0	0	0	0
38 OTHER SPECIFIED																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
40-49 PLACE OF RECREATION																	
TOTAL	9	0	0	0	0	4	0	3	0	0	1	0	1	0	0	0	0
MALE	7	0	0	0	0	3	0	2	0	0	1	0	1	0	0	0	0
FEMALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
41 BOATING																	
TOTAL	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1984

TYPE OR PLACE OF ACCIDENT	TOTAL	AGE OF DECEDENT IN YEARS: UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
42 DIVING WITH EQUIPMENT																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	4	0	0	0	0	2	0	1	0	0	0	0	1	0	0	0	0
MALE	4	0	0	0	0	2	0	1	0	0	0	0	1	0	0	0	0
46 SKIING																	
TOTAL	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
47 HUNTING & MOUNTAIN CLIMBING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
49 OTHERS AND UNKNOWN																	
TOTAL	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
70 RESIDENT INSTITUTION																	
TOTAL	15	0	0	0	0	0	0	0	0	0	0	0	1	5	1	4	4
MALE	6	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1
FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	0	4	0	2	3
80-88 OTHER SPECIFIED PLACE																	
TOTAL	15	0	0	0	0	1	6	3	1	0	1	1	1	0	1	0	0
MALE	11	0	0	0	0	1	6	1	0	0	1	1	1	0	0	0	0
FEMALE	4	0	0	0	0	0	0	2	1	0	0	0	0	0	1	0	0
80 OPEN SEA																	
TOTAL	6	0	0	0	0	0	4	1	0	0	1	0	0	0	0	0	0
MALE	5	0	0	0	0	0	4	0	0	0	1	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	3	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0
MALE	3	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0	0
88 OTHER																	
TOTAL	6	0	0	0	0	1	1	2	1	0	0	0	0	0	1	0	0
MALE	3	0	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0
FEMALE	3	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0
90 UNKNOWN																	
TOTAL	14	0	1	0	0	0	1	0	3	1	0	0	0	2	1	4	1
MALE	12	0	1	0	0	0	1	0	3	1	0	0	0	2	1	2	1
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.
** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9422	89	125	2324	546	227	12	65	217	3718	1695	24
BARRINGTON	119	2	2	37	6	3	0	1	3	39	20	0
301	32	1	1	9	1	0	0	0	0	10	8	0
302	35	0	0	13	4	1	0	1	1	10	5	0
303	23	0	0	9	1	1	0	0	1	8	3	0
304	29	1	1	6	0	1	0	0	1	11	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	197	0	0	45	7	7	2	1	5	32	37	0
307	33	0	0	10	1	1	0	0	2	11	5	0
308	30	0	0	9	0	3	0	0	1	9	3	0
309	134	0	0	26	6	3	2	1	2	62	29	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	127	2	3	28	9	1	0	0	3	56	19	0
129	71	1	1	14	1	1	0	0	3	35	14	0
130	56	1	2	14	8	0	0	0	0	21	5	0
CENTRAL FALLS	226	0	1	51	14	2	0	1	9	91	39	1
108	68	0	0	16	5	1	0	1	2	28	13	0
109	55	0	0	12	3	0	0	0	5	17	4	0
110	57	0	0	14	1	0	0	0	1	23	10	1
111	46	0	1	9	5	1	0	0	1	23	12	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	35	0	0	13	2	0	0	0	1	9	5	0
COVENTRY	222	3	4	60	15	7	0	1	7	81	41	0
206	165	2	3	44	11	6	0	1	5	64	33	0
207	57	1	1	16	4	1	0	0	2	17	8	0
CRANSTON	734	2	5	190	37	16	1	7	15	281	133	4
134	52	0	0	11	2	0	0	1	0	19	9	0
135	44	0	1	14	2	1	0	1	2	20	12	1
136	36	0	0	11	4	0	0	0	1	11	4	0
137	88	0	0	15	4	2	0	0	2	40	16	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CRANSTON(CONT.)												
138	61	0	0	16	3	0	0	1	[illegible]	21	8	1
139	43	0	1	10	0	2	0	0	1	15	7	1
140	58	0	0	17	3	1	0	0	1	22	7	1
141	54	0	0	19	4	0	0	1	0	17	4	0
142	26	0	0	8	0	1	1	1	0	7	5	0
143	48	0	0	15	3	5	0	0	2	17	9	0
144	29	0	0	6	0	2	0	0	1	10	5	0
145	54	0	1	16	3	1	0	0	1	16	7	0
146	19	0	0	4	1	0	0	0	[illegible]	7	2	0
147	82	2	2	12	5	0	0	1	3	42	26	0
148	38	0	0	16	3	1	0	1	1	17	12	0
UNKNOWN	2	0	0	0	0	0	0	0	[illegible]	0	0	0
CUMBERLAND	239	4	4	73	14	11	0	1	5	88	35	1
112	43	0	0	11	1	3	0	0	2	17	9	0
113	60	3	3	20	6	2	0	1	2	18	8	0
114	136	1	1	42	7	6	0	0	4	51	18	1
UNKNOWN	0	0	0	0	0	0	0	0	[illegible]	0	0	0
EAST GREENWICH-209	91	0	0	13	4	1	0	0	1	45	22	1
EAST PROVIDENCE	580	2	3	139	35	10	0	2	20	221	97	0
101	91	0	0	29	8	4	0	1	1	30	13	0
102	104	0	0	24	5	2	0	0	2	47	15	0
103	51	0	0	15	4	1	0	0	[illegible]	22	13	0
104	63	0	0	12	4	1	0	0	4	17	5	0
105	123	0	0	25	5	0	0	1	9	46	24	0
106	76	1	2	19	5	0	0	0	3	30	16	0
107	72	1	1	16	4	2	0	0	1	29	11	0
UNKNOWN	0	0	0	0	0	0	0	0	[illegible]	0	0	0
EXETER-505	27	0	0	5	1	1	0	0	1	13	5	0
FOSTER-133	25	0	0	5	1	0	0	0	1	14	6	0
GLOCESTER-131	61	1	1	18	6	2	0	1	2	21	12	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-507	46	1	3	14	1	0	0	0	1	11	1	0
JAMESTOWN-413	39	0	0	16	4	4	0	1	0	9	6	0
JOHNSTON	223	1	2	63	17	7	0	1	3	86	38	0
122	37	0	0	6	1	0	0	0	0	16	7	0
123	56	0	1	13	6	0	0	1	0	24	9	0
124	78	0	0	26	8	5	0	0	1	24	11	0
125	52	1	1	18	2	2	0	0	2	22	11	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	184	0	0	48	12	3	0	0	4	83	42	1
115	62	0	0	16	2	0	0	0	2	25	11	0
116	32	0	0	7	3	0	0	0	2	14	9	0
117	90	0	0	26	7	3	0	0	0	41	23	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	32	0	0	13	1	1	0	1	0	9	4	0
MIDDLETOWN	144	3	5	37	9	4	1	0	1	59	25	1
402	6	0	0	3	0	0	0	0	0	2	1	0
403	78	2	4	21	7	2	1	0	0	30	15	1
404	60	1	1	13	2	2	0	0	1	27	9	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	90	1	1	32	6	4	1	3	2	29	8	0
NEWPORT	289	2	5	57	12	6	0	1	3	119	43	1
405	41	1	2	10	0	3	0	0	0	14	6	0
406	67	0	1	10	4	0	0	0	0	33	14	0
407	55	0	0	11	2	1	0	0	2	22	5	1
408	35	0	0	8	2	0	0	0	0	16	8	0
409	25	0	0	7	2	1	0	0	0	11	4	0
410	34	1	1	7	2	1	0	0	1	10	4	0
411	24	0	0	3	0	0	0	1	0	11	2	0
412	7	0	0	0	0	0	0	0	0	2	0	0
UNKNOWN	1	0	1	1	0	0	0	0	0	0	0	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1954

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	8	0	0	1	1	0	0	0	0	5	0	0
NORTH KINGSTOWN	163	2	2	37	14	1	0	0	4	65	40	0
501	65	2	2	18	5	1	0	0	0	28	21	0
502	5	0	0	3	3	0	0	0	0	0	0	0
503	53	0	0	10	6	0	0	0	2	21	9	0
504	39	0	0	6	0	0	0	0	2	15	10	0
UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
NORTH PROVIDENCE	268	0	1	62	17	3	0	0	10	91	46	0
118	43	0	0	12	5	1	0	0	1	13	5	0
119	42	0	0	13	1	1	0	0	0	17	9	0
120	67	0	0	17	5	0	0	0	5	20	8	0
121	116	0	1	20	6	1	0	0	4	41	24	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	76	0	0	26	6	6	0	1	1	29	11	0
PAWTUCKET	807	3	7	190	33	18	2	5	16	328	154	0
149	16	0	0	3	1	0	0	0	0	10	6	0
150	42	1	1	8	1	1	0	0	1	14	5	0
151	39	0	0	8	0	1	0	0	2	16	8	0
152	70	0	0	17	4	3	1	0	0	30	18	0
153	26	0	0	7	0	1	0	1	0	11	7	0
154	20	1	2	1	0	0	0	0	0	5	4	0
155	40	0	0	10	3	1	0	0	3	14	9	0
156	34	0	0	11	1	1	0	0	0	11	6	0
157	40	0	0	15	2	2	0	0	0	14	5	0
158	57	0	0	12	2	2	0	0	1	28	11	0
159	22	0	0	6	0	0	0	0	1	9	6	0
160	27	0	0	9	2	2	0	0	0	9	3	0
161 **	48	0	2	10	4	0	0	0	2	16	6	0
163	28	1	1	6	1	1	0	0	1	13	5	0
164 **	59	0	1	17	4	1	1	1	0	22	14	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	50	0	0	6	2	0	0	0	1	28	6	0
166	18	0	0	3	0	1	0	0	0	9	3	0
167	24	0	0	5	1	0	0	1	1	11	6	0
168	36	0	0	10	2	1	0	0	0	15	10	0
169	21	0	0	6	0	0	0	0	0	7	2	0
170	55	0	0	13	2	0	0	0	1	26	11	0
171	35	0	0	7	1	0	0	2	2	13	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	123	1	3	37	10	2	0	1	0	51	15	0
PROVIDENCE	1846	24	30	425	112	45	3	14	46	725	330	6
1	79	3	4	18	6	0	1	0	4	20	12	0
2	90	3	3	15	8	0	0	0	4	38	14	0
3	63	3	5	11	2	2	0	0	3	22	10	0
4	19	0	1	2	0	1	0	0	0	9	6	0
5	30	0	0	7	3	2	0	0	0	9	5	0
6	16	0	0	3	0	0	0	0	0	2	1	0
7	47	1	1	7	3	1	1	0	1	17	5	0
8	71	0	0	15	4	4	0	0	3	26	10	0
9	44	0	0	7	2	0	0	0	0	24	17	0
10	40	0	0	13	5	1	0	0	0	17	7	0
11	26	1	1	7	2	1	0	1	0	14	6	0
12	38	0	1	7	2	0	0	1	0	15	4	0
13	42	0	1	7	2	1	0	0	2	19	13	0
14	46	0	0	13	6	1	0	2	0	20	11	0
15	27	0	0	8	3	2	0	0	0	12	7	0
16	63	1	1	14	0	2	0	3	2	27	14	1
17	37	0	0	11	2	2	0	0	1	18	9	0
18	65	0	0	7	2	0	0	0	2	23	10	0
19	74	0	0	24	9	0	1	1	2	21	5	0
20	36	0	0	8	3	0	0	1	1	17	3	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	107	0	0	31	5	5	0	0	3	44	27	0
22	44	0	0	13	2	3	0	0	2	15	7	1
23	60	0	0	21	3	3	0	1	1	23	6	0
24	64	3	3	14	2	2	0	0	2	31	17	1
25	23	1	1	3	1	1	0	0	1	12	5	0
26	56	2	2	14	1	0	0	0	1	20	9	0
27	27	0	0	6	0	1	0	1	0	9	6	0
28	49	1	1	16	5	1	0	0	2	13	5	0
29	84	1	1	20	3	0	0	0	2	36	16	0
30	24	0	0	4	0	1	0	1	1	7	4	0
31	45	2	2	12	2	0	0	0	1	18	5	0
32	33	1	1	7	4	1	0	0	1	14	5	1
33	88	1	1	18	7	2	0	0	2	37	14	0
34	49	0	0	16	3	1	0	1	0	21	7	0
35	76	0	0	13	2	2	0	0	2	33	12	1
36	21	0	0	6	2	0	0	0	0	5	3	0
37	41	0	0	6	0	2	0	1	0	19	7	1
UNKNOWN	3	0	0	1	0	0	0	0	0	1	0	0
INNER CITY	650	10	15	143	40	13	2	6	11	257	116	4
RICHMOND-506	26	1	1	5	0	1	0	0	1	12	5	0
SCITUATE-132	80	1	2	19	7	2	0	1	1	28	10	0
SMITHFIELD	120	1	1	35	8	2	1	1	2	47	22	1
126	46	0	0	13	5	0	0	1	1	15	7	0
127	74	1	1	22	3	2	1	0	1	32	15	1
SOUTH KINGSTOWN	153	1	2	38	8	3	0	2	2	45	18	0
512	83	0	1	20	4	2	0	1	1	26	11	0
513	64	1	1	17	4	1	0	1	1	17	7	0
514	4	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	2	0	0	0	0	0	0	0	0	2	0	0
TIVERTON	92	1	1	34	10	4	0	0	0	35	20	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	56	1	1	20	6	2	0	0	0	22	15	0
417	36	0	0	14	4	2	0	0	0	13	5	0
WARREN	138	2	2	31	5	4	0	0	5	52	26	1
305	54	0	0	12	2	1	0	0	0	24	13	0
306	84	2	2	19	3	3	0	0	5	28	13	1
WARWICK	850	7	8	210	59	22	1	7	22	357	174	3
210	84	1	1	21	3	1	0	0	2	30	14	0
211	47	0	0	15	7	1	0	0	1	15	5	0
212	61	0	0	15	6	2	0	0	1	29	12	1
213	62	0	0	7	0	0	0	0	3	32	14	0
214	86	0	1	20	6	2	0	0	0	40	22	1
215	61	0	0	14	4	2	0	1	3	32	12	0
216	15	0	0	3	0	1	0	1	0	11	6	0
217	47	1	1	16	4	3	0	0	2	12	8	0
218	44	0	0	11	6	0	0	0	0	19	6	0
219	91	1	1	29	9	4	0	1	2	35	22	0
220	43	0	0	6	3	0	0	1	1	25	8	1
221	57	0	0	14	5	1	0	1	2	19	11	0
222	90	2	2	23	3	2	1	1	2	33	19	0
223	49	2	2	12	2	2	0	1	2	21	13	0
224	13	0	0	4	1	1	0	0	1	4	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	180	3	5	37	6	5	0	0	2	71	30	1
508	110	2	2	22	2	3	0	0	0	43	16	1
509	54	1	2	11	3	2	0	0	1	23	11	0
510	13	0	0	4	1	0	0	0	1	4	2	0
UNKNOWN	3	0	1	0	0	0	0	0	0	1	1	0
WEST GREENWICH-208	18	1	1	5	1	0	0	0	0	9	4	1
WEST WARWICK	235	3	4	59	14	8	0	3	8	34	52	0
201	50	0	0	17	5	2	0	2	0	17	10	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	42	0	1	9	3	0	0	0	2	17	8	0
203	77	0	0	18	6	4	0	1	2	33	18	0
204	25	1	1	7	0	1	0	0	2	7	5	0
205	41	2	2	8	0	1	0	0	2	20	11	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	509	14	16	115	22	11	0	8	7	230	99	1
172	17	1	1	3	0	2	0	0	0	5	2	0
173	37	1	1	6	1	0	0	1	0	19	6	0
174	36	0	0	11	2	0	0	1	0	17	11	0
175	31	1	1	8	2	1	0	1	1	15	7	0
176	23	2	3	3	0	1	0	0	1	9	4	0
177	29	1	1	9	0	2	0	0	0	9	3	0
178	28	0	1	8	2	2	0	1	0	15	7	0
179	57	4	4	6	2	0	0	0	1	24	9	0
180	60	0	0	9	2	0	0	0	1	33	13	1
181	35	0	0	9	1	2	0	1	1	17	8	0
182	28	1	1	13	2	0	0	1	0	11	3	0
183	30	3	3	8	2	0	0	0	1	9	4	0
184	64	0	0	13	4	0	0	1	1	31	13	0
185	33	0	0	9	2	1	0	1	0	16	9	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	629	126	187	327	128	54	57	260	110	96	42	10
BARRINGTON	10	1	2	3	2	1	1	2	1	1	0	1
301	3	0	0	2	1	1	0	1	0	0	0	1
302	3	0	2	1	1	0	0	0	0	0	0	0
303	2	0	0	0	0	0	0	0	0	1	0	0
304	2	1	0	0	0	0	1	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	14	3	4	9	3	1	0	2	1	0	1	0
307	2	1	0	0	1	1	0	0	0	0	0	0
308	3	0	0	1	0	0	0	0	0	0	0	0
309	9	2	4	8	2	0	0	2	1	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	7	1	3	6	0	1	1	4	2	1	0	0
129	4	1	2	4	0	1	0	1	0	0	0	0
130	3	0	1	2	0	0	1	3	2	1	0	0
CENTRAL FALLS	8	3	3	13	3	0	0	8	4	5	2	0
108	2	0	0	5	1	0	0	2	0	2	0	0
109	2	2	2	3	1	0	0	5	3	1	0	0
110	1	0	1	1	1	0	0	1	1	2	2	0
111	3	1	0	4	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	3	1	0	2	1	0	0	4	3	0	0	0
COVENTRY	12	2	3	11	0	2	2	9	5	1	0	0
206	8	2	2	9	0	2	1	3	3	1	0	0
207	4	0	1	2	0	0	1	6	2	0	0	0
CRANSTON	46	10	14	28	15	4	1	22	6	8	3	0
134	3	1	3	3	0	0	0	2	0	0	1	0
135	0	0	0	0	0	1	0	1	1	1	1	0
136	2	0	2	2	2	0	0	0	0	0	0	0
137	7	2	0	4	1	1	0	2	1	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-993)
CRANSTON(CONT.)												
138	2	2	1	3	0	0	0	1	0	1	0	0
139	5	0	1	4	2	0	0	1	0	1	0	0
140	3	1	2	3	1	0	0	1	0	1	0	0
141	5	0	0	0	2	1	0	1	1	0	0	0
142	2	2	1	0	0	0	0	2	1	0	0	0
143	2	0	1	1	1	0	0	0	0	1	0	0
144	5	0	0	0	0	0	0	3	0	0	0	0
145	3	1	1	2	4	1	0	4	2	0	1	0
146	0	0	1	2	2	0	0	1	0	0	0	0
147	6	1	1	2	0	0	1	2	0	2	0	0
148	1	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	1	0	0	0	1	0	0	0	0
CUMBERLAND	14	4	3	9	3	1	3	6	3	3	1	0
112	4	0	1	1	0	0	0	0	0	0	0	0
113	2	0	0	2	1	1	3	3	1	1	0	0
114	8	4	2	6	2	0	0	3	2	2	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	12	2	1	1	2	0	0	2	2	1	1	0
EAST PROVIDENCE	36	6	14	15	4	3	1	17	8	8	2	1
101	5	3	2	5	0	1	0	4	2	1	0	0
102	4	0	6	2	1	0	0	3	2	3	1	0
103	2	2	1	1	1	0	0	0	0	1	0	0
104	7	0	1	0	1	1	0	3	0	0	0	0
105	6	1	2	4	1	0	0	2	2	0	1	0
106	5	0	1	1	0	1	0	2	2	3	0	1
107	7	0	1	2	0	0	1	3	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	0	1	1	2	2	0	0	1	0	1	0	0
FOSTER-133	1	1	0	0	0	0	0	0	0	0	0	0
GLOCESTER-131	4	1	0	1	0	0	0	6	4	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	3	3	1	1	2	0	0	4	4	0	0	0
JAMESTOWN-413	4	0	1	1	1	0	0	1	1	1	0	0
JOHNSTON	10	2	7	8	3	1	1	7	2	3	0	0
122	1	0	0	4	1	0	0	1	0	0	0	0
123	2	0	2	1	1	1	0	2	0	3	0	0
124	5	0	4	2	1	0	0	4	2	0	0	0
125	2	2	1	1	0	0	1	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	12	2	0	7	6	0	0	0	0	3	0	0
115	6	1	0	0	1	0	0	0	0	2	0	0
116	4	0	0	0	2	0	0	0	0	0	0	0
117	2	1	0	7	3	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	3	0	0	0	0	0	0	2	2	0	0	0
MIDDLETOWN	10	2	8	3	3	1	1	2	1	1	0	0
402	0	0	1	0	0	0	0	0	0	0	0	0
403	5	1	4	2	1	1	1	1	1	0	0	0
404	5	1	3	1	2	0	0	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	7	2	1	3	1	1	0	5	1	1	1	0
NEWPORT	21	11	6	12	4	1	2	5	1	4	1	1
405	1	2	0	1	2	0	1	0	0	2	1	0
406	4	2	0	3	1	1	0	2	1	0	0	0
407	5	1	2	3	1	0	0	0	0	1	0	0
408	1	0	2	1	0	0	0	1	0	0	0	0
409	2	1	0	2	0	0	0	1	0	0	0	0
410	3	4	2	0	0	0	1	0	0	0	0	0
411	2	1	0	1	0	0	0	1	0	1	0	1
412	3	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	1	0	0	1	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	11	6	2	6	3	1	1	7	3	2	1	0
501	0	2	0	3	1	1	1	3	0	0	0	0
502	1	1	0	0	0	0	0	0	0	0	0	0
503	4	2	1	1	2	0	0	2	2	1	1	0
504	6	1	1	2	0	0	0	2	1	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	26	1	5	11	1	1	0	12	3	6	1	0
118	2	0	1	1	0	0	0	1	0	3	0	0
119	3	0	0	0	1	0	0	1	0	0	1	0
120	7	1	2	2	0	0	0	5	1	1	0	0
121	14	0	2	8	0	1	0	5	2	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	6	1	1	1	0	0	0	1	1	1	0	0
PAWTUCKET	49	16	15	21	6	3	3	21	6	4	4	1
149	0	0	0	0	0	0	0	0	0	1	0	0
150	1	0	1	1	2	0	1	3	0	0	0	0
151	4	0	2	1	1	0	0	1	0	1	1	0
152	4	2	0	5	2	0	0	0	0	0	0	0
153	1	0	0	0	0	1	0	1	0	1	0	0
154	2	0	1	2	0	0	1	0	0	0	0	0
155	3	0	1	0	0	0	0	1	0	0	1	0
156	0	3	1	1	0	0	0	2	2	0	0	0
157	3	2	0	2	0	0	0	0	0	0	0	0
158	2	2	0	0	0	0	0	2	1	0	0	0
159	1	1	1	0	0	0	0	1	0	0	0	0
160	3	0	1	0	0	0	0	0	0	0	0	0
161 **	3	1	0	0	0	0	0	1	0	1	2	1
163	0	1	0	2	1	0	1	0	0	0	0	0
164 **	6	0	0	1	0	1	0	2	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	3	0	2	1	0	1	0	2	1	0	0	0
166	4	0	0	0	0	0	0	0	0	0	0	0
167	1	1	1	0	0	0	0	2	0	0	0	0
168	2	0	0	1	0	0	0	2	1	0	0	0
169	3	0	1	2	0	0	0	0	0	0	0	0
170	1	1	1	2	0	0	0	0	0	0	0	0
171	2	2	2	0	0	0	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	4	1	4	6	2	3	0	5	1	0	0	0
PROVIDENCE	115	12	42	56	25	9	17	50	16	19	20	4
1	3	0	4	0	3	0	2	2	0	3	1	0
2	7	1	5	3	0	0	3	2	0	1	1	0
3	6	0	0	1	0	1	2	2	1	1	2	0
4	1	0	1	0	0	0	0	1	1	0	1	0
5	0	0	0	4	0	0	0	0	0	1	4	0
6	0	0	0	1	0	0	0	0	0	1	1	0
7	1	0	0	2	0	1	1	2	0	0	0	0
8	7	1	2	2	2	0	0	3	0	0	1	0
9	3	1	0	1	0	0	0	0	0	1	0	0
10	4	0	1	0	1	0	0	0	0	0	0	0
11	0	0	0	1	0	1	0	1	0	0	0	1
12	3	0	2	2	1	1	0	1	0	0	0	0
13	2	0	1	1	1	0	0	2	0	0	1	1
14	1	0	0	2	0	0	0	1	1	0	2	0
15	1	0	1	0	1	0	0	0	0	0	0	1
16	0	0	0	2	3	0	1	3	0	1	2	0
17	1	0	0	0	1	0	0	0	0	1	0	0
18	4	0	6	2	2	0	0	7	5	1	0	0
19	4	2	1	3	2	0	0	1	1	2	1	1
20	3	0	0	2	0	0	0	1	1	0	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	6	2	4	4	0	0	0	3	1	2	0	0
22	2	1	0	1	1	0	0	2	1	0	1	0
23	3	0	2	0	1	0	0	1	0	0	0	0
24	4	0	1	2	0	1	2	2	0	0	0	0
25	3	0	0	0	0	1	1	0	0	0	0	0
26	1	0	3	1	1	2	0	1	0	1	0	0
27	0	0	1	3	1	0	0	1	0	0	0	0
28	5	0	0	2	0	0	1	0	0	0	0	0
29	6	0	0	4	1	0	1	0	0	2	0	0
30	4	1	1	1	0	0	0	0	0	0	0	0
31	2	0	0	0	0	1	2	2	1	0	0	0
32	2	0	1	0	2	0	1	1	0	0	0	0
33	5	1	3	4	0	0	0	1	0	1	0	0
34	5	0	0	0	0	0	0	1	0	0	0	0
35	12	1	2	0	0	0	0	2	0	0	0	0
36	2	1	0	1	1	0	0	0	0	0	0	0
37	2	0	0	4	0	0	0	4	3	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	1	0
INNER CITY	33	3	9	23	6	8	6	18	9	7	13	3
RICHMOND-506	3	0	0	0	0	1	0	3	1	0	0	0
SCITUATE-132	7	0	3	4	2	1	1	1	0	1	0	0
SMITHFIELD	11	1	0	3	3	0	1	2	1	1	0	0
126	6	1	0	3	1	0	0	1	0	0	0	0
127	5	0	0	0	2	0	1	1	1	1	0	0
SOUTH KINGSTOWN	18	2	4	3	4	2	1	7	5	6	2	0
512	6	2	2	2	3	2	0	4	2	4	2	0
513	10	0	2	1	1	0	1	3	3	2	0	0
514	2	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	8	2	2	5	0	0	1	0	0	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	2	2	2	3	0	0	1	0	0	0	0	0
417	6	0	0	2	0	0	0	0	0	0	0	0
WARREN	13	4	5	7	0	3	0	1	1	1	0	0
305	3	2	4	3	0	0	0	1	1	0	0	0
306	10	2	1	4	0	3	0	0	0	1	0	0
WARWICK	55	6	22	27	14	6	5	16	9	5	1	1
210	9	1	1	4	0	0	1	0	0	1	0	0
211	4	0	3	0	1	0	0	1	1	1	0	0
212	6	0	2	1	1	0	0	1	1	0	0	0
213	2	0	0	3	1	0	0	3	0	0	0	0
214	4	0	3	6	0	2	0	1	1	0	0	0
215	1	0	0	1	2	0	0	2	2	1	0	0
216	0	0	0	0	1	0	0	0	0	0	0	0
217	3	0	1	0	1	2	0	1	1	1	0	0
218	1	0	2	2	1	0	0	0	0	0	0	0
219	7	2	3	1	2	0	1	0	0	0	1	0
220	4	1	0	0	2	0	0	0	0	0	0	0
221	8	1	3	1	1	1	0	1	0	0	0	0
222	5	1	2	5	1	0	2	4	2	1	0	0
223	1	0	1	3	0	1	1	2	1	0	0	1
224	0	0	1	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	16	5	0	8	3	2	2	10	5	2	1	0
508	13	4	0	5	2	0	1	6	3	2	1	0
509	2	1	0	2	0	1	1	4	2	0	0	0
510	1	0	0	1	1	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	1	0	0	0	0	0	0
WEST GREENWICH-208	1	0	0	0	0	0	1	1	1	0	0	0
WEST WARWICK	16	4	4	9	7	1	3	5	2	2	0	0
201	1	0	1	4	0	0	0	0	0	1	0	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1984

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	4	2	0	3	1	0	0	1	0	0	0	0
203	4	1	1	1	4	1	0	2	0	1	0	0
204	3	1	0	1	1	0	1	1	1	0	0	0
205	4	0	2	0	1	0	2	1	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	32	7	6	24	3	4	8	9	4	4	0	1
172	0	1	0	3	0	0	1	1	1	0	0	0
173	0	1	0	2	0	0	1	2	1	1	0	0
174	4	0	0	1	1	0	0	0	0	0	0	0
175	3	0	0	1	1	1	0	0	0	0	0	0
176	1	0	0	0	0	1	1	1	0	1	0	0
177	3	1	2	1	0	0	1	0	0	0	0	0
178	1	0	0	1	0	0	0	1	0	0	0	0
179	7	0	1	4	0	1	1	2	0	0	0	0
180	3	0	1	5	0	0	0	1	1	0	0	0
181	1	1	0	1	0	0	0	0	0	0	0	0
182	0	0	0	0	0	1	0	0	0	0	0	0
183	1	1	0	2	0	0	3	0	0	0	0	0
184	5	1	1	2	1	0	0	1	1	1	0	1
185	3	0	1	1	0	0	0	0	0	1	0	0
UNKNOWN	0	1	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1984

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	260	6	3	4	53	66	31	75	22
MOTOR VEHICLE ACCIDENTS(810-825)	110	1	0	4	36	38	8	21	2
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	31	1	0	0	10	14	3	3	0
COLLISION WITH PEDESTRIAN(814)	24	0	0	2	3	5	4	9	1
OTHER COLLISION ACCIDENTS(810,811, 813,815)	37	0	0	2	16	12	1	5	1
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	12	0	0	0	6	4	0	2	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	6	0	0	0	1	3	0	2	0
WATER TRANSPORT ACCIDENTS(830-838)	4	0	0	0	2	1	1	0	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	6	0	0	0	0	2	4	0	0
POISONING(850-869)	19	1	0	0	3	9	4	2	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	16	1	0	0	2	8	3	2	0
BY OTHER SOLIDS, LIQUIDS, GASES, AND VAPORS(860-869	3	0	0	0	1	1	1	0	0
FALLS(880-888)	48	0	0	0	2	3	4	23	16
FIRES AND FLAMES(890-899)	12	1	1	0	2	4	3	1	0
DROWNING AND SUBMERSION(910)	14	0	1	0	6	3	2	2	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	14	1	1	0	0	0	0	10	2
ALL OTHER (RESIDUAL)	33	2	0	0	2	6	5	16	2

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1984
(Rhode Island Residents; Rate per 100,000 Population, Except Total Rate per 1,000)

Rank Order	Cause of Death(ICD,1975)	1984 Number	1984 Rate	1983 Rate	Per Cent Change
	BOTH SEXES				
	TOTAL	9422	9.8	9.7	+ 1.0
1.	Diseases of the Heart(390-398,402, 404-429)	3718	386.5	389.5	- 0.8
2.	Malignant Neoplasms# (140-208)	2324	241.6	241.0	+ 2.5
3.	Cerebrovascular Diseases(430-438)	629	65.4	67.0	- 2.4
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	327	34.0	32.4	+ 4.9
5.	Accidents & Adverse Effects(E800-E949)	260	27.0	24.5	+10.2
6.	Diabetes Mellitus(250)	217	22.6	21.8	+ 3.7
7.	Pneumonia and Influenza(480-487)	187	19.4	23.9	-18.8
8.	Chronic Liver Disease and Cirrhosis(571)	128	13.3	12.7	+ 4.7
9.	Atherosclerosis(440)	126	13.1	14.5	- 9.7
10.	Suicide(E950-E959)	96	10.0	10.6	- 5.7
	All Other Causes	1410	146.6	134.6	+ 8.9
	MALE				
	TOTAL	4786	10.4	10.3	+ 1.0
1.	Diseases of the Heart(390-398,402, 404-429)	1823	397.8	409.0	- 2.7
2.	Malignant Neoplasms#(140-208)	1209	263.8	265.9	- 0.8
3.	Cerebrovascular Diseases(430-438)	239	52.2	52.1	+ 0.2
4.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	219	47.8	43.7	+ 9.4
5.	Accidents and Adverse Effects(E800-E949)	169	36.9	34.5	+ 7.0
6.	Pneumonia and Influenza(480-487)	93	20.3	20.7	- 1.9
7.	Diabetes Mellitus(250)	84	18.3	18.7	- 2.1
8.	Chronic Liver Disease & Cirrhosis(571)	83	18.1	18.0	+ 0.6
9.	Suicide(E950-E959)	74	16.1	17.1	- 5.8
10.	Atherosclerosis(440)	56	12.2	12.3	- 0.8
	All Other Causes	737	160.8	138.7	+15.9
	FEMALE				
	TOTAL	4636	9.2	9.2	0.0
1.	Diseases of the Heart(390-398,402, 404-429)	1895	376.3	371.8	+ 1.2
2.	Malignant Neoplasms#(140-208)	1115	221.4	218.4	+ 1.4
3.	Cerebrovascular Diseases(430-438)	390	77.4	80.6	- 4.0
4.	Diabetes Mellitus(250)	133	26.4	24.6	+ 7.3
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	108	21.4	22.0	- 2.7
6.	Pneumonia & Influenza (480-487)	94	18.7	26.8	-30.2
7.	Accidents and Adverse Effects(E800-E949)	91	18.1	15.4	+17.5
8.	Atherosclerosis(440)	70	13.9	16.4	-15.2
9.	Chronic Liver Disease & Cirrhosis(571)	45	8.9	7.8	+14.1
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	38	7.5	7.4	+1.4
10.	Septicemia (038)	38	7.5	4.8	+56.2
	All Other Causes	619	122.9	123.2	- 0.2

For complete category title, see International Classification of Diseases, 1975 Revision.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1984
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death (ICD, 1975)	1984 Number	1984 Rate	1983 Rate	Per Cent Change
Under Five Years	ALL CAUSES	141	244.9	278.2	- 12.0
1.	Certain Conditions Originating in the Perinatal Period (760-779)	57	99.0	127.7	- 22.5
2.	Congenital Anomalies (740-759)	36	62.5	64.7	- 3.4
3.	Sudden Infant Death Syndrome (798.0)	11	19.1	7.0	+172.9
4.	Accidents and Adverse Effects (E800-E949)	9	15.6	10.5	+ 48.6
5.	Pneumonia and Influenza (480-487)	5	8.7	14.0	- 37.9
5.	Homicide (E-960-E969)	5	8.7	5.2	+ 67.3
	All Other Causes	18	31.3	48.6	- 35.6
5-19 Years	ALL CAUSES	67	29.3	26.4	+ 11.0
1.	Accidents and Adverse Effects (E800-E949)	20	8.7	10.6	- 17.9
2.	Malignant Neoplasms* (140-208)	10	4.4	3.5	+ 25.7
3.	Suicide (E950-E959)	7	3.1	2.6	+ 19.2
4.	Homicide (E960-E969)	5	2.2	1.3	+ 69.2
5.	Diseases of Heart (390-398, 402, 404-429)	4	1.7	**	**
	All Other Causes	21	9.2	6.6	+ 39.4
20-44 Years	ALL CAUSES	401	117.8	123.4	- 4.5
1.	Accidents & Adverse Effects (E800-E949)	103	30.3	25.5	+ 18.8
2.	Malignant Neoplasms* (140-208)	76	22.3	28.7	- 22.3
3.	Diseases of Heart (390-398, 402, 404-429)	46	13.5	14.8	- 8.8
4.	Suicide (E950-E959)	41	12.0	18.1	-33.7
5.	Homicide (E960-E969)	23	6.8	8.0	- 15.0
	All Other Causes	112	32.9	28.4	+ 15.8
45-64 Years	ALL CAUSES	1742	845.0	827.6	+ 2.1
1.	Malignant Neoplasms* (140-208)	668	324.0	317.1	+ 2.2
2.	Diseases of Heart (390-398, 402, 404-429)	591	286.7	284.8	+ 0.7
3.	Chronic Liver Disease and Cirrhosis (571)	63	30.6	33.2	- 7.8
4.	Cerebrovascular Diseases (430-438)	58	28.1	21.5	+30.7
5.	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	39	18.9	23.9	- 20.9
	All Other Causes	323	156.7	147.1	+ 6.5

* For complete category title, see International Classification of Diseases, 1975 Revision.

** There were no deaths from Diseases of the Heart in this age group in 1983.

Table 32 - Five Leading Causes of Death in Specified Age Groups: Rhode Island,1984
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups) (cont'd)

Age Group & Rank	Cause of Death(ICD, 1975)	1984 Number	1984 Rate	1983 Rate	Per Cent Change
65 Years and Over	ALL CAUSES	7071	5485.9	5435.5	+ 0.9
1.	Diseases of Heart(390-398,402,404-429)	3074	2384.9	2409.9	- 1.0
2.	Malignant Neoplasms*(140-208)	1567	1215.7	1207.3	+ 0.7
3.	Cerebrovascular Diseases(430-438)	560	434.5	454.0	- 4.3
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions(490-496)	283	219.6	201.6	+ 8.9
5.	Diabetes Mellitus (250)	175	135.8	136.7	- 0.7
	All Other Causes	1412	1095.5	1004.9	+ 9.0

* For complete category title, see International Classification of Diseases, 1975 Revision.

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1984

(RHODE ISLAND OCCURRENCES)

CITY OR TOWN	MARRIAGES ACCORDING TO RESIDENCE		
	PERSONS MARRIED	GROOM	BRIDE
TOTAL	15942	7971	7971
BARRINGTON	184	76	108
BRISTOL	252	121	131
BURRILLVILLE	191	88	103
CENTRAL FALLS	341	167	174
CHARLESTOWN	80	36	44
COVENTRY	485	249	236
CRANSTON	935	428	507
CUMBERLAND	353	167	186
EAST GREENWICH	144	75	69
EAST PROVIDENCE	683	329	354
EXETER	78	38	40
FOSTER	43	20	23
GLOCESTER	78	33	45
HOPKINTON	108	50	58
JAMESTOWN	73	34	39
JOHNSTON	337	160	177
LINCOLN	200	89	111
LITTLE COMPTON	48	20	28
MIDDLETOWN	251	121	130
NARRAGANSETT	228	117	111
NEWPORT	546	262	284
NEW SHOREHAM	11	4	7
NORTH KINGSTOWN	345	168	177
NORTH PROVIDENCE	440	210	230
NORTH SMITHFIELD	112	50	62
PAWTUCKET	1141	548	593
PORTSMOUTH	202	99	103
PROVIDENCE	2091	1068	1023
RICHMOND	66	35	31
SCITUATE	132	68	64
SMITHFIELD	257	133	124
SOUTH KINGSTOWN	295	149	146
TIVERTON	148	58	90
WARREN	161	78	83
WARWICK	1408	680	728
WESTERLY	263	119	144
WEST GREENWICH	42	22	20
WEST WARWICK	474	227	247
WOONSOCKET	609	304	305
OTHER STATES OR FOREIGN PLACES	2107	1271	836

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1984

AGE OF BRIDE		AGE OF GROOM IN YEARS											
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	7971	268	2437	2374	1198	676	362	228	154	112	66	96	0
UNDER 20	845	209	519	91	17	5	3	1	0	0	0	0	0
20-24	2992	51	1558	1036	252	72	16	4	0	2	1	0	0
25-29	2070	6	294	968	520	179	64	19	13	7	0	0	0
30-34	937	2	43	219	310	220	86	39	11	5	2	0	0
35-39	482	0	20	42	78	137	90	64	30	13	7	1	0
40-44	261	0	3	14	18	43	65	54	35	19	6	4	0
45-49	158	0	0	3	2	16	28	31	37	24	11	6	0
50-54	77	0	0	0	1	3	5	11	18	15	16	8	0
55-59	61	0	0	0	0	1	4	4	7	16	16	13	0
60-64	36	0	0	1	0	0	1	1	2	10	2	19	0
65 & OVER	52	0	0	0	0	0	0	0	1	1	5	45	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1984

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7971	5827	212	1931	1	7971	5715	193	2063	0
UNDER 20	845	844	0	1	0	268	267	0	1	0
20-24	2992	2833	5	153	1	2437	2383	1	53	0
25-29	2070	1569	12	489	0	2374	2051	3	320	0
30-34	937	418	17	502	0	1198	703	6	489	0
35-39	482	103	20	359	0	676	200	10	466	0
40-44	261	34	21	206	0	362	57	12	293	0
45-49	158	8	29	121	0	228	27	9	192	0
50-54	77	4	16	57	0	154	11	15	128	0
55-59	61	9	26	26	0	112	8	28	76	0
60-64	36	2	21	13	0	66	4	33	29	0
OVER 64	52	3	45	4	0	96	4	76	16	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS

RHODE ISLAND, 1984 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	NUMBER OF THIS MARRIAGE FOR GROOM				
	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	7971	5715	1974	282	0
FIRST	5827	4939	820	68	0
SECOND	1902	719	1017	166	0
THIRD OR MORE	242	57	137	48	0
UNKNOWN	0	0	0	0	0

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1984

PREVIOUS MARITAL STATUS OF BRIDE	PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7971	5715	193	2063	0
SINGLE	5827	4939	30	858	0
WIDOWED	212	41	88	83	0
DIVORCED	1931	734	75	1122	0
UNKNOWN	1	1	0	0	0

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED

BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1984

LAST GRADE COMPLETED BY BRIDE	LAST GRADE COMPLETED BY GROOM						
			HIGH SCHOOL		COLLEGE		
	TOTAL	8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	7971	261	1003	2951	1630	2119	7
8 YEARS OR LESS	186	56	57	50	17	4	2
HIGH SCHOOL							
1 - 3 YEARS	932	67	358	369	106	31	1
4TH YEAR	3103	109	449	1610	553	380	2
COLLEGE							
1 - 3 YEARS	1847	25	115	630	595	482	0
4TH YEAR OR MORE	1894	4	24	288	357	1220	1
NOT STATED	9	0	0	4	2	2	1

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1984

AGE OF HUSBAND		AGE OF WIFE IN YEARS											
IN YEARS	TOTAL	UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3642	29	521	816	727	622	402	226	137	80	32	25	25
UNDER 20	11	6	5	0	0	0	0	0	0	0	0	0	0
20-24	268	22	194	38	9	0	3	0	0	0	0	0	2
25-29	689	0	236	367	56	14	5	2	0	0	0	0	9
30-34	786	1	58	302	359	49	13	2	1	0	0	0	1
35-39	668	0	14	73	225	300	42	8	4	1	0	0	1
40-44	496	0	9	19	58	199	179	21	8	0	0	0	3
45-49	276	0	1	8	7	29	112	96	15	3	0	2	3
50-54	189	0	0	4	4	13	35	73	47	9	3	0	1
55-59	128	0	2	2	2	11	4	16	47	35	5	0	1
60-64	68	0	1	0	2	4	4	5	12	22	13	5	0
65 & OVER	45	0	0	0	0	1	4	2	2	6	11	18	1
UNKNOWN	18	0	1	3	5	2	1	1	1	1	0	0	3

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1984
(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S		NUMBER OF WIFE'S MARRIAGES				
MARRIAGES	TOTAL DIVORCES	FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3642	2894	576	91	16	65
FIRST	2868	2578	259	25	3	3
SECOND	607	287	262	48	8	2
THIRD	93	25	48	15	5	0
FOURTH OR MORE	13	4	7	2	0	0
UNKNOWN	61	0	0	1	0	60

TABLE-41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1984

(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3642	2868	713	61	3642	2894	683	65
UNDER 20	11	11	0	0	29	29	0	0
20-24	268	266	1	1	521	506	11	4
25-29	689	639	46	4	816	721	87	8
30-34	786	652	127	7	727	573	148	6
35-39	668	500	158	10	622	453	157	12
40-44	496	336	148	12	402	273	116	13
45-49	276	187	74	15	226	152	66	8
50-54	189	126	56	7	137	88	42	7
55-59	128	75	51	2	80	50	26	4
60-64	68	39	27	2	32	20	11	1
OVER 64	45	25	20	0	25	11	13	1
UNKNOWN	18	12	5	1	25	18	6	1

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1984

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	713	683
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	652	615
DEATH ONLY:	34	40
COMBINATION OF DEATH AND DIVORCE:	12	16
UNKNOWN:	15	12

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1984

(RHODE ISLAND OCCURRENCES)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	TOTAL DIVORCES	NUMBER OF DIVORCES BY COUNTY				
			BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	3686	3642	132	686	322	2095	407
NONE	0	1526	52	273	127	906	168
ONE	928	928	35	186	84	530	93
TWO	1620	810	29	158	70	458	95
THREE	756	252	9	43	29	134	37
FOUR	252	63	4	14	7	33	5
FIVE	95	19	0	3	2	11	3
SIX	18	3	0	0	0	2	1
EIGHT	8	1	0	0	0	1	0
NINE	9	1	0	0	0	0	1
NOT STATED	*	39	3	9	3	20	4

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1984

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3642	100.0	3642	100.0
8 YEARS OR LESS	258	7.1	177	4.9
HIGH SCHOOL				
1 - 3 YEARS	596	16.4	535	14.7
4 YEARS	1425	39.1	1619	44.5
COLLEGE				
1 - 3 YEARS	540	14.8	622	17.1
4 YEARS OR MORE	566	15.5	444	12.2
NOT STATED	257	7.1	245	6.7